

Code	Code Type	Description	Yes/ No	Rationale
F10	ICD-10-CM	Alcohol related disorders	Yes	Acute condition per new directive
F10.120	ICD-10-CM	Alcohol abuse with intoxication, uncomplicated	Yes	Acute condition per new directive
F10.121	ICD-10-CM	Alcohol abuse with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise
F10.129	ICD-10-CM	Alcohol abuse with intoxication, unspecified	Yes	Acute condition per new directive
F10.130	ICD-10-CM	Alcohol abuse with withdrawal, uncomplicated	Yes	Acute condition per new directive
F10.131	ICD-10-CM	Alcohol abuse with withdrawal delirium	Yes	Delirium - indicates acute severe neurological compromise
F10.132	ICD-10-CM	Alcohol abuse with withdrawal with perceptual disturbance	Yes	Complicated withdrawal - risk of serious medical complications
F10.139	ICD-10-CM	Alcohol abuse with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications
F10.14	ICD-10-CM	Alcohol abuse with alcohol-induced mood disorder	Yes	Acute condition per new directive
F10.159	ICD-10-CM	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration
F10.180	ICD-10-CM	Alcohol abuse with alcohol-induced anxiety disorder	Yes	Acute condition per new directive
F10.221	ICD-10-CM	Alcohol dependence with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise
F10.229	ICD-10-CM	Alcohol dependence with intoxication, unspecified	Yes	Acute condition per new directive
F10.231	ICD-10-CM	Alcohol dependence with withdrawal delirium	Yes	Delirium - indicates acute severe neurological compromise
F10.232	ICD-10-CM	Alcohol dependence with withdrawal with perceptual disturbance	Yes	Complicated withdrawal - risk of serious medical complications
F10.239	ICD-10-CM	Alcohol dependence with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications
F10.24	ICD-10-CM	Alcohol dependence with alcohol-induced mood disorder	Yes	Acute condition per new directive
F10.259	ICD-10-CM	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration
F10.280	ICD-10-CM	Alcohol dependence with alcohol-induced anxiety disorder	Yes	Acute condition per new directive
F10.921	ICD-10-CM	Alcohol use, unspecified with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise
F10.929	ICD-10-CM	Alcohol use, unspecified with intoxication, unspecified	Yes	Acute condition per new directive
F10.931	ICD-10-CM	Alcohol use, unspecified with withdrawal delirium	Yes	Delirium - indicates acute severe neurological compromise

F10.932	ICD-10-CM	Alcohol use, unspecified with withdrawal with perceptual disturbance	Yes	Complicated withdrawal - risk of serious medical complications
F10.939	ICD-10-CM	Alcohol use, unspecified with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications
F10.94	ICD-10-CM	Alcohol use, unspecified with alcohol-induced mood disorder	Yes	Acute condition per new directive
F10.959	ICD-10-CM	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration
F10.980	ICD-10-CM	Alcohol use, unspecified with alcohol-induced anxiety disorder	Yes	Acute condition per new directive
F10.99	ICD-10-CM	Alcohol use, unspecified with unspecified alcohol-induced disorder	Yes	Acute condition per new directive
F11	ICD-10-CM	Opioid related disorders	Yes	Acute condition per new directive
F11.121	ICD-10-CM	Opioid abuse with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise
F11.122	ICD-10-CM	Opioid abuse with intoxication with perceptual disturbance	Yes	Acute condition per new directive
F11.129	ICD-10-CM	Opioid abuse with intoxication, unspecified	Yes	Acute condition per new directive
F11.13	ICD-10-CM	Opioid abuse with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications
F11.14	ICD-10-CM	Opioid abuse with opioid-induced mood disorder	Yes	Acute condition per new directive
F11.181	ICD-10-CM	Opioid abuse with opioid-induced sexual dysfunction	Yes	Acute condition per new directive
F11.188	ICD-10-CM	Opioid abuse with other opioid-induced disorder	Yes	Acute condition per new directive
F11.221	ICD-10-CM	Opioid dependence with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise
F11.222	ICD-10-CM	Opioid dependence with intoxication with perceptual disturbance	Yes	Acute condition per new directive
F11.229	ICD-10-CM	Opioid dependence with intoxication, unspecified	Yes	Acute condition per new directive
F11.23	ICD-10-CM	Opioid dependence with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications
F11.24	ICD-10-CM	Opioid dependence with opioid-induced mood disorder	Yes	Acute condition per new directive
F11.288	ICD-10-CM	Opioid dependence with other opioid-induced disorder	Yes	Acute condition per new directive
F11.921	ICD-10-CM	Opioid use, unspecified with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise

F11.922	ICD-10-CM	Opioid use, unspecified with intoxication with perceptual disturbance	Yes	Acute condition per new directive	
F11.929	ICD-10-CM	Opioid use, unspecified with intoxication, unspecified	Yes	Acute condition per new directive	
F11.94	ICD-10-CM	Opioid use, unspecified with opioid-induced mood disorder	Yes	Acute condition per new directive	
F11.988	ICD-10-CM	Opioid use, unspecified with other opioid-induced disorder	Yes	Acute condition per new directive	
F11.99	ICD-10-CM	Opioid use, unspecified with unspecified opioid-induced disorder	Yes	Acute condition per new directive	
F12	ICD-10-CM	Cannabis related disorders	Yes	Acute condition per new directive	
F12.121	ICD-10-CM	Cannabis abuse with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F12.122	ICD-10-CM	Cannabis abuse with intoxication with perceptual disturbance	Yes	Acute condition per new directive	
F12.129	ICD-10-CM	Cannabis abuse with intoxication, unspecified	Yes	Acute condition per new directive	
F12.13	ICD-10-CM	Cannabis abuse with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications	
F12.159	ICD-10-CM	Cannabis abuse with psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F12.180	ICD-10-CM	Cannabis abuse with cannabis-induced anxiety disorder	Yes	Acute condition per new directive	
F12.188	ICD-10-CM	Cannabis abuse with other cannabis-induced disorder	Yes	Acute condition per new directive	
F12.221	ICD-10-CM	Cannabis dependence with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F12.222	ICD-10-CM	Cannabis dependence with intoxication with perceptual disturbance	Yes	Acute condition per new directive	
F12.229	ICD-10-CM	Cannabis dependence with intoxication, unspecified	Yes	Acute condition per new directive	
F12.259	ICD-10-CM	Cannabis dependence with psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F12.280	ICD-10-CM	Cannabis dependence with cannabis-induced anxiety disorder	Yes	Acute condition per new directive	

F12.288	ICD-10-CM	Cannabis dependence with other cannabis-induced disorder	Yes	Acute condition per new directive	
F12.921	ICD-10-CM	Cannabis use, unspecified with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F12.922	ICD-10-CM	Cannabis use, unspecified with intoxication with perceptual disturbance	Yes	Acute condition per new directive	
F12.929	ICD-10-CM	Cannabis use, unspecified with intoxication, unspecified	Yes	Acute condition per new directive	
F12.959	ICD-10-CM	Cannabis use, unspecified with psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F12.980	ICD-10-CM	Cannabis use, unspecified with anxiety disorder	Yes	Acute condition per new directive	
F12.988	ICD-10-CM	Cannabis use, unspecified with other cannabis-induced disorder	Yes	Acute condition per new directive	
F12.99	ICD-10-CM	Cannabis use, unspecified with unspecified cannabis-induced disorder	Yes	Acute condition per new directive	
F13	ICD-10-CM	Sedative, hypnotic, or anxiolytic related disorders	Yes	Acute condition per new directive	
F13.121	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F13.129	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified	Yes	Acute condition per new directive	
F13.131	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with withdrawal delirium	Yes	Delirium - indicates acute severe neurological compromise	
F13.132	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with withdrawal with perceptual disturbance	Yes	Complicated withdrawal - risk of serious medical complications	
F13.139	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications	
F13.14	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder	Yes	Acute condition per new directive	

F13.159	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F13.180	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder	Yes	Acute condition per new directive	
F13.221	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F13.229	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified	Yes	Acute condition per new directive	
F13.231	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium	Yes	Delirium - indicates acute severe neurological compromise	
F13.232	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance	Yes	Complicated withdrawal - risk of serious medical complications	
F13.239	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications	
F13.24	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder	Yes	Acute condition per new directive	
F13.259	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F13.280	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder	Yes	Acute condition per new directive	
F13.288	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder	Yes	Acute condition per new directive	
F13.921	ICD-10-CM	Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F13.929	ICD-10-CM	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified	Yes	Acute condition per new directive	

F13.94	ICD-10-CM	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder	Yes	Acute condition per new directive	
F13.959	ICD-10-CM	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F13.980	ICD-10-CM	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder	Yes	Acute condition per new directive	
F13.988	ICD-10-CM	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder	Yes	Acute condition per new directive	
F13.99	ICD-10-CM	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder	Yes	Acute condition per new directive	
F14	ICD-10-CM	Cocaine related disorders	Yes	Acute condition per new directive	
F14.121	ICD-10-CM	Cocaine abuse with intoxication with delirium	Yes	Delirium - indicates acute severe neurological compromise	
F14.122	ICD-10-CM	Cocaine abuse with intoxication with perceptual disturbance	Yes	Acute condition per new directive	
F14.129	ICD-10-CM	Cocaine abuse with intoxication, unspecified	Yes	Acute condition per new directive	
F14.13	ICD-10-CM	Cocaine abuse, unspecified with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications	
F14.14	ICD-10-CM	Cocaine abuse with cocaine-induced mood disorder	Yes	Acute condition per new directive	
F14.159	ICD-10-CM	Cocaine abuse with cocaine-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F14.180	ICD-10-CM	Cocaine abuse with cocaine-induced anxiety disorder	Yes	Acute condition per new directive	
F14.188	ICD-10-CM	Cocaine abuse with other cocaine-induced disorder	Yes	Acute condition per new directive	
F14.221	ICD-10-CM	Cocaine dependence with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F14.222	ICD-10-CM	Cocaine dependence with intoxication with perceptual disturbance	Yes	Acute condition per new directive	

F14.229	ICD-10-CM	Cocaine dependence with intoxication, unspecified	Yes	Acute condition per new directive	
F14.23	ICD-10-CM	Cocaine dependence with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications	
F14.24	ICD-10-CM	Cocaine dependence with cocaine-induced mood disorder	Yes	Acute condition per new directive	
F14.259	ICD-10-CM	Cocaine dependence with cocaine-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F14.280	ICD-10-CM	Cocaine dependence with cocaine-induced anxiety disorder	Yes	Acute condition per new directive	
F14.288	ICD-10-CM	Cocaine dependence with other cocaine-induced disorder	Yes	Acute condition per new directive	
F14.921	ICD-10-CM	Cocaine use, unspecified with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F14.922	ICD-10-CM	Cocaine use, unspecified with intoxication with perceptual disturbance	Yes	Acute condition per new directive	
F14.929	ICD-10-CM	Cocaine use, unspecified with intoxication, unspecified	Yes	Acute condition per new directive	
F14.93	ICD-10-CM	Cocaine use, unspecified with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications	
F14.94	ICD-10-CM	Cocaine use, unspecified with cocaine-induced mood disorder	Yes	Acute condition per new directive	
F14.959	ICD-10-CM	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F14.980	ICD-10-CM	Cocaine use, unspecified with cocaine-induced anxiety disorder	Yes	Acute condition per new directive	
F14.988	ICD-10-CM	Cocaine use, unspecified with other cocaine-induced disorder	Yes	Acute condition per new directive	
F14.99	ICD-10-CM	Cocaine use, unspecified with unspecified cocaine-induced disorder	Yes	Acute condition per new directive	
F15	ICD-10-CM	Other stimulant related disorders	Yes	Acute condition per new directive	
F15.121	ICD-10-CM	Other stimulant abuse with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F15.122	ICD-10-CM	Other stimulant abuse with intoxication with perceptual disturbance	Yes	Acute condition per new directive	

F15.129	ICD-10-CM	Other stimulant abuse with intoxication, unspecified	Yes	Acute condition per new directive	
F15.13	ICD-10-CM	Other stimulant abuse with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications	
F15.14	ICD-10-CM	Other stimulant abuse with stimulant-induced mood disorder	Yes	Acute condition per new directive	
F15.159	ICD-10-CM	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F15.180	ICD-10-CM	Other stimulant abuse with stimulant-induced anxiety disorder	Yes	Acute condition per new directive	
F15.188	ICD-10-CM	Other stimulant abuse with other stimulant-induced disorder	Yes	Acute condition per new directive	
F15.221	ICD-10-CM	Other stimulant dependence with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F15.222	ICD-10-CM	Other stimulant dependence with intoxication with perceptual disturbance	Yes	Acute condition per new directive	
F15.229	ICD-10-CM	Other stimulant dependence with intoxication, unspecified	Yes	Acute condition per new directive	
F15.23	ICD-10-CM	Other stimulant dependence with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications	
F15.24	ICD-10-CM	Other stimulant dependence with stimulant-induced mood disorder	Yes	Acute condition per new directive	
F15.259	ICD-10-CM	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F15.280	ICD-10-CM	Other stimulant dependence with stimulant-induced anxiety disorder	Yes	Acute condition per new directive	
F15.288	ICD-10-CM	Other stimulant dependence with other stimulant-induced disorder	Yes	Acute condition per new directive	
F15.921	ICD-10-CM	Other stimulant use, unspecified with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F15.922	ICD-10-CM	Other stimulant use, unspecified with intoxication with perceptual disturbance	Yes	Acute condition per new directive	
F15.929	ICD-10-CM	Other stimulant use, unspecified with intoxication, unspecified	Yes	Acute condition per new directive	

F15.94	ICD-10-CM	Other stimulant use, unspecified with stimulant-induced mood disorder	Yes	Acute condition per new directive	
F15.959	ICD-10-CM	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F15.980	ICD-10-CM	Other stimulant use, unspecified with stimulant-induced anxiety disorder	Yes	Acute condition per new directive	
F15.988	ICD-10-CM	Other stimulant use, unspecified with other stimulant-induced disorder	Yes	Acute condition per new directive	
F15.99	ICD-10-CM	Other stimulant use, unspecified with unspecified stimulant-induced disorder	Yes	Acute condition per new directive	
F16	ICD-10-CM	Hallucinogen related disorders	Yes	Psychotic disorder - severe mental status alteration	
F16.121	ICD-10-CM	Hallucinogen abuse with intoxication with delirium	Yes	Delirium - indicates acute severe neurological compromise	
F16.129	ICD-10-CM	Hallucinogen abuse with intoxication, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F16.14	ICD-10-CM	Hallucinogen abuse with hallucinogen-induced mood disorder	Yes	Psychotic disorder - severe mental status alteration	
F16.159	ICD-10-CM	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F16.180	ICD-10-CM	Hallucinogen abuse with hallucinogen-induced anxiety disorder	Yes	Psychotic disorder - severe mental status alteration	
F16.221	ICD-10-CM	Hallucinogen dependence with intoxication with delirium	Yes	Delirium - indicates acute severe neurological compromise	
F16.229	ICD-10-CM	Hallucinogen dependence with intoxication, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F16.24	ICD-10-CM	Hallucinogen dependence with hallucinogen-induced mood disorder	Yes	Psychotic disorder - severe mental status alteration	
F16.259	ICD-10-CM	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F16.280	ICD-10-CM	Hallucinogen dependence with hallucinogen-induced anxiety disorder	Yes	Psychotic disorder - severe mental status alteration	
F16.921	ICD-10-CM	Hallucinogen use, unspecified with intoxication with delirium	Yes	Delirium - indicates acute severe neurological compromise	

F16.929	ICD-10-CM	Hallucinogen use, unspecified with intoxication, unspecified	Yes	Psychotic disorder - severe mental status alteration
F16.94	ICD-10-CM	Hallucinogen use, unspecified with hallucinogen-induced mood disorder	Yes	Psychotic disorder - severe mental status alteration
F16.959	ICD-10-CM	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration
F16.980	ICD-10-CM	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder	Yes	Psychotic disorder - severe mental status alteration
F16.983	ICD-10-CM	Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks)	Yes	Psychotic disorder - severe mental status alteration
F16.99	ICD-10-CM	Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder	Yes	Psychotic disorder - severe mental status alteration
F17.208	ICD-10-CM	Nicotine dependence, unspecified, with other nicotine-induced disorders	Yes	Acute condition per new directive
F17.209	ICD-10-CM	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders	Yes	Acute condition per new directive
F18	ICD-10-CM	Inhalant related disorders	Yes	Acute condition per new directive
F18.121	ICD-10-CM	Inhalant abuse with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise
F18.129	ICD-10-CM	Inhalant abuse with intoxication, unspecified	Yes	Acute condition per new directive
F18.14	ICD-10-CM	Inhalant abuse with inhalant-induced mood disorder	Yes	Acute condition per new directive
F18.159	ICD-10-CM	Inhalant abuse with inhalant-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration
F18.180	ICD-10-CM	Inhalant abuse with inhalant-induced anxiety disorder	Yes	Acute condition per new directive
F18.188	ICD-10-CM	Inhalant abuse with other inhalant-induced disorder	Yes	Acute condition per new directive
F18.221	ICD-10-CM	Inhalant dependence with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise
F18.229	ICD-10-CM	Inhalant dependence with intoxication, unspecified	Yes	Acute condition per new directive
F18.24	ICD-10-CM	Inhalant dependence with inhalant-induced mood disorder	Yes	Acute condition per new directive

F18.259	ICD-10-CM	Inhalant dependence with inhalant-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F18.280	ICD-10-CM	Inhalant dependence with inhalant-induced anxiety disorder	Yes	Acute condition per new directive	
F18.288	ICD-10-CM	Inhalant dependence with other inhalant-induced disorder	Yes	Acute condition per new directive	
F18.921	ICD-10-CM	Inhalant use, unspecified with intoxication with delirium	Yes	Delirium - indicates acute severe neurological compromise	
F18.929	ICD-10-CM	Inhalant use, unspecified with intoxication, unspecified	Yes	Acute condition per new directive	
F18.94	ICD-10-CM	Inhalant use, unspecified with inhalant-induced mood disorder	Yes	Acute condition per new directive	
F18.959	ICD-10-CM	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F18.980	ICD-10-CM	Inhalant use, unspecified with inhalant-induced anxiety disorder	Yes	Acute condition per new directive	
F18.988	ICD-10-CM	Inhalant use, unspecified with other inhalant-induced disorder	Yes	Acute condition per new directive	
F18.99	ICD-10-CM	Inhalant use, unspecified with unspecified inhalant-induced disorder	Yes	Acute condition per new directive	
F19	ICD-10-CM	Other psychoactive substance related disorders	Yes	Acute condition per new directive	
F19.121	ICD-10-CM	Other psychoactive substance abuse with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F19.129	ICD-10-CM	Other psychoactive substance abuse with intoxication, unspecified	Yes	Acute condition per new directive	
F19.131	ICD-10-CM	Other psychoactive substance abuse with withdrawal delirium	Yes	Delirium - indicates acute severe neurological compromise	
F19.132	ICD-10-CM	Other psychoactive substance abuse with withdrawal with perceptual disturbance	Yes	Complicated withdrawal - risk of serious medical complications	
F19.139	ICD-10-CM	Other psychoactive substance abuse with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications	

F19.14	ICD-10-CM	Other psychoactive substance abuse with psychoactive substance-induced mood disorder	Yes	Acute condition per new directive	
F19.159	ICD-10-CM	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F19.180	ICD-10-CM	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder	Yes	Acute condition per new directive	
F19.188	ICD-10-CM	Other psychoactive substance abuse with other psychoactive substance-induced disorder	Yes	Acute condition per new directive	
F19.221	ICD-10-CM	Other psychoactive substance dependence with intoxication delirium	Yes	Delirium - indicates acute severe neurological compromise	
F19.229	ICD-10-CM	Other psychoactive substance dependence with intoxication, unspecified	Yes	Acute condition per new directive	
F19.231	ICD-10-CM	Other psychoactive substance dependence with withdrawal delirium	Yes	Delirium - indicates acute severe neurological compromise	
F19.239	ICD-10-CM	Other psychoactive substance dependence with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications	
F19.24	ICD-10-CM	Other psychoactive substance dependence with psychoactive substance-induced mood disorder	Yes	Acute condition per new directive	
F19.259	ICD-10-CM	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F19.280	ICD-10-CM	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder	Yes	Acute condition per new directive	
F19.288	ICD-10-CM	Other psychoactive substance dependence with other psychoactive substance-induced disorder	Yes	Acute condition per new directive	
F19.921	ICD-10-CM	Other psychoactive substance use, unspecified with intoxication with delirium	Yes	Delirium - indicates acute severe neurological compromise	
F19.929	ICD-10-CM	Other psychoactive substance use, unspecified with intoxication, unspecified	Yes	Acute condition per new directive	
F19.94	ICD-10-CM	Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder	Yes	Acute condition per new directive	

F19.959	ICD-10-CM	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified	Yes	Psychotic disorder - severe mental status alteration	
F19.980	ICD-10-CM	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder	Yes	Acute condition per new directive	
F19.988	ICD-10-CM	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder	Yes	Acute condition per new directive	
F19.99	ICD-10-CM	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder	Yes	Acute condition per new directive	

Code	Code Type	Description	Yes/ No	Rationale
F04	ICD-10-CM	Amnestic disorder due to known physiological condition	Yes	Amnestic disorder - significant memory impairment affecting function
F05	ICD-10-CM	Delirium due to known physiological condition	Yes	Delirium - acute severe neurological compromise
F06.0	ICD-10-CM	Psychotic disorder with hallucinations due to known physiological condition	Yes	psychosis secondary to neurologic illness often indicates severe disease burden; supervision needs, potential institutional care, impaired judgment safety
F06.1	ICD-10-CM	Catatonic disorder due to known physiological condition	Yes	Catatonic state - severe neuropsychiatric condition
F06.2	ICD-10-CM	Psychotic disorder with delusions due to known physiological condition	yes	psychosis secondary to neurologic illness often indicates severe disease burden; supervision needs, potential institutional care, impaired judgment safety
F06.31	ICD-10-CM	Mood disorder due to known physiological condition with depressive features	Yes	Mood disorder due to physiological condition - indicates underlying medical illness affecting brain function
F06.32	ICD-10-CM	Mood disorder due to known physiological condition with major depressive-like episode	Yes	Mood disorder due to physiological condition - indicates underlying medical illness
F06.33	ICD-10-CM	Mood disorder due to known physiological condition with manic features	Yes	Mood disorder due to physiological condition - indicates underlying medical illness
F06.34	ICD-10-CM	Mood disorder due to known physiological condition with mixed features	Yes	Mood disorder due to physiological condition - indicates underlying medical illness
F07.0	ICD-10-CM	Personality change due to known physiological condition	Yes	commonly associated with cognitive impairment, exec dysfunction, supervision needs, and chronic fx impairment
F10	ICD-10-CM	Alcohol related disorders	Yes	Acute condition per new directive
F10.121	ICD-10-CM	Alcohol abuse with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F10.221	ICD-10-CM	Alcohol dependence with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F10.229	ICD-10-CM	Alcohol dependence with intoxication, unspecified	Yes	Acute condition per new directive
F10.231	ICD-10-CM	Alcohol dependence with withdrawal delirium	Yes	Delirium - acute severe neurological compromise
F10.232	ICD-10-CM	Alcohol dependence withdrawal perceptual disturb	Yes	Suggests more severe alcohol related impairment and possible supervision/safety concerns; but may be transient or reversible.
F10.239	ICD-10-CM	Alcohol dependence with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications
F10.24	ICD-10-CM	Alcohol dependence w/alcohol-induced mood d/o	Yes	Acute condition per new directive

F10.250	ICD-10-CM	Alcohol dependence induced psychot d/o delusion	Yes	suggests severe chronic substance related illness with impaired reality testing, fx impairment, safety concerns and possible ongoing supervision needs
F10.251	ICD-10-CM	Alcohol dependence induced psychotic d/o halluc	Yes	suggests severe chronic substance related illness with impaired reality testing, fx impairment, safety concerns and possible ongoing supervision needs
F10.259	ICD-10-CM	Alcohol dependence w/induced psychotic d/o uns	Yes	suggests severe chronic substance related illness with impaired reality testing, fx impairment, safety concerns and possible ongoing supervision needs
F10.280	ICD-10-CM	Alcohol dependence w/alcohol-induced anxiety d/o	Yes	Acute condition per new directive
F11	ICD-10-CM	Opioid related disorders	Yes	Acute condition per new directive
F11.121	ICD-10-CM	Opioid abuse with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F11.221	ICD-10-CM	Opioid depend w/ intoxication delirium	Yes	Delirium - acute severe neurological compromise
F11.222	ICD-10-CM	Opioid depend w/ intoxication w/perceptual dist	Yes	Acute condition per new directive
F11.229	ICD-10-CM	Opioid dependence with intoxication, unspecified	Yes	Acute condition per new directive
F11.23	ICD-10-CM	Opioid dependence with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications
F11.24	ICD-10-CM	Opioid depend w/induced mood disorder	Yes	Acute condition per new directive
F11.250	ICD-10-CM	Opioid depend w/induced psychotic d/o w/delusions	yes	suggests severe chronic substance related illness, associated with psychosis, impaired fx and fx decline, ongoing supervision needs
F11.251	ICD-10-CM	Opioid depend w/induced psychotic d/o w/halluc	yes	suggests severe chronic substance related illness, associated with psychosis, impaired fx, fx decline, ongoing supervision needs
F11.259	ICD-10-CM	Opioid depend w/induced psychotic d/o uns	yes	suggests severe chronic substance related illness, associated with psychosis, impaired fx, fx decline ongoing supervision needs
F11.288	ICD-10-CM	Opioid dependence with other opioid-induced disorder	Yes	Acute condition per new directive
F12	ICD-10-CM	Cannabis related disorders	Yes	Acute condition per new directive
F12.121	ICD-10-CM	Cannabis abuse with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F12.221	ICD-10-CM	Cannabis dependence with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F12.222	ICD-10-CM	Cannabis dependence with intoxication with perceptual disturbance	yes	suggests more severe psychiatric involvement, needs supervision, impaired judgement
F12.229	ICD-10-CM	Cannabis dependence with intoxication, unspecified	Yes	Acute condition per new directive
F12.250	ICD-10-CM	Cannabis dependence w/psychotic d/o w/delusions	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs

F12.251	ICD-10-CM	Cannabis dependence w/psychot d/o w/hallucin		yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F12.259	ICD-10-CM	Cannabis dependence w/psychotic disorder uns		yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F12.280	ICD-10-CM	Cannabis dependence with cannabis-induced anxiety disorder		Yes	Acute condition per new directive
F12.288	ICD-10-CM	Cannabis dependence with other cannabis-induced disorder		Yes	Acute condition per new directive
F13	ICD-10-CM	Sedative, hypnotic, or anxiolytic related disorders		Yes	Acute condition per new directive
F13.121	ICD-10-CM	Sedative, hypnotic or anxiolytic abuse with intoxication delirium		Yes	Delirium - acute severe neurological compromise
F13.221	ICD-10-CM	Sedative hyp/anxiolytic depend w/intox delirium		Yes	Delirium - acute severe neurological compromise
F13.229	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified		Yes	Acute condition per new directive
F13.231	ICD-10-CM	Sedative hyp/anxiolytic depend w/withdwl delirium		Yes	Delirium - acute severe neurological compromise
F13.232	ICD-10-CM	Sedative hyp/anxiolytic depend w/d w/perceptl dist		yes	perceptual disturbance from this class of drugs includes more serious complications, impaired fx, medical instability, supervision needs
F13.239	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified		yes	withdrawal from this class of drugs includes more serious complications, impaired fx, medical instability, supervision needs
F13.24	ICD-10-CM	Sedative hyp/anxiolytic depend w/induced mood d/o		Yes	Acute condition per new directive
F13.250	ICD-10-CM	Sedative hyp/anxiolytic depend w/ind psych d/o del		yes	perceptual disturbance from this class of drugs includes more serious complications, impaired fx, medical instability, supervision needs
F13.251	ICD-10-CM	Sedative hyp/anxiolytic depend ind psych d/o halluc		yes	perceptual disturbance from this class of drugs includes more serious complications, impaired fx, medical instability, supervision needs
F13.259	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified		yes	perceptual disturbance from this class of drugs includes more serious complications, impaired fx, medical instability, supervision needs
F13.26	ICD-10-CM	Sedative hyp/anxiolytic depend ind persist amnes d/o		yes	perceptual disturbance from this class of drugs includes more serious complications, impaired fx, medical instability, supervision needs
F13.280	ICD-10-CM	Sedative hyp/anxiolytic depend w/induc anxiety d/o		Yes	Acute condition per new directive
F13.288	ICD-10-CM	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder		Yes	Acute condition per new directive
F14	ICD-10-CM	Cocaine related disorders		Yes	Acute condition per new directive
F14.121	ICD-10-CM	Cocaine abuse with intoxication with delirium		Yes	Delirium - acute severe neurological compromise
F14.221	ICD-10-CM	Cocaine dependence with intoxication delirium		Yes	Delirium - acute severe neurological compromise
F14.222	ICD-10-CM	Cocaine dependence w/intox w/perceptual dist		Yes	Acute condition per new directive
F14.229	ICD-10-CM	Cocaine dependence with intoxication, unspecified		Yes	Acute condition per new directive

F14.23	ICD-10-CM	Cocaine dependence with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications
F14.24	ICD-10-CM	Cocaine dependence w/cocaine-induced mood d/o	Yes	Acute condition per new directive
F14.250	ICD-10-CM	Cocaine dependence w/induc psychot d/o w/delusn	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F14.251	ICD-10-CM	Cocaine dependence w/induc psychot d/o w/halluc	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F14.259	ICD-10-CM	Cocaine dependence w/induced psychot d/o uns	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F14.280	ICD-10-CM	Cocaine dependence w/cocaine-induced anxiety d/o	Yes	Acute condition per new directive
F14.288	ICD-10-CM	Cocaine dependence with other cocaine-induced disorder	Yes	Acute condition per new directive
F15	ICD-10-CM	Other stimulant related disorders	Yes	Acute condition per new directive
F15.121	ICD-10-CM	Other stimulant abuse with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F15.221	ICD-10-CM	Other stimulant dependence w/intox delirium	Yes	Delirium - acute severe neurological compromise
F15.222	ICD-10-CM	Other stimulant dependence intox w/perceptl dist	Yes	Acute condition per new directive
F15.229	ICD-10-CM	Other stimulant dependence with intoxication, unspecified	Yes	Acute condition per new directive
F15.23	ICD-10-CM	Other stimulant dependence with withdrawal	Yes	Complicated withdrawal - risk of serious medical complications
F15.24	ICD-10-CM	Oth stimulant depend w/induced mood disorder	Yes	Acute condition per new directive
F15.250	ICD-10-CM	Oth stimulant depend w/induced psychot d/o w/del	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F15.251	ICD-10-CM	Oth stimulant depend induc psychot d/o w/halluc	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F15.259	ICD-10-CM	Oth stimulant depend w/induced psychot d/o uns	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F15.280	ICD-10-CM	Oth stimulant depend w/induced anxiety disorder	Yes	Acute condition per new directive
F15.288	ICD-10-CM	Other stimulant dependence with other stimulant-induced disorder	Yes	Acute condition per new directive
F16	ICD-10-CM	Hallucinogen related disorders	Yes	Psychotic disorder - severe mental status alteration
F16.121	ICD-10-CM	Hallucinogen abuse with intoxication with delirium	Yes	Delirium - acute severe neurological compromise
F16.221	ICD-10-CM	Hallucinogen dependence w/intox w/delirium	Yes	Delirium - acute severe neurological compromise
F16.229	ICD-10-CM	Hallucinogen dependence with intoxication, unspecified	Yes	Psychotic disorder - severe mental status alteration
F16.24	ICD-10-CM	Hallucinogen dependence w/induced mood disorder	Yes	Psychotic disorder - severe mental status alteration

F16.250	ICD-10-CM	Hallucinogen depend induc psychot d/o w/delusion	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F16.251	ICD-10-CM	Hallucinogen depend induc psychot d/o w/hallucin	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F16.259	ICD-10-CM	Hallucinogen dependence w/induced psychot d/o uns	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F16.280	ICD-10-CM	Hallucinogen dependence w/induc anxiety disorder	Yes	Hallucinogen-induced anxiety disorder - acute condition per new directive
F16.283	ICD-10-CM	Hallucinogen dependence w/persist perception d/o	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F18	ICD-10-CM	Inhalant related disorders	Yes	Acute condition per new directive
F18.121	ICD-10-CM	Inhalant abuse with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F18.221	ICD-10-CM	Inhalant dependence with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F18.229	ICD-10-CM	Inhalant dependence with intoxication, unspecified	Yes	Acute condition per new directive
F18.24	ICD-10-CM	Inhalant dependence w/inhalant-induced mood d/o	Yes	Acute condition per new directive
F18.250	ICD-10-CM	Inhalant depend w/induc psychot d/o w/delusions	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F18.251	ICD-10-CM	Inhalant depend w/induc psychot d/o w/hallucin	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F18.259	ICD-10-CM	Inhalant depend w/inhal-induced psychot d/o uns	yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F18.280	ICD-10-CM	Inhalant dependence w/inhal-induced anxiety d/o	Yes	Acute condition per new directive
F18.288	ICD-10-CM	Inhalant dependence with other inhalant-induced disorder	Yes	Acute condition per new directive
F19	ICD-10-CM	Other psychoactive substance related disorders	Yes	Acute condition per new directive
F19.121	ICD-10-CM	Other psychoactive substance abuse with intoxication delirium	Yes	Delirium - acute severe neurological compromise
F19.221	ICD-10-CM	Oth psychoactive sbstnc depend intox delirium	Yes	Delirium - acute severe neurological compromise
F19.229	ICD-10-CM	Other psychoactive substance dependence with intoxication, unspecified	Yes	Acute condition per new directive
F19.231	ICD-10-CM	Oth psychoactive sbstnc depend with w/d delirium	Yes	Delirium - acute severe neurological compromise
F19.239	ICD-10-CM	Other psychoactive substance dependence with withdrawal, unspecified	Yes	Complicated withdrawal - risk of serious medical complications
F19.24	ICD-10-CM	Oth psychoactive sbstnc depend w/induced mood d/o	Yes	Acute condition per new directive

F19.250	ICD-10-CM	Oth psychoactv sbstnc depend ind psych d/o w/del		yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F19.251	ICD-10-CM	Oth psychoactv sbstnc depend ind psych d/o halluc		yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F19.259	ICD-10-CM	Oth psychoactv sbstnc depend induc psych d/o uns		yes	associated with psychosis, impaired fx, safety concerns, and ongoing supervision needs
F19.280	ICD-10-CM	Oth psychoactive sbstnc dep w/induc anxiety d/o		Yes	Acute condition per new directive
F19.288	ICD-10-CM	Other psychoactive substance dependence with other psychoactive substance-induced disorder		Yes	Acute condition per new directive
F22	ICD-10-CM	Delusional disorders		Yes	Delusional disorder - chronic impaired reality testing
F29	ICD-10-CM	Unspecified psychosis not due to a substance or known physiological condition		yes	psychosis higher baseline level of impairment ; still implies impaired reality testing, fx impairment, supervision needs, behavior instability
F30	ICD-10-CM	Manic episode		yes	psychosis higher baseline level of impairment ; still implies impaired reality testing, fx impairment, supervision needs, behavior instability
F30.2	ICD-10-CM	Manic episode, severe, without psychotic symptoms		Yes	Severe manic episode - acute psychiatric crisis requiring intervention
F30.3	ICD-10-CM	Manic episode, severe with psychotic symptoms		Yes	Manic episode with psychosis - severe mental status alteration
F31.2	ICD-10-CM	Bipolar disorder, current episode manic without psychotic features, severe		Yes	Severe bipolar mania - significant psychiatric impairment
F31.30	ICD-10-CM	Bipolar disorder, current episode manic severe with psychotic features		Yes	Bipolar mania with psychosis - severe mental status alteration
F31.60	ICD-10-CM	Bipolar disorder, current episode depressed, severe, with psychotic features		Yes	Bipolar depression with psychosis - severe psychiatric crisis
F31.64	ICD-10-CM	Bipolar disorder, current episode mixed, severe, without psychotic features		Yes	Severe mixed bipolar episode - complex psychiatric presentation
F31.70	ICD-10-CM	Bipolar disorder, current episode mixed, severe, with psychotic features		Yes	Mixed bipolar with psychosis - severe mental status alteration
F32.4	ICD-10-CM	Major depressive disorder, single episode, severe with psychotic features		Yes	Severe depression with psychosis - acute psychiatric emergency
F33.41	ICD-10-CM	Major depressive disorder, recurrent, severe with psychotic symptoms		Yes	Recurrent depression with psychosis - severe psychiatric impairment
F42.2	ICD-10-CM	Mixed obsessional thoughts and acts		Yes	Mixed OCD - chronic but manageable
F42.3	ICD-10-CM	Hoarding disorder		Yes	Hoarding disorder - chronic but manageable
F43.0	ICD-10-CM	Acute stress reaction		Yes	Acute stress reaction - severe psychological distress

F43.81	ICD-10-CM	Prolonged grief disorder	Yes	Prolonged grief/stress reaction - severe psychological impairment
F44	ICD-10-CM	Dissociative and conversion disorders	Yes	Dissociative/stress disorder - severe psychological distress affecting function
F44.4	ICD-10-CM	Dissociative fugue	Yes	typically associated with impaired orientation, supervision and safety needs
F50.014	ICD-10-CM	Anorexia nervosa, restricting type, extreme	Yes	Extreme anorexia nervosa - critical medical instability
F50.023	ICD-10-CM	Anorexia nervosa, binge eating/purging type, severe	Yes	Severe anorexia (binge-purge) - serious medical complications
F50.24	ICD-10-CM	Bulimia nervosa, extreme	Yes	Severe bulimia - significant medical complications
F50.25	ICD-10-CM	Bulimia nervosa, in remission	Yes	Extreme bulimia - serious electrolyte and cardiac risks
F50.813	ICD-10-CM	Binge eating disorder, extreme	Yes	Severe binge eating disorder - significant medical and psychiatric comorbidity
F50.814	ICD-10-CM	Binge eating disorder, in remission	Yes	Extreme binge eating disorder - serious obesity-related complications
F71	ICD-10-CM	Moderate intellectual disabilities	Yes	Moderate intellectual disability - requires ongoing support
G30	ICD-10-CM	Mental disorder, not otherwise specified	Yes	Mental disorder NOS - requires clinical evaluation for frailty determination
R45.88	ICD-10-CM	Nonsuicidal self-harm	Yes	Nonsuicidal self-harm - indicates significant psychological distress, self-injury behavior, safety concerns, and need for ongoing supervision and mental health support
T14	ICD-10-CM	Injury of unspecified body region	Yes	Injury header - context dependent
T14.91XA	ICD-10-CM	Suicide attempt, initial encounter	Yes	Suicide attempt - indicates severe psychiatric crisis, safety risk
T14.91XD	ICD-10-CM	Suicide attempt, subsequent encounter	Yes	Suicide attempt subsequent - indicates ongoing psychiatric crisis
T14.91XS	ICD-10-CM	Suicide attempt, sequela	Yes	Suicide attempt sequela - indicates history of severe psychiatric crisis
T36.0X2A	ICD-10-CM	Poisoning by penicillins, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.0X2S	ICD-10-CM	Poisoning by penicillins, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.1X2A	ICD-10-CM	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.1X2S	ICD-10-CM	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.2X2A	ICD-10-CM	Poisoning by chloramphenicol group, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.2X2S	ICD-10-CM	Poisoning by chloramphenicol group, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.3X2A	ICD-10-CM	Poisoning by macrolides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T36.3X2S	ICD-10-CM	Poisoning by macrolides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.4X2A	ICD-10-CM	Poisoning by tetracyclines, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.4X2S	ICD-10-CM	Poisoning by tetracyclines, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.5X2A	ICD-10-CM	Poisoning by aminoglycosides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.5X2S	ICD-10-CM	Poisoning by aminoglycosides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.6X2A	ICD-10-CM	Poisoning by rifampicins, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.6X2S	ICD-10-CM	Poisoning by rifampicins, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.7X2A	ICD-10-CM	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.7X2S	ICD-10-CM	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.8X2A	ICD-10-CM	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.8X2S	ICD-10-CM	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.9X2A	ICD-10-CM	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T36.9X2S	ICD-10-CM	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.0X2A	ICD-10-CM	Poisoning by sulfonamides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.0X2S	ICD-10-CM	Poisoning by sulfonamides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.1X2A	ICD-10-CM	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.1X2S	ICD-10-CM	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.2X2A	ICD-10-CM	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.2X2S	ICD-10-CM	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.3X2A	ICD-10-CM	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T37.3X2S	ICD-10-CM	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.4X2A	ICD-10-CM	Poisoning by anthelmintics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.4X2S	ICD-10-CM	Poisoning by anthelmintics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.5X2A	ICD-10-CM	Poisoning by antiviral drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.5X2S	ICD-10-CM	Poisoning by antiviral drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.8X2A	ICD-10-CM	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.8X2S	ICD-10-CM	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.92XA	ICD-10-CM	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T37.92XS	ICD-10-CM	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.0X2A	ICD-10-CM	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.0X2S	ICD-10-CM	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.1X2A	ICD-10-CM	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.1X2S	ICD-10-CM	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.2X2A	ICD-10-CM	Poisoning by antithyroid drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.2X2S	ICD-10-CM	Poisoning by antithyroid drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.3X2A	ICD-10-CM	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.3X2S	ICD-10-CM	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.4X2A	ICD-10-CM	Poisoning by oral contraceptives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T38.4X2S	ICD-10-CM	Poisoning by oral contraceptives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.5X2A	ICD-10-CM	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.5X2S	ICD-10-CM	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.6X2A	ICD-10-CM	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.6X2S	ICD-10-CM	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.7X2A	ICD-10-CM	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.7X2S	ICD-10-CM	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.802A	ICD-10-CM	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.802S	ICD-10-CM	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.812A	ICD-10-CM	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.812S	ICD-10-CM	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.892A	ICD-10-CM	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.892S	ICD-10-CM	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.902A	ICD-10-CM	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.902S	ICD-10-CM	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.992A	ICD-10-CM	Poisoning by other hormone antagonists, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T38.992S	ICD-10-CM	Poisoning by other hormone antagonists, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T39.012A	ICD-10-CM	Poisoning by aspirin, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.012S	ICD-10-CM	Poisoning by aspirin, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.092A	ICD-10-CM	Poisoning by salicylates, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.092S	ICD-10-CM	Poisoning by salicylates, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.1X2A	ICD-10-CM	Poisoning by 4-aminophenol derivatives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.1X2S	ICD-10-CM	Poisoning by 4-aminophenol derivatives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.2X2A	ICD-10-CM	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.2X2S	ICD-10-CM	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.312A	ICD-10-CM	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.312S	ICD-10-CM	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.392A	ICD-10-CM	Poisoning by other nonsteroidal anti-inflammatory drugs [nsaid], intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.392S	ICD-10-CM	Poisoning by other nonsteroidal anti-inflammatory drugs [nsaid], intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.4X2A	ICD-10-CM	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.4X2S	ICD-10-CM	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.8X2A	ICD-10-CM	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.8X2S	ICD-10-CM	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.92XA	ICD-10-CM	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T39.92XS	ICD-10-CM	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.0X1A	ICD-10-CM	Poisoning by opium, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event

T40.0X2A	ICD-10-CM	Poisoning by opium, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.0X2S	ICD-10-CM	Poisoning by opium, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.1X1A	ICD-10-CM	Poisoning by heroin, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.1X2A	ICD-10-CM	Poisoning by heroin, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.1X2S	ICD-10-CM	Poisoning by heroin, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.2X1A	ICD-10-CM	Poisoning by other opioids, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.2X2A	ICD-10-CM	Poisoning by other opioids, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.2X2S	ICD-10-CM	Poisoning by other opioids, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.3X1A	ICD-10-CM	Poisoning by methadone, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.3X2A	ICD-10-CM	Poisoning by methadone, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.3X2S	ICD-10-CM	Poisoning by methadone, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.5X1A	ICD-10-CM	Poisoning by cocaine, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.5X2A	ICD-10-CM	Poisoning by cocaine, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.5X2S	ICD-10-CM	Poisoning by cocaine, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.601A	ICD-10-CM	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.602A	ICD-10-CM	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.602S	ICD-10-CM	Poisoning by unspecified narcotics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.691A	ICD-10-CM	Poisoning by other narcotics, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.692A	ICD-10-CM	Poisoning by other narcotics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.692S	ICD-10-CM	Poisoning by other narcotics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.8X1A	ICD-10-CM	Poisoning by lysergide [lsd], accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.8X2A	ICD-10-CM	Poisoning by lysergide [lsd], intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T40.8X2S	ICD-10-CM	Poisoning by lysergide [lsd], intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.901A	ICD-10-CM	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.902A	ICD-10-CM	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.902S	ICD-10-CM	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.991A	ICD-10-CM	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T40.992A	ICD-10-CM	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T40.992S	ICD-10-CM	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.0X2A	ICD-10-CM	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.0X2S	ICD-10-CM	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.1X2A	ICD-10-CM	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.1X2S	ICD-10-CM	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.202A	ICD-10-CM	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.202S	ICD-10-CM	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.292A	ICD-10-CM	Poisoning by other general anesthetics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.292S	ICD-10-CM	Poisoning by other general anesthetics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.3X2A	ICD-10-CM	Poisoning by local anesthetics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.3X2S	ICD-10-CM	Poisoning by local anesthetics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.42XA	ICD-10-CM	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T41.42XS	ICD-10-CM	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.5X2A	ICD-10-CM	Poisoning by therapeutic gases, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T41.5X2S	ICD-10-CM	Poisoning by therapeutic gases, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.0X2A	ICD-10-CM	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.0X2S	ICD-10-CM	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.1X2A	ICD-10-CM	Poisoning by iminostilbenes, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.1X2S	ICD-10-CM	Poisoning by iminostilbenes, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.2X2A	ICD-10-CM	Poisoning by succinimides and oxazolimediones, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.2X2S	ICD-10-CM	Poisoning by succinimides and oxazolimediones, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.3X2A	ICD-10-CM	Poisoning by barbiturates, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.3X2S	ICD-10-CM	Poisoning by barbiturates, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.4X2A	ICD-10-CM	Poisoning by benzodiazepines, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.4X2S	ICD-10-CM	Poisoning by benzodiazepines, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.5X2A	ICD-10-CM	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.5X2S	ICD-10-CM	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.6X2A	ICD-10-CM	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.6X2S	ICD-10-CM	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.72XA	ICD-10-CM	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.72XS	ICD-10-CM	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T42.8X2A	ICD-10-CM	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T42.8X2S	ICD-10-CM	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.012A	ICD-10-CM	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.012S	ICD-10-CM	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.022A	ICD-10-CM	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.022S	ICD-10-CM	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.1X2A	ICD-10-CM	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.1X2S	ICD-10-CM	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.202A	ICD-10-CM	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.202S	ICD-10-CM	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.212A	ICD-10-CM	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.212S	ICD-10-CM	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.222A	ICD-10-CM	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.222S	ICD-10-CM	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.292A	ICD-10-CM	Poisoning by other antidepressants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.292S	ICD-10-CM	Poisoning by other antidepressants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T43.3X2A	ICD-10-CM	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.3X2S	ICD-10-CM	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.4X2A	ICD-10-CM	Poisoning by butyrophenone and thioxiphen neuroleptics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.4X2S	ICD-10-CM	Poisoning by butyrophenone and thioxiphen neuroleptics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.502A	ICD-10-CM	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.502S	ICD-10-CM	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.592A	ICD-10-CM	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.592S	ICD-10-CM	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.601A	ICD-10-CM	Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T43.602A	ICD-10-CM	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.602S	ICD-10-CM	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.611A	ICD-10-CM	Poisoning by caffeine, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T43.612A	ICD-10-CM	Poisoning by caffeine, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.612S	ICD-10-CM	Poisoning by caffeine, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.621A	ICD-10-CM	Poisoning by amphetamines, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T43.622A	ICD-10-CM	Poisoning by amphetamines, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.622S	ICD-10-CM	Poisoning by amphetamines, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.631A	ICD-10-CM	Poisoning by methylphenidate, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event

T43.632A	ICD-10-CM	Poisoning by methylphenidate, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.632S	ICD-10-CM	Poisoning by methylphenidate, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.641A	ICD-10-CM	Poisoning by ecstasy, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T43.642A	ICD-10-CM	Poisoning by ecstasy, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.642S	ICD-10-CM	Poisoning by ecstasy, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.691A	ICD-10-CM	Poisoning by other psychostimulants, accidental (unintentional), initial encounter	Yes	Intentional poisoning - severe psychiatric/medical event
T43.692A	ICD-10-CM	Poisoning by other psychostimulants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.692S	ICD-10-CM	Poisoning by other psychostimulants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.8X2A	ICD-10-CM	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.8X2S	ICD-10-CM	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.92XA	ICD-10-CM	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T43.92XS	ICD-10-CM	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.0X2A	ICD-10-CM	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.0X2S	ICD-10-CM	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.1X2A	ICD-10-CM	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.1X2S	ICD-10-CM	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.2X2A	ICD-10-CM	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.2X2S	ICD-10-CM	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T44.3X2A	ICD-10-CM	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.3X2S	ICD-10-CM	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.4X2A	ICD-10-CM	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.4X2S	ICD-10-CM	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.5X2A	ICD-10-CM	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.5X2S	ICD-10-CM	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.6X2A	ICD-10-CM	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.6X2S	ICD-10-CM	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.7X2A	ICD-10-CM	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.7X2S	ICD-10-CM	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.8X2A	ICD-10-CM	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.8X2S	ICD-10-CM	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.902A	ICD-10-CM	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.902S	ICD-10-CM	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T44.992A	ICD-10-CM	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T44.992S	ICD-10-CM	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.0X2A	ICD-10-CM	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.0X2S	ICD-10-CM	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.1X2A	ICD-10-CM	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.1X2S	ICD-10-CM	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.2X2A	ICD-10-CM	Poisoning by vitamins, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.2X2S	ICD-10-CM	Poisoning by vitamins, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.3X2A	ICD-10-CM	Poisoning by enzymes, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.3X2S	ICD-10-CM	Poisoning by enzymes, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.4X2A	ICD-10-CM	Poisoning by iron and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.4X2S	ICD-10-CM	Poisoning by iron and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.512A	ICD-10-CM	Poisoning by anticoagulants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.512S	ICD-10-CM	Poisoning by anticoagulants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.522A	ICD-10-CM	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.522S	ICD-10-CM	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.602A	ICD-10-CM	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.602S	ICD-10-CM	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.612A	ICD-10-CM	Poisoning by thrombolytic drug, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.612S	ICD-10-CM	Poisoning by thrombolytic drug, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.622A	ICD-10-CM	Poisoning by hemostatic drug, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T45.622S	ICD-10-CM	Poisoning by hemostatic drug, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.692A	ICD-10-CM	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.692S	ICD-10-CM	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.7X2A	ICD-10-CM	Poisoning by anticoagulant antagonists, vitamin k and other coagulants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.7X2S	ICD-10-CM	Poisoning by anticoagulant antagonists, vitamin k and other coagulants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.8X2A	ICD-10-CM	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.8X2S	ICD-10-CM	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.92XA	ICD-10-CM	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T45.92XS	ICD-10-CM	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.0X2A	ICD-10-CM	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.0X2S	ICD-10-CM	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.1X2A	ICD-10-CM	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.1X2S	ICD-10-CM	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.2X2A	ICD-10-CM	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.2X2S	ICD-10-CM	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.3X2A	ICD-10-CM	Poisoning by coronary vasodilators, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.3X2S	ICD-10-CM	Poisoning by coronary vasodilators, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T46.4X2A	ICD-10-CM	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.4X2S	ICD-10-CM	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.5X2A	ICD-10-CM	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.5X2S	ICD-10-CM	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.6X2A	ICD-10-CM	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.6X2S	ICD-10-CM	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.7X2A	ICD-10-CM	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.7X2S	ICD-10-CM	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.8X2A	ICD-10-CM	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.8X2S	ICD-10-CM	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.902A	ICD-10-CM	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.902S	ICD-10-CM	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.992A	ICD-10-CM	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T46.992S	ICD-10-CM	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.0X2A	ICD-10-CM	Poisoning by histamine h2-receptor blockers, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.0X2S	ICD-10-CM	Poisoning by histamine h2-receptor blockers, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T47.1X2A	ICD-10-CM	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.1X2S	ICD-10-CM	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.2X2A	ICD-10-CM	Poisoning by stimulant laxatives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.2X2S	ICD-10-CM	Poisoning by stimulant laxatives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.3X2A	ICD-10-CM	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.3X2S	ICD-10-CM	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.4X2A	ICD-10-CM	Poisoning by other laxatives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.4X2S	ICD-10-CM	Poisoning by other laxatives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.5X2A	ICD-10-CM	Poisoning by digestants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.5X2S	ICD-10-CM	Poisoning by digestants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.6X2A	ICD-10-CM	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.6X2S	ICD-10-CM	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.7X2A	ICD-10-CM	Poisoning by emetics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.7X2S	ICD-10-CM	Poisoning by emetics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.8X2A	ICD-10-CM	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.8X2S	ICD-10-CM	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.92XA	ICD-10-CM	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T47.92XS	ICD-10-CM	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.0X2A	ICD-10-CM	Poisoning by oxytocic drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.0X2S	ICD-10-CM	Poisoning by oxytocic drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T48.1X2A	ICD-10-CM	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.1X2S	ICD-10-CM	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.202A	ICD-10-CM	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.202S	ICD-10-CM	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.292A	ICD-10-CM	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.292S	ICD-10-CM	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.3X2A	ICD-10-CM	Poisoning by antitussives, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.3X2S	ICD-10-CM	Poisoning by antitussives, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.4X2A	ICD-10-CM	Poisoning by expectorants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.4X2S	ICD-10-CM	Poisoning by expectorants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.5X2A	ICD-10-CM	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.5X2S	ICD-10-CM	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.6X2A	ICD-10-CM	Poisoning by antiasthmatics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.6X2S	ICD-10-CM	Poisoning by antiasthmatics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.902A	ICD-10-CM	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.902S	ICD-10-CM	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.992A	ICD-10-CM	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T48.992S	ICD-10-CM	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T49.0X2A	ICD-10-CM	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.0X2S	ICD-10-CM	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.1X2A	ICD-10-CM	Poisoning by antipruritics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.1X2S	ICD-10-CM	Poisoning by antipruritics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.2X2A	ICD-10-CM	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.2X2S	ICD-10-CM	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.3X2A	ICD-10-CM	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.3X2S	ICD-10-CM	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.4X2A	ICD-10-CM	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.4X2S	ICD-10-CM	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.5X2A	ICD-10-CM	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.5X2S	ICD-10-CM	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.6X2A	ICD-10-CM	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.6X2S	ICD-10-CM	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.7X2A	ICD-10-CM	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.7X2S	ICD-10-CM	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.8X2A	ICD-10-CM	Poisoning by other topical agents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.8X2S	ICD-10-CM	Poisoning by other topical agents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T49.92XA	ICD-10-CM	Poisoning by unspecified topical agent, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T49.92XS	ICD-10-CM	Poisoning by unspecified topical agent, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.0X2A	ICD-10-CM	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.0X2S	ICD-10-CM	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.1X2A	ICD-10-CM	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.1X2S	ICD-10-CM	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.2X2A	ICD-10-CM	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.2X2S	ICD-10-CM	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.3X2A	ICD-10-CM	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.3X2S	ICD-10-CM	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.4X2A	ICD-10-CM	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.4X2S	ICD-10-CM	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.5X2A	ICD-10-CM	Poisoning by appetite depressants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.5X2S	ICD-10-CM	Poisoning by appetite depressants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.6X2A	ICD-10-CM	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.6X2S	ICD-10-CM	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.7X2A	ICD-10-CM	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T50.7X2S	ICD-10-CM	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.8X2A	ICD-10-CM	Poisoning by diagnostic agents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.8X2S	ICD-10-CM	Poisoning by diagnostic agents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.902A	ICD-10-CM	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.902S	ICD-10-CM	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.912A	ICD-10-CM	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.912S	ICD-10-CM	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.992A	ICD-10-CM	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.992S	ICD-10-CM	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.A12A	ICD-10-CM	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.A12S	ICD-10-CM	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.A22A	ICD-10-CM	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.A22S	ICD-10-CM	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.A92A	ICD-10-CM	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.A92S	ICD-10-CM	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.B12A	ICD-10-CM	Poisoning by smallpox vaccines, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.B12S	ICD-10-CM	Poisoning by smallpox vaccines, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T50.B92A	ICD-10-CM	Poisoning by other viral vaccines, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.B92S	ICD-10-CM	Poisoning by other viral vaccines, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.Z12A	ICD-10-CM	Poisoning by immunoglobulin, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.Z12S	ICD-10-CM	Poisoning by immunoglobulin, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.Z92A	ICD-10-CM	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T50.Z92S	ICD-10-CM	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.0X2A	ICD-10-CM	Toxic effect of ethanol, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.0X2S	ICD-10-CM	Toxic effect of ethanol, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.1X2A	ICD-10-CM	Toxic effect of methanol, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.1X2S	ICD-10-CM	Toxic effect of methanol, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.2X2A	ICD-10-CM	Toxic effect of 2-propanol, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.2X2S	ICD-10-CM	Toxic effect of 2-propanol, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.3X2A	ICD-10-CM	Toxic effect of fusel oil, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.3X2S	ICD-10-CM	Toxic effect of fusel oil, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.8X2A	ICD-10-CM	Toxic effect of other alcohols, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.8X2S	ICD-10-CM	Toxic effect of other alcohols, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.92XA	ICD-10-CM	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T51.92XS	ICD-10-CM	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.0X2A	ICD-10-CM	Toxic effect of petroleum products, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.0X2S	ICD-10-CM	Toxic effect of petroleum products, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.1X2A	ICD-10-CM	Toxic effect of benzene, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.1X2S	ICD-10-CM	Toxic effect of benzene, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.2X2A	ICD-10-CM	Toxic effect of homologues of benzene, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.2X2S	ICD-10-CM	Toxic effect of homologues of benzene, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T52.3X2A	ICD-10-CM	Toxic effect of glycols, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.3X2S	ICD-10-CM	Toxic effect of glycols, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.4X2A	ICD-10-CM	Toxic effect of ketones, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.4X2S	ICD-10-CM	Toxic effect of ketones, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.8X2A	ICD-10-CM	Toxic effect of other organic solvents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.8X2S	ICD-10-CM	Toxic effect of other organic solvents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.92XA	ICD-10-CM	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T52.92XS	ICD-10-CM	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.0X2A	ICD-10-CM	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.0X2S	ICD-10-CM	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.1X2A	ICD-10-CM	Toxic effect of chloroform, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.1X2S	ICD-10-CM	Toxic effect of chloroform, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.2X2A	ICD-10-CM	Toxic effect of trichloroethylene, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.2X2S	ICD-10-CM	Toxic effect of trichloroethylene, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.3X2A	ICD-10-CM	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.3X2S	ICD-10-CM	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.4X2A	ICD-10-CM	Toxic effect of dichloromethane, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.4X2S	ICD-10-CM	Toxic effect of dichloromethane, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.5X2A	ICD-10-CM	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.5X2S	ICD-10-CM	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.6X2A	ICD-10-CM	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T53.6X2S	ICD-10-CM	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.7X2A	ICD-10-CM	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.7X2S	ICD-10-CM	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.92XA	ICD-10-CM	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T53.92XS	ICD-10-CM	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.0X2A	ICD-10-CM	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.0X2S	ICD-10-CM	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.1X2A	ICD-10-CM	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.1X2S	ICD-10-CM	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.2X2A	ICD-10-CM	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.2X2S	ICD-10-CM	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.3X2A	ICD-10-CM	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.3X2S	ICD-10-CM	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.92XA	ICD-10-CM	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T54.92XS	ICD-10-CM	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T55.0X2A	ICD-10-CM	Toxic effect of soaps, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T55.0X2S	ICD-10-CM	Toxic effect of soaps, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T55.1X2A	ICD-10-CM	Toxic effect of detergents, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T55.1X2S	ICD-10-CM	Toxic effect of detergents, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.0X2A	ICD-10-CM	Toxic effect of lead and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.0X2S	ICD-10-CM	Toxic effect of lead and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.1X2A	ICD-10-CM	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.1X2S	ICD-10-CM	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.2X2A	ICD-10-CM	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.2X2S	ICD-10-CM	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.3X2A	ICD-10-CM	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.3X2S	ICD-10-CM	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.4X2A	ICD-10-CM	Toxic effect of copper and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.4X2S	ICD-10-CM	Toxic effect of copper and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.5X2A	ICD-10-CM	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.5X2S	ICD-10-CM	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.6X2A	ICD-10-CM	Toxic effect of tin and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.6X2S	ICD-10-CM	Toxic effect of tin and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.7X2A	ICD-10-CM	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.7X2S	ICD-10-CM	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T56.812A	ICD-10-CM	Toxic effect of thallium, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.812S	ICD-10-CM	Toxic effect of thallium, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.892A	ICD-10-CM	Toxic effect of other metals, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.892S	ICD-10-CM	Toxic effect of other metals, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.92XA	ICD-10-CM	Toxic effect of unspecified metal, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T56.92XS	ICD-10-CM	Toxic effect of unspecified metal, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.0X2A	ICD-10-CM	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.0X2S	ICD-10-CM	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.1X2A	ICD-10-CM	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.1X2S	ICD-10-CM	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.2X2A	ICD-10-CM	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.2X2S	ICD-10-CM	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.3X2A	ICD-10-CM	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.3X2S	ICD-10-CM	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.8X2A	ICD-10-CM	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.8X2S	ICD-10-CM	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.92XA	ICD-10-CM	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T57.92XS	ICD-10-CM	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.02XA	ICD-10-CM	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T58.02XS	ICD-10-CM	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.12XA	ICD-10-CM	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.12XS	ICD-10-CM	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.2X2A	ICD-10-CM	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.2X2S	ICD-10-CM	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.8X2A	ICD-10-CM	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.8X2S	ICD-10-CM	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.92XA	ICD-10-CM	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T58.92XS	ICD-10-CM	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.0X2A	ICD-10-CM	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.0X2S	ICD-10-CM	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.1X2A	ICD-10-CM	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.1X2S	ICD-10-CM	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.2X2A	ICD-10-CM	Toxic effect of formaldehyde, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.2X2S	ICD-10-CM	Toxic effect of formaldehyde, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.3X2A	ICD-10-CM	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.3X2S	ICD-10-CM	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.4X2A	ICD-10-CM	Toxic effect of chlorine gas, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.4X2S	ICD-10-CM	Toxic effect of chlorine gas, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T59.5X2A	ICD-10-CM	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.5X2S	ICD-10-CM	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.6X2A	ICD-10-CM	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.6X2S	ICD-10-CM	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.7X2A	ICD-10-CM	Toxic effect of carbon dioxide, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.7X2S	ICD-10-CM	Toxic effect of carbon dioxide, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.812A	ICD-10-CM	Toxic effect of smoke, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.812S	ICD-10-CM	Toxic effect of smoke, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.892A	ICD-10-CM	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.892S	ICD-10-CM	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.92XA	ICD-10-CM	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T59.92XS	ICD-10-CM	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.0X2A	ICD-10-CM	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.0X2S	ICD-10-CM	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.1X2A	ICD-10-CM	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.1X2S	ICD-10-CM	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.2X2A	ICD-10-CM	Toxic effect of other insecticides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.2X2S	ICD-10-CM	Toxic effect of other insecticides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.3X2A	ICD-10-CM	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T60.3X2S	ICD-10-CM	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.4X2A	ICD-10-CM	Toxic effect of rodenticides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.4X2S	ICD-10-CM	Toxic effect of rodenticides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.8X2A	ICD-10-CM	Toxic effect of other pesticides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.8X2S	ICD-10-CM	Toxic effect of other pesticides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.92XA	ICD-10-CM	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T60.92XS	ICD-10-CM	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.02XA	ICD-10-CM	Ciguatera fish poisoning, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.02XS	ICD-10-CM	Ciguatera fish poisoning, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.12XA	ICD-10-CM	Scombroid fish poisoning, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.12XS	ICD-10-CM	Scombroid fish poisoning, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.772A	ICD-10-CM	Other fish poisoning, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.772S	ICD-10-CM	Other fish poisoning, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.782A	ICD-10-CM	Other shellfish poisoning, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.782S	ICD-10-CM	Other shellfish poisoning, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.8X2A	ICD-10-CM	Toxic effect of other seafood, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.8X2S	ICD-10-CM	Toxic effect of other seafood, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.92XA	ICD-10-CM	Toxic effect of unspecified seafood, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T61.92XS	ICD-10-CM	Toxic effect of unspecified seafood, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.0X2A	ICD-10-CM	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.0X2S	ICD-10-CM	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.1X2A	ICD-10-CM	Toxic effect of ingested berries, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.1X2S	ICD-10-CM	Toxic effect of ingested berries, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T62.2X2A	ICD-10-CM	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.2X2S	ICD-10-CM	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.8X2A	ICD-10-CM	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.8X2S	ICD-10-CM	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.92XA	ICD-10-CM	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T62.92XS	ICD-10-CM	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.002A	ICD-10-CM	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.002S	ICD-10-CM	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.012A	ICD-10-CM	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.012S	ICD-10-CM	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.022A	ICD-10-CM	Toxic effect of coral snake venom, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.022S	ICD-10-CM	Toxic effect of coral snake venom, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.032A	ICD-10-CM	Toxic effect of taipan venom, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.032S	ICD-10-CM	Toxic effect of taipan venom, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.042A	ICD-10-CM	Toxic effect of cobra venom, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.042S	ICD-10-CM	Toxic effect of cobra venom, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.062A	ICD-10-CM	Toxic effect of venom of other north and south american snake, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.062S	ICD-10-CM	Toxic effect of venom of other north and south american snake, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T63.072A	ICD-10-CM	Toxic effect of venom of other australian snake, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.072S	ICD-10-CM	Toxic effect of venom of other australian snake, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.082A	ICD-10-CM	Toxic effect of venom of other african and asian snake, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.082S	ICD-10-CM	Toxic effect of venom of other african and asian snake, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.092A	ICD-10-CM	Toxic effect of venom of other snake, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.092S	ICD-10-CM	Toxic effect of venom of other snake, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.112A	ICD-10-CM	Toxic effect of venom of gila monster, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.112S	ICD-10-CM	Toxic effect of venom of gila monster, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.122A	ICD-10-CM	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.122S	ICD-10-CM	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.192A	ICD-10-CM	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.192S	ICD-10-CM	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.2X2A	ICD-10-CM	Toxic effect of venom of scorpion, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.2X2S	ICD-10-CM	Toxic effect of venom of scorpion, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.302A	ICD-10-CM	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.302S	ICD-10-CM	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.312A	ICD-10-CM	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T63.312S	ICD-10-CM	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.322A	ICD-10-CM	Toxic effect of venom of tarantula, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.322S	ICD-10-CM	Toxic effect of venom of tarantula, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.332A	ICD-10-CM	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.332S	ICD-10-CM	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.392A	ICD-10-CM	Toxic effect of venom of other spider, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.392S	ICD-10-CM	Toxic effect of venom of other spider, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.412A	ICD-10-CM	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.412S	ICD-10-CM	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.422A	ICD-10-CM	Toxic effect of venom of ants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.422S	ICD-10-CM	Toxic effect of venom of ants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.432A	ICD-10-CM	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.432S	ICD-10-CM	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.442A	ICD-10-CM	Toxic effect of venom of bees, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.442S	ICD-10-CM	Toxic effect of venom of bees, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.452A	ICD-10-CM	Toxic effect of venom of hornets, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.452S	ICD-10-CM	Toxic effect of venom of hornets, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.462A	ICD-10-CM	Toxic effect of venom of wasps, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.462S	ICD-10-CM	Toxic effect of venom of wasps, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T63.482A	ICD-10-CM	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.482S	ICD-10-CM	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.512A	ICD-10-CM	Toxic effect of contact with stingray, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.512S	ICD-10-CM	Toxic effect of contact with stingray, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.592A	ICD-10-CM	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.592S	ICD-10-CM	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.612A	ICD-10-CM	Toxic effect of contact with portuguese man-o-war, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.612S	ICD-10-CM	Toxic effect of contact with portuguese man-o-war, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.622A	ICD-10-CM	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.622S	ICD-10-CM	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.632A	ICD-10-CM	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.632S	ICD-10-CM	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.692A	ICD-10-CM	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.692S	ICD-10-CM	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.712A	ICD-10-CM	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.712S	ICD-10-CM	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T63.792A	ICD-10-CM	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.792S	ICD-10-CM	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.812A	ICD-10-CM	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.812S	ICD-10-CM	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.822A	ICD-10-CM	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.822S	ICD-10-CM	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.832A	ICD-10-CM	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.832S	ICD-10-CM	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.892A	ICD-10-CM	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.892S	ICD-10-CM	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.92XA	ICD-10-CM	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T63.92XS	ICD-10-CM	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T64.02XA	ICD-10-CM	Toxic effect of aflatoxin, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T64.02XS	ICD-10-CM	Toxic effect of aflatoxin, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T64.82XA	ICD-10-CM	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T64.82XS	ICD-10-CM	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.0X2A	ICD-10-CM	Toxic effect of cyanides, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.0X2S	ICD-10-CM	Toxic effect of cyanides, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T65.1X2A	ICD-10-CM	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.1X2S	ICD-10-CM	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.212A	ICD-10-CM	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.212S	ICD-10-CM	Toxic effect of chewing tobacco, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.222A	ICD-10-CM	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.222S	ICD-10-CM	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.292A	ICD-10-CM	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.292S	ICD-10-CM	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.3X2A	ICD-10-CM	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.3X2S	ICD-10-CM	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.4X2A	ICD-10-CM	Toxic effect of carbon disulfide, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.4X2S	ICD-10-CM	Toxic effect of carbon disulfide, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.5X2A	ICD-10-CM	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.5X2S	ICD-10-CM	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.6X2A	ICD-10-CM	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.6X2S	ICD-10-CM	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.812A	ICD-10-CM	Toxic effect of latex, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.812S	ICD-10-CM	Toxic effect of latex, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.822A	ICD-10-CM	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T65.822S	ICD-10-CM	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.832A	ICD-10-CM	Toxic effect of fiberglass, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.832S	ICD-10-CM	Toxic effect of fiberglass, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.892A	ICD-10-CM	Toxic effect of other specified substances, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.892S	ICD-10-CM	Toxic effect of other specified substances, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.92XA	ICD-10-CM	Toxic effect of unspecified substance, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T65.92XS	ICD-10-CM	Toxic effect of unspecified substance, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.112A	ICD-10-CM	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.112S	ICD-10-CM	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.122A	ICD-10-CM	Asphyxiation due to plastic bag, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.122S	ICD-10-CM	Asphyxiation due to plastic bag, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.132A	ICD-10-CM	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.132S	ICD-10-CM	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.152A	ICD-10-CM	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.152S	ICD-10-CM	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.162A	ICD-10-CM	Asphyxiation due to hanging, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.162S	ICD-10-CM	Asphyxiation due to hanging, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.192A	ICD-10-CM	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

T71.192S	ICD-10-CM	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.222A	ICD-10-CM	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.222S	ICD-10-CM	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.232A	ICD-10-CM	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
T71.232S	ICD-10-CM	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71	ICD-10-CM	Intentional self-harm by drowning and submersion	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.0XXA	ICD-10-CM	Intentional self-harm by drowning and submersion while in bathtub, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.0XXD	ICD-10-CM	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.0XXS	ICD-10-CM	Intentional self-harm by drowning and submersion while in bathtub, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.1XXA	ICD-10-CM	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.1XXD	ICD-10-CM	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.1XXS	ICD-10-CM	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.2XXA	ICD-10-CM	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.2XXD	ICD-10-CM	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.2XXS	ICD-10-CM	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.3XXA	ICD-10-CM	Intentional self-harm by drowning and submersion in natural water, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.3XXD	ICD-10-CM	Intentional self-harm by drowning and submersion in natural water, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

X71.3XXS	ICD-10-CM	Intentional self-harm by drowning and submersion in natural water, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.8XXA	ICD-10-CM	Other intentional self-harm by drowning and submersion, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.8XXD	ICD-10-CM	Other intentional self-harm by drowning and submersion, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.8XXS	ICD-10-CM	Other intentional self-harm by drowning and submersion, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.9XXA	ICD-10-CM	Intentional self-harm by drowning and submersion, unspecified, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.9XXD	ICD-10-CM	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X71.9XXS	ICD-10-CM	Intentional self-harm by drowning and submersion, unspecified, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X72	ICD-10-CM	Intentional self-harm by handgun discharge	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X72.XXXA	ICD-10-CM	Intentional self-harm by handgun discharge, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X72.XXXD	ICD-10-CM	Intentional self-harm by handgun discharge, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X72.XXXS	ICD-10-CM	Intentional self-harm by handgun discharge, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73	ICD-10-CM	Intentional self-harm by rifle, shotgun and larger firearm discharge	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.0XXA	ICD-10-CM	Intentional self-harm by shotgun discharge, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.0XXD	ICD-10-CM	Intentional self-harm by shotgun discharge, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.0XXS	ICD-10-CM	Intentional self-harm by shotgun discharge, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.1XXA	ICD-10-CM	Intentional self-harm by hunting rifle discharge, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.1XXD	ICD-10-CM	Intentional self-harm by hunting rifle discharge, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.1XXS	ICD-10-CM	Intentional self-harm by hunting rifle discharge, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.2XXA	ICD-10-CM	Intentional self-harm by machine gun discharge, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.2XXD	ICD-10-CM	Intentional self-harm by machine gun discharge, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.2XXS	ICD-10-CM	Intentional self-harm by machine gun discharge, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

X73.8XXA	ICD-10-CM	Intentional self-harm by other larger firearm discharge, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.8XXD	ICD-10-CM	Intentional self-harm by other larger firearm discharge, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.8XXS	ICD-10-CM	Intentional self-harm by other larger firearm discharge, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.9XXA	ICD-10-CM	Intentional self-harm by unspecified larger firearm discharge, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.9XXD	ICD-10-CM	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X73.9XXS	ICD-10-CM	Intentional self-harm by unspecified larger firearm discharge, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74	ICD-10-CM	Intentional self-harm by other and unspecified firearm and gun discharge	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.01XA	ICD-10-CM	Intentional self-harm by airgun, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.01XD	ICD-10-CM	Intentional self-harm by airgun, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.01XS	ICD-10-CM	Intentional self-harm by airgun, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.02XA	ICD-10-CM	Intentional self-harm by paintball gun, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.02XD	ICD-10-CM	Intentional self-harm by paintball gun, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.02XS	ICD-10-CM	Intentional self-harm by paintball gun, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.09XA	ICD-10-CM	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.09XD	ICD-10-CM	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.09XS	ICD-10-CM	Intentional self-harm by other gas, air or spring-operated gun, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.8XXA	ICD-10-CM	Intentional self-harm by other firearm discharge, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.8XXD	ICD-10-CM	Intentional self-harm by other firearm discharge, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.8XXS	ICD-10-CM	Intentional self-harm by other firearm discharge, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.9XXA	ICD-10-CM	Intentional self-harm by unspecified firearm discharge, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X74.9XXD	ICD-10-CM	Intentional self-harm by unspecified firearm discharge, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

X74.9XXS	ICD-10-CM	Intentional self-harm by unspecified firearm discharge, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X75	ICD-10-CM	Intentional self-harm by explosive material	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X75.XXXA	ICD-10-CM	Intentional self-harm by explosive material, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X75.XXXD	ICD-10-CM	Intentional self-harm by explosive material, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X75.XXXS	ICD-10-CM	Intentional self-harm by explosive material, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X76	ICD-10-CM	Intentional self-harm by smoke, fire and flames	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X76.XXXA	ICD-10-CM	Intentional self-harm by smoke, fire and flames, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X76.XXXD	ICD-10-CM	Intentional self-harm by smoke, fire and flames, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X76.XXXS	ICD-10-CM	Intentional self-harm by smoke, fire and flames, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77	ICD-10-CM	Intentional self-harm by steam, hot vapors and hot objects	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.0XXA	ICD-10-CM	Intentional self-harm by steam or hot vapors, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.0XXD	ICD-10-CM	Intentional self-harm by steam or hot vapors, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.0XXS	ICD-10-CM	Intentional self-harm by steam or hot vapors, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.1XXA	ICD-10-CM	Intentional self-harm by hot tap water, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.1XXD	ICD-10-CM	Intentional self-harm by hot tap water, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.1XXS	ICD-10-CM	Intentional self-harm by hot tap water, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.2XXA	ICD-10-CM	Intentional self-harm by other hot fluids, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.2XXD	ICD-10-CM	Intentional self-harm by other hot fluids, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.2XXS	ICD-10-CM	Intentional self-harm by other hot fluids, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.3XXA	ICD-10-CM	Intentional self-harm by hot household appliances, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.3XXD	ICD-10-CM	Intentional self-harm by hot household appliances, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.3XXS	ICD-10-CM	Intentional self-harm by hot household appliances, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.8XXA	ICD-10-CM	Intentional self-harm by other hot objects, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.8XXD	ICD-10-CM	Intentional self-harm by other hot objects, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.8XXS	ICD-10-CM	Intentional self-harm by other hot objects, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.9XXA	ICD-10-CM	Intentional self-harm by unspecified hot objects, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.9XXD	ICD-10-CM	Intentional self-harm by unspecified hot objects, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X77.9XXS	ICD-10-CM	Intentional self-harm by unspecified hot objects, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78	ICD-10-CM	Intentional self-harm by sharp object	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.0XXA	ICD-10-CM	Intentional self-harm by sharp glass, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.0XXD	ICD-10-CM	Intentional self-harm by sharp glass, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

X78.0XXS	ICD-10-CM	Intentional self-harm by sharp glass, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.1XXA	ICD-10-CM	Intentional self-harm by knife, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.1XXD	ICD-10-CM	Intentional self-harm by knife, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.1XXS	ICD-10-CM	Intentional self-harm by knife, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.2XXA	ICD-10-CM	Intentional self-harm by sword or dagger, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.2XXD	ICD-10-CM	Intentional self-harm by sword or dagger, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.2XXS	ICD-10-CM	Intentional self-harm by sword or dagger, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.8XXA	ICD-10-CM	Intentional self-harm by other sharp object, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.8XXD	ICD-10-CM	Intentional self-harm by other sharp object, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.8XXS	ICD-10-CM	Intentional self-harm by other sharp object, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.9XXA	ICD-10-CM	Intentional self-harm by unspecified sharp object, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.9XXD	ICD-10-CM	Intentional self-harm by unspecified sharp object, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X78.9XXS	ICD-10-CM	Intentional self-harm by unspecified sharp object, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X79	ICD-10-CM	Intentional self-harm by blunt object	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X79.XXXA	ICD-10-CM	Intentional self-harm by blunt object, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X79.XXXD	ICD-10-CM	Intentional self-harm by blunt object, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X79.XXXS	ICD-10-CM	Intentional self-harm by blunt object, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X80	ICD-10-CM	Intentional self-harm by jumping from a high place	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X80.XXXA	ICD-10-CM	Intentional self-harm by jumping from a high place, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X80.XXXD	ICD-10-CM	Intentional self-harm by jumping from a high place, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X80.XXXS	ICD-10-CM	Intentional self-harm by jumping from a high place, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81	ICD-10-CM	Intentional self-harm by jumping or lying in front of moving object	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.0XXA	ICD-10-CM	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.0XXD	ICD-10-CM	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.0XXS	ICD-10-CM	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.1XXA	ICD-10-CM	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.1XXD	ICD-10-CM	Intentional self-harm by jumping or lying in front of (subway) train, subsequent	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.1XXS	ICD-10-CM	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.8XXA	ICD-10-CM	Intentional self-harm by jumping or lying in front of other moving object, initial	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.8XXD	ICD-10-CM	Intentional self-harm by jumping or lying in front of other moving object, subsequent	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X81.8XXS	ICD-10-CM	Intentional self-harm by jumping or lying in front of other moving object, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X82	ICD-10-CM	Intentional self-harm by crashing of motor vehicle	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X82.8XXA	ICD-10-CM	Other intentional self-harm by crashing of motor vehicle, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

X82.8XXD	ICD-10-CM	Other intentional self-harm by crashing of motor vehicle, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X82.8XXS	ICD-10-CM	Other intentional self-harm by crashing of motor vehicle, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83	ICD-10-CM	Intentional self-harm by other specified means	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.0XXA	ICD-10-CM	Intentional self-harm by crashing of aircraft, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.0XXD	ICD-10-CM	Intentional self-harm by crashing of aircraft, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.0XXS	ICD-10-CM	Intentional self-harm by crashing of aircraft, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.1XXA	ICD-10-CM	Intentional self-harm by electrocution, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.1XXD	ICD-10-CM	Intentional self-harm by electrocution, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.1XXS	ICD-10-CM	Intentional self-harm by electrocution, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.2XXA	ICD-10-CM	Intentional self-harm by exposure to extremes of cold, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.2XXD	ICD-10-CM	Intentional self-harm by exposure to extremes of cold, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.2XXS	ICD-10-CM	Intentional self-harm by exposure to extremes of cold, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.8XXA	ICD-10-CM	Intentional self-harm by other specified means, initial encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.8XXD	ICD-10-CM	Intentional self-harm by other specified means, subsequent encounter	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
X83.8XXS	ICD-10-CM	Intentional self-harm by other specified means, sequela	Yes	Intentional self-harm - indicates severe psychiatric vulnerability
		Nonsuicidal self-harm	Yes	Intentional self-harm - indicates severe psychiatric vulnerability

Code	Code Type	Description	Yes/ No	Rationale
F71	ICD-10-CM	Moderate intellectual disabilities	Yes	Moderate intellectual disability - requires substantial support for daily living
F84	ICD-10-CM	Pervasive developmental disorders	Yes	Pervasive developmental disorders - significant functional impairment requiring support
G04	ICD-10-CM	Encephalitis, myelitis and encephalomyelitis	Yes	Encephalitis/myelitis - CNS inflammation with potential for permanent neurological deficits
G24	ICD-10-CM	Dystonia (generalized/severe)	Yes	Dystonia - severe movement disorder affecting function and quality of life
G36	ICD-10-CM	Neuromyelitis optical	Yes	Neuromyelitis optica - severe demyelinating disease with relapsing course
G70	ICD-10-CM	Myasthenia gravis and other myoneural disorders	Yes	Myasthenia gravis - chronic neuromuscular weakness
G83	ICD-10-CM	Other paralytic syndromes	Yes	Paralytic syndromes - significant motor impairment requiring assistance
G89	ICD-10-CM	Neoplasm-related pain	Yes	Neoplasm-related pain - indicates advanced malignancy with symptom burden
G91	ICD-10-CM	Hydrocephalus	Yes	Hydrocephalus - neurological condition requiring ongoing management
G95	ICD-10-CM	Other and unspecified diseases of spinal cord	Yes	Spinal cord diseases - neurological impairment affecting mobility and function
I69	ICD-10-CM	Sequelae of cerebrovascular disease	Yes	Stroke sequelae - residual neurological deficits
M00	ICD-10-CM	Pyogenic arthritis	Yes	Pyogenic arthritis - acute infectious process requiring treatment
Q05	ICD-10-CM	Spina bifida	Yes	Spina bifida - congenital neurological defect with functional impairment
Q07	ICD-10-CM	Other congenital malformations of nervous system	Yes	Congenital CNS malformations - developmental anomalies affecting neurological function
Q85	ICD-10-CM	Phakomatoses, not elsewhere classified	Yes	Phakomatoses - genetic neurocutaneous syndromes with multi-system involvement
Q86	ICD-10-CM	Congenital malformation syndromes due to known exogenous causes, not elsewhere classified		
Q87	ICD-10-CM	Other specified congenital malformation syndromes affecting multiple systems	Yes	Congenital malformation syndromes - developmental conditions with functional impairment
Q90	ICD-10-CM	Down syndrome	Yes	Multiple system congenital malformations - complex developmental conditions
Q91	ICD-10-CM	Trisomy 18 and Trisomy 13	Yes	Chromosomal disorder - frailty depends on associated conditions
Q92	ICD-10-CM	Other trisomies and partial trisomies of the autosomes, not elsewhere classified	Yes	Chromosomal disorder - frailty depends on associated conditions
Q93	ICD-10-CM	Monosomies and deletions from the autosomes, not elsewhere classified		Trisomies - chromosomal abnormalities with developmental and medical complications
Q95	ICD-10-CM	Balanced rearrangements and structural markers, not elsewhere classified	Yes	Monosomies and deletions - chromosomal abnormalities affecting development
R26	ICD-10-CM	Abnormalities of gait and mobility	Yes	Balanced rearrangements - chromosomal abnormalities with variable clinical impact
S06	ICD-10-CM	Intracranial injury	Yes	Gait/mobility abnormality - functional impairment indicator
Z74.09	ICD-10-CM	Other reduced mobility	Yes	Intracranial injury - outcome depends on severity
Z99	ICD-10-CM	Dependence on enabling machines and devices, not elsewhere classified	Yes	Reduced mobility/bed confinement - direct frailty indicator
			Yes	Device dependence - indicates significant medical needs

Code	Code Type	Description	Yes/ No	Rationale
A15.x	ICD-10-CM	Respiratory tuberculosis, bacteriologically confirmed	Yes	Respiratory tuberculosis - active pulmonary infection requiring prolonged treatment, indicates compromised health status
A17	ICD-10-CM	Tuberculosis of nervous system	Yes	CNS tuberculosis - serious infection with neurological complications
A17.x	ICD-10-CM	Tuberculosis of nervous system	Yes	CNS tuberculosis - serious infection with neurological complications
A18	ICD-10-CM	Tuberculosis of other organs	Yes	Extrapulmonary tuberculosis - disseminated infection indicating advanced disease affecting multiple organ systems
A18.x	ICD-10-CM	Tuberculosis of other organs	Yes	Extrapulmonary tuberculosis - disseminated infection indicating advanced disease
A19	ICD-10-CM	Miliary tuberculosis	Yes	Disseminated/miliary TB - severe systemic infection
A19.x	ICD-10-CM	Miliary tuberculosis	Yes	Disseminated/miliary TB - severe systemic infection
A20	ICD-10-CM	Plague	Yes	Plague - severe systemic bacterial infection
A21	ICD-10-CM	Tularemia	Yes	Tularemia - serious bacterial infection with systemic manifestations
A21.2	ICD-10-CM	Pulmonary tularemia	Yes	Pulmonary tularemia - severe respiratory infection
A22.1	ICD-10-CM	Pulmonary anthrax	Yes	Pulmonary anthrax - severe respiratory infection with high mortality
A31.2	ICD-10-CM	Disseminated mycobacterium avium-intracellulare complex (DMAC)	Yes	Disseminated MAC - opportunistic infection indicating immunocompromise
A36.81	ICD-10-CM	Diphtheritic cardiomyopathy	Yes	Diphtheritic cardiomyopathy - cardiac toxicity from diphtheria
A39.1	ICD-10-CM	Waterhouse-Friderichsen syndrome	Yes	Waterhouse-Friderichsen syndrome - adrenal hemorrhage from meningococcemia
A39.2	ICD-10-CM	Acute meningococcemia	Yes	Acute meningococcemia - severe bloodstream infection
A39.3	ICD-10-CM	Chronic meningococcemia	Yes	Chronic meningococcemia - persistent systemic infection
A42	ICD-10-CM	Actinomycosis	Yes	Actinomycosis - chronic bacterial infection
A42.0	ICD-10-CM	Pulmonary actinomycosis	yes	Pulmonary actinomycosis - chronic lung infection
A43	ICD-10-CM	Nocardiosis	Yes	Nocardiosis - opportunistic infection in immunocompromised
A43.0	ICD-10-CM	Pulmonary nocardiosis	Yes	Pulmonary nocardiosis - serious opportunistic lung infection
A48.3	ICD-10-CM	Toxic shock syndrome	Yes	Toxic shock syndrome - severe systemic illness
A50	ICD-10-CM	Congenital syphilis	Yes	Congenital syphilis - can cause severe developmental/organ damage
A50.0	ICD-10-CM	Early congenital syphilis, symptomatic	Yes	Symptomatic congenital syphilis - organ involvement in infancy
A50.01	ICD-10-CM	Early congenital syphilitic oculopathy	Yes	Congenital ocular damage - vision impairment
A50.02	ICD-10-CM	Early congenital syphilitic osteochondropathy	Yes	Congenital bone/cartilage damage
A50.04	ICD-10-CM	Early congenital syphilitic pneumonia	Yes	Congenital pneumonia - severe respiratory involvement
A50.08	ICD-10-CM	Early visceral congenital syphilis	Yes	Visceral involvement - organ damage
A50.09	ICD-10-CM	Other early congenital syphilis, symptomatic	Yes	Symptomatic - indicates active disease with complications
A50.3	ICD-10-CM	Late congenital syphilitic oculopathy	Yes	Late ocular damage - permanent vision impairment

A50.30	ICD-10-CM	Late congenital syphilitic oculopathy, unspecified	Yes	Late ocular - permanent damage
A50.31	ICD-10-CM	Late congenital syphilitic interstitial keratitis	Yes	Interstitial keratitis - permanent corneal damage
A50.32	ICD-10-CM	Late congenital syphilitic chorioretinitis	Yes	Chorioretinitis - retinal damage, vision loss
A50.39	ICD-10-CM	Other late congenital syphilitic oculopathy	Yes	Late ocular - permanent damage
A50.4	ICD-10-CM	Late congenital neurosyphilis	Yes	Neurosyphilis - permanent neurological damage
A50.40	ICD-10-CM	Late congenital neurosyphilis, unspecified	Yes	Neurosyphilis - CNS involvement
A50.41	ICD-10-CM	Late congenital syphilitic meningitis	Yes	Syphilitic meningitis - severe CNS infection
A50.42	ICD-10-CM	Late congenital syphilitic encephalitis	Yes	Encephalitis - brain damage
A50.43	ICD-10-CM	Late congenital syphilitic polyneuropathy	Yes	Polyneuropathy - permanent nerve damage
A50.44	ICD-10-CM	Late congenital syphilitic optic nerve atrophy	Yes	Optic atrophy - permanent vision loss
A50.49	ICD-10-CM	Other late congenital neurosyphilis	Yes	Neurosyphilis - CNS damage
A50.5	ICD-10-CM	Other late congenital syphilis, symptomatic	Yes	Late symptomatic - indicates organ damage
A50.51	ICD-10-CM	Clutton's joints	Yes	Joint damage - chronic arthropathy
A50.53	ICD-10-CM	Hutchinson's triad	Yes	Triad (teeth, eyes, ears) - multi-organ involvement
A50.54	ICD-10-CM	Late congenital cardiovascular syphilis	Yes	Cardiovascular damage - serious complication
A50.55	ICD-10-CM	Late congenital syphilitic arthropathy	Yes	Chronic arthropathy - joint damage
A50.56	ICD-10-CM	Late congenital syphilitic osteochondropathy	Yes	Bone/cartilage damage
A50.59	ICD-10-CM	Other late congenital syphilis, symptomatic	Yes	Late symptomatic - organ involvement
A51.41	ICD-10-CM	Secondary syphilitic meningitis	Yes	Meningitis - CNS involvement, serious
A52	ICD-10-CM	Late syphilis	Yes	Late/tertiary syphilis - permanent organ damage
A52.0	ICD-10-CM	Cardiovascular syphilis	Yes	Cardiovascular damage - aortic aneurysm, valve damage
A52.00	ICD-10-CM	Cardiovascular syphilis, unspecified	Yes	CV syphilis - serious
A52.02	ICD-10-CM	Syphilitic aortitis	Yes	Aortitis - major vessel inflammation
A52.03	ICD-10-CM	Syphilitic endocarditis	Yes	Endocarditis - valve damage
A52.04	ICD-10-CM	Syphilitic cerebral arteritis	Yes	Cerebral arteritis - stroke risk
A52.05	ICD-10-CM	Other cerebrovascular syphilis	Yes	Cerebrovascular - stroke risk
A52.06	ICD-10-CM	Other syphilitic heart involvement	Yes	Cardiac involvement
A52.09	ICD-10-CM	Other cardiovascular syphilis	Yes	CV involvement
A52.1	ICD-10-CM	Symptomatic neurosyphilis	Yes	Neurosyphilis - permanent CNS damage
A52.10	ICD-10-CM	Symptomatic neurosyphilis, unspecified	Yes	Neurosyphilis
A52.12	ICD-10-CM	Other cerebrospinal syphilis	Yes	CNS involvement
A52.13	ICD-10-CM	Late syphilitic meningitis	Yes	Meningitis - CNS infection
A52.14	ICD-10-CM	Late syphilitic encephalitis	Yes	Encephalitis - brain damage

A52.15	ICD-10-CM	Late syphilitic neuropathy	Yes	Neuropathy - nerve damage
A52.16	ICD-10-CM	Charcot's arthropathy (tabetic)	Yes	Neuropathic arthropathy - joint destruction
A52.19	ICD-10-CM	Other symptomatic neurosyphilis	Yes	Neurosyphilis
A52.2	ICD-10-CM	Asymptomatic neurosyphilis	Yes	Asymptomatic neuro - still indicates CNS invasion
A52.3	ICD-10-CM	Neurosyphilis, unspecified	Yes	Neurosyphilis
A52.7	ICD-10-CM	Other symptomatic late syphilis	Yes	Late symptomatic - organ damage
A52.71	ICD-10-CM	Late syphilitic oculopathy	Yes	Ocular - vision loss
A52.72	ICD-10-CM	Syphilis of lung and bronchus	Yes	Pulmonary involvement
A52.73	ICD-10-CM	Symptomatic late syphilis of other respiratory organs	Yes	Respiratory involvement
A52.74	ICD-10-CM	Syphilis of liver and other viscera	Yes	Visceral involvement
A52.75	ICD-10-CM	Syphilis of kidney and ureter	Yes	Renal involvement
A52.76	ICD-10-CM	Other genitourinary symptomatic late syphilis	Yes	GU involvement
A52.77	ICD-10-CM	Syphilis of bone and joint	Yes	Bone/joint damage
A52.78	ICD-10-CM	Syphilis of other musculoskeletal tissue	Yes	MSK involvement
A52.79	ICD-10-CM	Other symptomatic late syphilis	Yes	Late symptomatic
A52.9	ICD-10-CM	Late syphilis, unspecified	Yes	Late syphilis - even unspecified indicates long-standing disease
A81.1	ICD-10-CM	Subacute sclerosing panencephalitis	Yes	CNS infection - severe neurological involvement
A81.2	ICD-10-CM	Progressive multifocal leukoencephalopathy	Yes	PML - severe demyelinating disease in immunocompromised
A86	ICD-10-CM	Viral encephalitis	Yes	CNS infection - severe neurological involvement
A98	ICD-10-CM	Other viral hemorrhagic fevers, not elsewhere classified	Yes	Viral hemorrhagic fever - severe systemic disease
A98.5	ICD-10-CM	Hemorrhagic fever with renal syndrome	Yes	Viral hemorrhagic fever - severe systemic disease
B00	ICD-10-CM	Herpesviral encephalitis	Yes	CNS infection - severe neurological involvement
B00.7	ICD-10-CM	Disseminated herpesviral disease	Yes	Disseminated herpes - severe systemic viral infection
B00.82	ICD-10-CM	Herpes simplex myelitis	Yes	Herpes simplex myelitis - spinal cord infection
B01.12	ICD-10-CM	Varicella myelitis	Yes	Varicella myelitis - spinal cord inflammation from chickenpox
B02.24	ICD-10-CM	Postherpetic myelitis	Yes	Postherpetic myelitis - spinal cord damage from shingles
B06.82	ICD-10-CM	Rubella arthritis	Yes	Rubella arthritis - viral joint inflammation
B25.0	ICD-10-CM	Cytomegaloviral pneumonitis	Yes	CMV pneumonitis - serious viral lung infection
B25.1	ICD-10-CM	Cytomegaloviral hepatitis	Yes	CMV hepatitis - viral liver infection
B25.2	ICD-10-CM	Cytomegaloviral pancreatitis	Yes	CMV pancreatitis - viral pancreatic infection
B33.24	ICD-10-CM	Viral cardiomyopathy	Yes	Viral cardiomyopathy - viral heart muscle disease

B37.1	ICD-10-CM	Pulmonary candidiasis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B38.1	ICD-10-CM	Chronic pulmonary coccidioidomycosis	Yes	Chronic pulmonary coccidioidomycosis - persistent fungal lung infection
B39.1	ICD-10-CM	Chronic pulmonary histoplasmosis capsulati	Yes	Chronic pulmonary histoplasmosis - persistent fungal lung infection
B40.0	ICD-10-CM	Acute pulmonary blastomycosis	Yes	Acute pulmonary blastomycosis - severe fungal lung infection
B40.1	ICD-10-CM	Chronic pulmonary blastomycosis	Yes	Chronic pulmonary blastomycosis - persistent fungal lung infection
B40.2	ICD-10-CM	Pulmonary blastomycosis, unspecified	Yes	Pulmonary blastomycosis - fungal lung infection
B41	ICD-10-CM	Paracoccidioidomycosis	Yes	Paracoccidioidomycosis - systemic fungal infection
B41.0	ICD-10-CM	Pulmonary paracoccidioidomycosis	Yes	Pulmonary paracoccidioidomycosis - fungal lung infection
B42	ICD-10-CM	Sporotrichosis	Yes	Sporotrichosis - fungal infection with potential dissemination
B42.82	ICD-10-CM	Sporotrichosis arthritis	Yes	Sporotrichosis arthritis - fungal joint infection
B44.0	ICD-10-CM	Invasive pulmonary aspergillosis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B44.1	ICD-10-CM	Other pulmonary aspergillosis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B44.7	ICD-10-CM	Disseminated aspergillosis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B44.81	ICD-10-CM	Allergic bronchopulmonary aspergillosis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B45.0	ICD-10-CM	Pulmonary cryptococcosis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B45.1	ICD-10-CM	Cerebral cryptococcosis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B45.3	ICD-10-CM	Osseous cryptococcosis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B45.7	ICD-10-CM	Disseminated cryptococcosis	Yes	Opportunistic fungal infection - often indicates immunocompromise
B46	ICD-10-CM	Zygomycosis	Yes	Zygomycosis/Mucormycosis - aggressive invasive fungal infection
B46.0	ICD-10-CM	Pulmonary mucormycosis	Yes	Pulmonary mucormycosis - severe invasive fungal lung infection
B46.1	ICD-10-CM	Rhinocerebral mucormycosis	Yes	Rhinocerebral mucormycosis - invasive fungal infection of sinuses/brain
B46.2	ICD-10-CM	Gastrointestinal mucormycosis	Yes	Gastrointestinal mucormycosis - invasive fungal GI infection
B46.3	ICD-10-CM	Cutaneous mucormycosis	Yes	Cutaneous mucormycosis - invasive fungal skin infection
B46.5	ICD-10-CM	Mucormycosis, unspecified	Yes	Mucormycosis unspecified - invasive fungal infection
B48.4	ICD-10-CM	Penicilliosis	Yes	Penicilliosis - opportunistic fungal infection
B52	ICD-10-CM	Plasmodium malariae malaria	Yes	Plasmodium malariae malaria - chronic malarial infection
B52.0	ICD-10-CM	Plasmodium malariae malaria with nephropathy	Yes	P. malariae malaria with nephropathy - malaria with kidney involvement
B58.2	ICD-10-CM	Toxoplasma meningoencephalitis	Yes	CNS infection - severe neurological involvement
B58.3	ICD-10-CM	Pulmonary toxoplasmosis	Yes	Pulmonary toxoplasmosis - parasitic lung infection
B59	ICD-10-CM	Pneumocystosis	Yes	Pneumocystosis - opportunistic lung infection indicating immunocompromise
B90.0	ICD-10-CM	Sequelae of central nervous system tuberculosis	Yes	Sequelae of CNS tuberculosis - permanent neurological damage
B90.1	ICD-10-CM	Sequelae of genitourinary tuberculosis	Yes	Sequelae of GU tuberculosis - permanent organ damage
B90.2	ICD-10-CM	Sequelae of tuberculosis of bones and joints	Yes	Sequelae of bone/joint TB - permanent musculoskeletal damage

B90.8	ICD-10-CM	Sequelae of tuberculosis of other organs	Yes	Sequelae of other TB - permanent organ damage from tuberculosis
-------	-----------	--	-----	---

Code	Code Type	Description	Yes/ No	Rationale
C45.0	ICD-10-CM	Mesothelioma of pleura	yes	Mesothelioma - aggressive malignancy with limited treatment options
C45.1	ICD-10-CM	Mesothelioma of peritoneum	yes	Mesothelioma - aggressive malignancy with limited treatment options
C45.2	ICD-10-CM	Mesothelioma of pericardium	yes	Mesothelioma - aggressive malignancy with limited treatment options
C45.7	ICD-10-CM	Mesothelioma of other sites	Yes	Mesothelioma - aggressive malignancy with limited treatment options
C45.9	ICD-10-CM	Mesothelioma, unspecified	Yes	Mesothelioma - aggressive malignancy with limited treatment options
C46.0	ICD-10-CM	Kaposi's sarcoma of skin	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.1	ICD-10-CM	Kaposi's sarcoma of soft tissue	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.2	ICD-10-CM	Kaposi's sarcoma of palate	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.3	ICD-10-CM	Kaposi's sarcoma of lymph nodes	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.4	ICD-10-CM	Kaposi's sarcoma of gastrointestinal sites	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.50	ICD-10-CM	Kaposi's sarcoma of unspecified lung	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.51	ICD-10-CM	Kaposi's sarcoma of right lung	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.52	ICD-10-CM	Kaposi's sarcoma of left lung	yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.7	ICD-10-CM	Kaposi's sarcoma of other sites	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C46.9	ICD-10-CM	Kaposi's sarcoma, unspecified	Yes	Kaposi's sarcoma - malignancy associated with immunocompromise
C49.A0	ICD-10-CM	Gastrointestinal stromal tumor, unspecified site	Yes	Gastrointestinal stromal tumor - mesenchymal malignancy requiring treatment

C49.A1	ICD-10-CM	Gastrointestinal stromal tumor of esophagus	Yes	Gastrointestinal stromal tumor - mesenchymal malignancy requiring treatment
C49.A2	ICD-10-CM	Gastrointestinal stromal tumor of stomach	Yes	Gastrointestinal stromal tumor - mesenchymal malignancy requiring treatment
C49.A3	ICD-10-CM	Gastrointestinal stromal tumor of small intestine	Yes	Gastrointestinal stromal tumor - mesenchymal malignancy requiring treatment
C49.A4	ICD-10-CM	Gastrointestinal stromal tumor of large intestine	Yes	Gastrointestinal stromal tumor - mesenchymal malignancy requiring treatment
C49.A5	ICD-10-CM	Gastrointestinal stromal tumor of rectum	yes	Gastrointestinal stromal tumor - mesenchymal malignancy requiring treatment
C49.A9	ICD-10-CM	Gastrointestinal stromal tumor of other sites	yes	Gastrointestinal stromal tumor - mesenchymal malignancy requiring treatment
C4A.0	ICD-10-CM	Merkel cell carcinoma of lip	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.10	ICD-10-CM	Merkel cell carcinoma of unspecified eyelid, including canthus	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.11	ICD-10-CM	Merkel cell carcinoma of right upper eyelid, including canthus	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.112	ICD-10-CM	Merkel cell carcinoma of right lower eyelid, including canthus	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.121	ICD-10-CM	Merkel cell carcinoma of left upper eyelid, including canthus	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.122	ICD-10-CM	Merkel cell carcinoma of left lower eyelid, including canthus	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.20	ICD-10-CM	Merkel cell carcinoma of unspecified ear and external auricular canal	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.21	ICD-10-CM	Merkel cell carcinoma of right ear and external auricular canal	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.22	ICD-10-CM	Merkel cell carcinoma of left ear and external auricular canal	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.30	ICD-10-CM	Merkel cell carcinoma of unspecified part of face	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.31	ICD-10-CM	Merkel cell carcinoma of nose	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.39	ICD-10-CM	Merkel cell carcinoma of other parts of face	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.4	ICD-10-CM	Merkel cell carcinoma of scalp and neck	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.51	ICD-10-CM	Merkel cell carcinoma of anal skin	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.52	ICD-10-CM	Merkel cell carcinoma of skin of breast	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.59	ICD-10-CM	Merkel cell carcinoma of other part of trunk	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.60	ICD-10-CM	Merkel cell carcinoma of unspecified upper limb, including shoulder	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.61	ICD-10-CM	Merkel cell carcinoma of right upper limb, including shoulder	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.62	ICD-10-CM	Merkel cell carcinoma of left upper limb, including shoulder	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.70	ICD-10-CM	Merkel cell carcinoma of unspecified lower limb, including hip	Yes	Merkel cell carcinoma - aggressive skin cancer

C4A.71	ICD-10-CM	Merkel cell carcinoma of right lower limb, including hip	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.72	ICD-10-CM	Merkel cell carcinoma of left lower limb, including hip	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.8	ICD-10-CM	Merkel cell carcinoma of overlapping sites	Yes	Merkel cell carcinoma - aggressive skin cancer
C4A.9	ICD-10-CM	Merkel cell carcinoma, unspecified	Yes	Merkel cell carcinoma - aggressive skin cancer
C81.00	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.01	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.02	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.03	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.04	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.05	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.06	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.07	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, spleen	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.08	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.09	ICD-10-CM	Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.10	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, unspecified site	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.11	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.12	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.13	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.14	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.15	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment

C81.16	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.17	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, spleen	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.18	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.19	ICD-10-CM	Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.20	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, unspecified site	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.21	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.22	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.23	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.24	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.25	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.26	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.27	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, spleen	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.28	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.29	ICD-10-CM	Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.30	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, unspecified site	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.31	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.32	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.33	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.34	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.35	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.36	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.37	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, spleen	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.38	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment

C81.39	ICD-10-CM	Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.40	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, unspecified site	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.41	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.42	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.43	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.44	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.45	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.46	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.47	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, spleen	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.48	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.49	ICD-10-CM	Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.70	ICD-10-CM	Other Hodgkin lymphoma, unspecified site	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.71	ICD-10-CM	Other Hodgkin lymphoma, lymph nodes of head, face, and neck	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.72	ICD-10-CM	Other Hodgkin lymphoma, intrathoracic lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.73	ICD-10-CM	Other Hodgkin lymphoma, intra-abdominal lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.74	ICD-10-CM	Other Hodgkin lymphoma, lymph nodes of axilla and upper limb	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.75	ICD-10-CM	Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.76	ICD-10-CM	Other Hodgkin lymphoma, intrapelvic lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.77	ICD-10-CM	Other Hodgkin lymphoma, spleen	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.78	ICD-10-CM	Other Hodgkin lymphoma, lymph nodes of multiple sites	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.79	ICD-10-CM	Other Hodgkin lymphoma, extranodal and solid organ sites	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.90	ICD-10-CM	Hodgkin lymphoma, unspecified, unspecified site	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.91	ICD-10-CM	Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.92	ICD-10-CM	Hodgkin lymphoma, unspecified, intrathoracic lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.93	ICD-10-CM	Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment

C81.94	ICD-10-CM	Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.95	ICD-10-CM	Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.96	ICD-10-CM	Hodgkin lymphoma, unspecified, intrapelvic lymph nodes	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.97	ICD-10-CM	Hodgkin lymphoma, unspecified, spleen	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.98	ICD-10-CM	Hodgkin lymphoma, unspecified, lymph nodes of multiple sites	yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C81.99	ICD-10-CM	Hodgkin lymphoma, unspecified, extranodal and solid organ sites	Yes	Hodgkin lymphoma - hematologic malignancy requiring treatment
C82.02	ICD-10-CM	Follicular lymphoma grade I, intrathoracic lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.03	ICD-10-CM	Follicular lymphoma grade I, intra-abdominal lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.04	ICD-10-CM	Follicular lymphoma grade I, lymph nodes of axilla and upper limb	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.05	ICD-10-CM	Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.06	ICD-10-CM	Follicular lymphoma grade I, intrapelvic lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.07	ICD-10-CM	Follicular lymphoma grade I, spleen	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.08	ICD-10-CM	Follicular lymphoma grade I, lymph nodes of multiple sites	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.09	ICD-10-CM	Follicular lymphoma grade I, extranodal and solid organ sites	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.10	ICD-10-CM	Follicular lymphoma grade II, unspecified site	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.11	ICD-10-CM	Follicular lymphoma grade II, lymph nodes of head, face, and neck	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.12	ICD-10-CM	Follicular lymphoma grade II, intrathoracic lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.13	ICD-10-CM	Follicular lymphoma grade II, intra-abdominal lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.14	ICD-10-CM	Follicular lymphoma grade II, lymph nodes of axilla and upper limb	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.15	ICD-10-CM	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.16	ICD-10-CM	Follicular lymphoma grade II, intrapelvic lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.17	ICD-10-CM	Follicular lymphoma grade II, spleen	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.18	ICD-10-CM	Follicular lymphoma grade II, lymph nodes of multiple sites	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.19	ICD-10-CM	Follicular lymphoma grade II, extranodal and solid organ sites	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.20	ICD-10-CM	Follicular lymphoma grade III, unspecified, unspecified site	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.21	ICD-10-CM	Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.22	ICD-10-CM	Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment

C82.23	ICD-10-CM	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.24	ICD-10-CM	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.25	ICD-10-CM	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.26	ICD-10-CM	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.27	ICD-10-CM	Follicular lymphoma grade III, unspecified, spleen	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.28	ICD-10-CM	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.29	ICD-10-CM	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.30	ICD-10-CM	Follicular lymphoma grade IIIa, unspecified site	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.31	ICD-10-CM	Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.32	ICD-10-CM	Follicular lymphoma grade IIIa, intrathoracic lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.33	ICD-10-CM	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.34	ICD-10-CM	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.35	ICD-10-CM	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.36	ICD-10-CM	Follicular lymphoma grade IIIa, intrapelvic lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.37	ICD-10-CM	Follicular lymphoma grade IIIa, spleen	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.38	ICD-10-CM	Follicular lymphoma grade IIIa, lymph nodes of multiple sites	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.39	ICD-10-CM	Follicular lymphoma grade IIIa, extranodal and solid organ sites	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.40	ICD-10-CM	Follicular lymphoma grade IIIb, unspecified site	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.41	ICD-10-CM	Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.42	ICD-10-CM	Follicular lymphoma grade IIIb, intrathoracic lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.43	ICD-10-CM	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.44	ICD-10-CM	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.45	ICD-10-CM	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb	Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.46	ICD-10-CM	Follicular lymphoma grade IIIb, intrapelvic lymph nodes	Yes	Follicular lymphoma - B-cell malignancy requiring treatment

C82.47	ICD-10-CM	Follicular lymphoma grade IIlb, spleen		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.48	ICD-10-CM	Follicular lymphoma grade IIlb, lymph nodes of multiple sites		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.49	ICD-10-CM	Follicular lymphoma grade IIlb, extranodal and solid organ sites		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.50	ICD-10-CM	Diffuse follicle center lymphoma, unspecified site		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.51	ICD-10-CM	Diffuse follicle center lymphoma, lymph nodes of head, face, and neck		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.52	ICD-10-CM	Diffuse follicle center lymphoma, intrathoracic lymph nodes		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.53	ICD-10-CM	Diffuse follicle center lymphoma, intra-abdominal lymph nodes		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.54	ICD-10-CM	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.55	ICD-10-CM	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.56	ICD-10-CM	Diffuse follicle center lymphoma, intrapelvic lymph nodes		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.57	ICD-10-CM	Diffuse follicle center lymphoma, spleen		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.58	ICD-10-CM	Diffuse follicle center lymphoma, lymph nodes of multiple sites		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.59	ICD-10-CM	Diffuse follicle center lymphoma, extranodal and solid organ sites		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.60	ICD-10-CM	Cutaneous follicle center lymphoma, unspecified site		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.61	ICD-10-CM	Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck		Yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.62	ICD-10-CM	Cutaneous follicle center lymphoma, intrathoracic lymph nodes		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.63	ICD-10-CM	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.64	ICD-10-CM	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.65	ICD-10-CM	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.66	ICD-10-CM	Cutaneous follicle center lymphoma, intrapelvic lymph nodes		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.67	ICD-10-CM	Cutaneous follicle center lymphoma, spleen		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.68	ICD-10-CM	Cutaneous follicle center lymphoma, lymph nodes of multiple sites		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.69	ICD-10-CM	Cutaneous follicle center lymphoma, extranodal and solid organ sites		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.80	ICD-10-CM	Other types of follicular lymphoma, unspecified site		yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.81	ICD-10-CM	Other types of follicular lymphoma, lymph nodes of head, face, and neck		yes	Follicular lymphoma - B-cell malignancy requiring treatment

C82.82	ICD-10-CM	Other types of follicular lymphoma, intrathoracic lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.83	ICD-10-CM	Other types of follicular lymphoma, intra-abdominal lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.84	ICD-10-CM	Other types of follicular lymphoma, lymph nodes of axilla and upper limb	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.85	ICD-10-CM	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.86	ICD-10-CM	Other types of follicular lymphoma, intrapelvic lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.87	ICD-10-CM	Other types of follicular lymphoma, spleen	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.88	ICD-10-CM	Other types of follicular lymphoma, lymph nodes of multiple sites	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.89	ICD-10-CM	Other types of follicular lymphoma, extranodal and solid organ sites	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.90	ICD-10-CM	Follicular lymphoma, unspecified, unspecified site	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.91	ICD-10-CM	Follicular lymphoma, unspecified, lymph nodes of head, face, and neck	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.92	ICD-10-CM	Follicular lymphoma, unspecified, intrathoracic lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.93	ICD-10-CM	Follicular lymphoma, unspecified, intra-abdominal lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.94	ICD-10-CM	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.95	ICD-10-CM	Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.96	ICD-10-CM	Follicular lymphoma, unspecified, intrapelvic lymph nodes	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.97	ICD-10-CM	Follicular lymphoma, unspecified, spleen	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.98	ICD-10-CM	Follicular lymphoma, unspecified, lymph nodes of multiple sites	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C82.99	ICD-10-CM	Follicular lymphoma, unspecified, extranodal and solid organ sites	yes	Follicular lymphoma - B-cell malignancy requiring treatment
C83.02	ICD-10-CM	Small cell B-cell lymphoma, intrathoracic lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.03	ICD-10-CM	Small cell B-cell lymphoma, intra-abdominal lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.04	ICD-10-CM	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.05	ICD-10-CM	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.06	ICD-10-CM	Small cell B-cell lymphoma, intrapelvic lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment

C83.08	ICD-10-CM	Small cell B-cell lymphoma, lymph nodes of multiple sites	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.09	ICD-10-CM	Small cell B-cell lymphoma, extranodal and solid organ sites	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.10	ICD-10-CM	Mantle cell lymphoma, unspecified site	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.11	ICD-10-CM	Mantle cell lymphoma, lymph nodes of head, face, and neck	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.12	ICD-10-CM	Mantle cell lymphoma, intrathoracic lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.13	ICD-10-CM	Mantle cell lymphoma, intra-abdominal lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.14	ICD-10-CM	Mantle cell lymphoma, lymph nodes of axilla and upper limb	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.15	ICD-10-CM	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.16	ICD-10-CM	Mantle cell lymphoma, intrapelvic lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.17	ICD-10-CM	Mantle cell lymphoma, spleen	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.18	ICD-10-CM	Mantle cell lymphoma, lymph nodes of multiple sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.19	ICD-10-CM	Mantle cell lymphoma, extranodal and solid organ sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.30	ICD-10-CM	Diffuse large B-cell lymphoma, unspecified site	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.31	ICD-10-CM	Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.32	ICD-10-CM	Diffuse large B-cell lymphoma, intrathoracic lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.33	ICD-10-CM	Diffuse large B-cell lymphoma, intra-abdominal lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment

C83.34	ICD-10-CM	Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.35	ICD-10-CM	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.36	ICD-10-CM	Diffuse large B-cell lymphoma, intrapelvic lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.37	ICD-10-CM	Diffuse large B-cell lymphoma, spleen	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.38	ICD-10-CM	Diffuse large B-cell lymphoma, lymph nodes of multiple sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.39	ICD-10-CM	Diffuse large B-cell lymphoma, extranodal and solid organ sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.390	ICD-10-CM	Primary central nervous system lymphoma	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.398	ICD-10-CM	Diffuse large B-cell lymphoma of other extranodal and solid organ sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.50	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, unspecified site	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.51	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.52	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.53	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.54	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.55	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.56	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.57	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, spleen	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment

C83.58	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.59	ICD-10-CM	Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.70	ICD-10-CM	Burkitt lymphoma, unspecified site	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.71	ICD-10-CM	Burkitt lymphoma, lymph nodes of head, face, and neck	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.72	ICD-10-CM	Burkitt lymphoma, intrathoracic lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.73	ICD-10-CM	Burkitt lymphoma, intra-abdominal lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.74	ICD-10-CM	Burkitt lymphoma, lymph nodes of axilla and upper limb	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.75	ICD-10-CM	Burkitt lymphoma, lymph nodes of inguinal region and lower limb	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.76	ICD-10-CM	Burkitt lymphoma, intrapelvic lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.77	ICD-10-CM	Burkitt lymphoma, spleen	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.78	ICD-10-CM	Burkitt lymphoma, lymph nodes of multiple sites	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.79	ICD-10-CM	Burkitt lymphoma, extranodal and solid organ sites	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.80	ICD-10-CM	Other non-follicular lymphoma, unspecified site	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.81	ICD-10-CM	Other non-follicular lymphoma, lymph nodes of head, face, and neck	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.82	ICD-10-CM	Other non-follicular lymphoma, intrathoracic lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.83	ICD-10-CM	Other non-follicular lymphoma, intra-abdominal lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment

C83.84	ICD-10-CM	Other non-follicular lymphoma, lymph nodes of axilla and upper limb	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.85	ICD-10-CM	Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.86	ICD-10-CM	Other non-follicular lymphoma, intrapelvic lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.87	ICD-10-CM	Other non-follicular lymphoma, spleen	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.88	ICD-10-CM	Other non-follicular lymphoma, lymph nodes of multiple sites	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.89	ICD-10-CM	Other non-follicular lymphoma, extranodal and solid organ sites	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.90	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, unspecified site	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.91	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.92	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.93	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.94	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb	Yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.95	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.96	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.97	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, spleen	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.98	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment
C83.99	ICD-10-CM	Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites	yes	Non-Hodgkin lymphoma - hematologic malignancy requiring treatment

C84.00	ICD-10-CM	Mycosis fungoides, unspecified site	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.01	ICD-10-CM	Mycosis fungoides, lymph nodes of head, face, and neck	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.02	ICD-10-CM	Mycosis fungoides, intrathoracic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.03	ICD-10-CM	Mycosis fungoides, intra-abdominal lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.04	ICD-10-CM	Mycosis fungoides, lymph nodes of axilla and upper limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.05	ICD-10-CM	Mycosis fungoides, lymph nodes of inguinal region and lower limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.06	ICD-10-CM	Mycosis fungoides, intrapelvic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.07	ICD-10-CM	Mycosis fungoides, spleen	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.08	ICD-10-CM	Mycosis fungoides, lymph nodes of multiple sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.09	ICD-10-CM	Mycosis fungoides, extranodal and solid organ sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.10	ICD-10-CM	Sezary disease, unspecified site	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.11	ICD-10-CM	Sezary disease, lymph nodes of head, face, and neck	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.12	ICD-10-CM	Sezary disease, intrathoracic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.13	ICD-10-CM	Sezary disease, intra-abdominal lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.14	ICD-10-CM	Sezary disease, lymph nodes of axilla and upper limb	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.15	ICD-10-CM	Sezary disease, lymph nodes of inguinal region and lower limb	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment

C84.16	ICD-10-CM	Sezary disease, intrapelvic lymph nodes	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.17	ICD-10-CM	Sezary disease, spleen	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.18	ICD-10-CM	Sezary disease, lymph nodes of multiple sites	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.19	ICD-10-CM	Sezary disease, extranodal and solid organ sites	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.40	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, unspecified site	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.41	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, lymph nodes of head, face, and neck	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.42	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, intrathoracic lymph nodes	Yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.43	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, intra-abdominal lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.44	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, lymph nodes of axilla and upper limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.45	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, lymph nodes of inguinal region and lower limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.46	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, intrapelvic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.47	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, spleen	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.48	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, lymph nodes of multiple sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.49	ICD-10-CM	Peripheral T-cell lymphoma, not elsewhere classified, extranodal and solid organ sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.60	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, unspecified site	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.61	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment

C84.62	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.63	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.64	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.65	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.66	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.67	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, spleen	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.68	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.69	ICD-10-CM	Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.70	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, unspecified site	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.71	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.72	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.73	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.74	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.75	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.76	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.77	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, spleen	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment

C84.78	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.79	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.7A	ICD-10-CM	Anaplastic large cell lymphoma, ALK-negative, breast	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.90	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, unspecified site	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.91	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.92	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.93	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.94	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.95	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.96	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.97	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, spleen	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.98	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.99	ICD-10-CM	Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A0	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, unspecified site	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A1	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A2	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment

C84.A3	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A4	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A5	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A6	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A7	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, spleen	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A8	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.A9	ICD-10-CM	Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z0	ICD-10-CM	Other mature T/NK-cell lymphomas, unspecified site	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z1	ICD-10-CM	Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z2	ICD-10-CM	Other mature T/NK-cell lymphomas, intrathoracic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z3	ICD-10-CM	Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z4	ICD-10-CM	Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z5	ICD-10-CM	Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z6	ICD-10-CM	Other mature T/NK-cell lymphomas, intrapelvic lymph nodes	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z7	ICD-10-CM	Other mature T/NK-cell lymphomas, spleen	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C84.Z8	ICD-10-CM	Other mature T/NK-cell lymphomas, lymph nodes of multiple sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment

C84.29	ICD-10-CM	Other mature T/NK-cell lymphomas, extranodal and solid organ sites	yes	T-cell/NK-cell lymphoma - hematologic malignancy requiring treatment
C85.10	ICD-10-CM	Unspecified B-cell lymphoma, unspecified site	yes	Lymphoma - hematologic malignancy requiring treatment
C85.11	ICD-10-CM	Unspecified B-cell lymphoma, lymph nodes of head, face, and neck	yes	Lymphoma - hematologic malignancy requiring treatment
C85.12	ICD-10-CM	Unspecified B-cell lymphoma, intrathoracic lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.13	ICD-10-CM	Unspecified B-cell lymphoma, intra-abdominal lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.14	ICD-10-CM	Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb	yes	Lymphoma - hematologic malignancy requiring treatment
C85.15	ICD-10-CM	Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb	yes	Lymphoma - hematologic malignancy requiring treatment
C85.16	ICD-10-CM	Unspecified B-cell lymphoma, intrapelvic lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.17	ICD-10-CM	Unspecified B-cell lymphoma, spleen	yes	Lymphoma - hematologic malignancy requiring treatment
C85.18	ICD-10-CM	Unspecified B-cell lymphoma, lymph nodes of multiple sites	yes	Lymphoma - hematologic malignancy requiring treatment
C85.19	ICD-10-CM	Unspecified B-cell lymphoma, extranodal and solid organ sites	yes	Lymphoma - hematologic malignancy requiring treatment
C85.20	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, unspecified site	yes	Lymphoma - hematologic malignancy requiring treatment
C85.21	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck	yes	Lymphoma - hematologic malignancy requiring treatment
C85.22	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.23	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.24	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb	yes	Lymphoma - hematologic malignancy requiring treatment
C85.25	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb	yes	Lymphoma - hematologic malignancy requiring treatment
C85.26	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.27	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, spleen	yes	Lymphoma - hematologic malignancy requiring treatment
C85.28	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites	yes	Lymphoma - hematologic malignancy requiring treatment
C85.29	ICD-10-CM	Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites	yes	Lymphoma - hematologic malignancy requiring treatment
C85.80	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, unspecified site	yes	Lymphoma - hematologic malignancy requiring treatment

C85.81	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck	yes	Lymphoma - hematologic malignancy requiring treatment
C85.82	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.83	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.84	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb	yes	Lymphoma - hematologic malignancy requiring treatment
C85.85	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	yes	Lymphoma - hematologic malignancy requiring treatment
C85.86	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.87	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, spleen	yes	Lymphoma - hematologic malignancy requiring treatment
C85.88	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites	yes	Lymphoma - hematologic malignancy requiring treatment
C85.89	ICD-10-CM	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites	yes	Lymphoma - hematologic malignancy requiring treatment
C85.90	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, unspecified site	yes	Lymphoma - hematologic malignancy requiring treatment
C85.91	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck	yes	Lymphoma - hematologic malignancy requiring treatment
C85.92	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.93	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.94	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb	yes	Lymphoma - hematologic malignancy requiring treatment
C85.95	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb	yes	Lymphoma - hematologic malignancy requiring treatment
C85.96	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes	yes	Lymphoma - hematologic malignancy requiring treatment
C85.97	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, spleen	yes	Lymphoma - hematologic malignancy requiring treatment
C85.98	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites	yes	Lymphoma - hematologic malignancy requiring treatment
C85.99	ICD-10-CM	Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites	yes	Lymphoma - hematologic malignancy requiring treatment
C86.0	ICD-10-CM	Extranodal NK/T-cell lymphoma, nasal type	yes	Specified lymphoma type - aggressive hematologic malignancy

C86.00	ICD-10-CM	Extranodal NK/T-cell lymphoma, nasal type not having achieved remission	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.1	ICD-10-CM	Hepatosplenic T-cell lymphoma	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.10	ICD-10-CM	Hepatosplenic T-cell lymphoma not having achieved remission	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.2	ICD-10-CM	Enteropathy-type (intestinal) T-cell lymphoma	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.20	ICD-10-CM	Enteropathy-type (intestinal) T-cell lymphoma not having achieved remission	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.3	ICD-10-CM	Subcutaneous panniculitis-like T-cell lymphoma	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.30	ICD-10-CM	Subcutaneous panniculitis-like T-cell lymphoma not having achieved remission	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.4	ICD-10-CM	Blastic NK-cell lymphoma	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.40	ICD-10-CM	Blastic NK-cell lymphoma not having achieved remission	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.5	ICD-10-CM	Angioimmunoblastic T-cell lymphoma	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.50	ICD-10-CM	Angioimmunoblastic T-cell lymphoma not having achieved remission	Yes	Specified lymphoma type - aggressive hematologic malignancy
C86.6	ICD-10-CM	Primary cutaneous CD30-positive T-cell proliferations	yes	Specified lymphoma type - aggressive hematologic malignancy
C86.60	ICD-10-CM	Primary cutaneous CD30-positive T-cell proliferations not having achieved remission	Yes	Specified lymphoma type - aggressive hematologic malignancy
C88.0	ICD-10-CM	Waldenstrom macroglobulinemia	Yes	Immunoproliferative disease - hematologic malignancy requiring treatment
C88.00	ICD-10-CM	Waldenstrom macroglobulinemia not having achieved remission	Yes	Immunoproliferative disease - hematologic malignancy requiring treatment
C88.2	ICD-10-CM	Heavy chain disease	Yes	Immunoproliferative disease - hematologic malignancy requiring treatment
C88.3	ICD-10-CM	Immunoproliferative small intestinal disease	Yes	Immunoproliferative disease - hematologic malignancy requiring treatment
C88.30	ICD-10-CM	Immunoproliferative small intestinal disease not having achieved remission	Yes	Immunoproliferative small intestinal disease - lymphoproliferative malignancy requiring treatment
C88.4	ICD-10-CM	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]	Yes	Immunoproliferative disease - hematologic malignancy requiring treatment
C88.40	ICD-10-CM	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] not having achieved remission	Yes	Immunoproliferative disease - hematologic malignancy requiring treatment

C90.00	ICD-10-CM	Multiple myeloma not having achieved remission	Yes	Plasma cell neoplasm - hematologic malignancy affecting bone and immune function
C90.02	ICD-10-CM	Multiple myeloma in relapse	Yes	Plasma cell neoplasm - hematologic malignancy affecting bone and immune function
C90.10	ICD-10-CM	Plasma cell leukemia not having achieved remission	Yes	Plasma cell neoplasm - hematologic malignancy affecting bone and immune function
C90.12	ICD-10-CM	Plasma cell leukemia in relapse	Yes	Plasma cell neoplasm - hematologic malignancy affecting bone and immune function
C90.20	ICD-10-CM	Extramedullary plasmacytoma not having achieved remission	Yes	Plasma cell neoplasm - hematologic malignancy affecting bone and immune function
C90.22	ICD-10-CM	Extramedullary plasmacytoma in relapse	Yes	Plasma cell neoplasm - hematologic malignancy affecting bone and immune function
C90.30	ICD-10-CM	Solitary plasmacytoma not having achieved remission	Yes	Plasma cell neoplasm - hematologic malignancy affecting bone and immune function
C90.32	ICD-10-CM	Solitary plasmacytoma in relapse	Yes	Plasma cell neoplasm - hematologic malignancy affecting bone and immune function
C91.10	ICD-10-CM	Chronic lymphocytic leukemia of B-cell type not having achieved remission	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.12	ICD-10-CM	Chronic lymphocytic leukemia of B-cell type in relapse	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.30	ICD-10-CM	Prolymphocytic leukemia of B-cell type not having achieved remission	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.32	ICD-10-CM	Prolymphocytic leukemia of B-cell type, in relapse	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.40	ICD-10-CM	Hairy cell leukemia not having achieved remission	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.42	ICD-10-CM	Hairy cell leukemia, in relapse	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.50	ICD-10-CM	Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.52	ICD-10-CM	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment

C91.60	ICD-10-CM	Prolymphocytic leukemia of T-cell type not having achieved remission	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.62	ICD-10-CM	Prolymphocytic leukemia of T-cell type, in relapse	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.90	ICD-10-CM	Lymphoid leukemia, unspecified not having achieved remission	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.92	ICD-10-CM	Lymphoid leukemia, unspecified, in relapse	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.A0	ICD-10-CM	Mature B-cell leukemia Burkitt-type not having achieved remission	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.A2	ICD-10-CM	Mature B-cell leukemia Burkitt-type, in relapse	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.Z0	ICD-10-CM	Other lymphoid leukemia not having achieved remission	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C91.Z2	ICD-10-CM	Other lymphoid leukemia, in relapse	Yes	Lymphoid leukemia - hematologic malignancy requiring intensive treatment
C92.10	ICD-10-CM	Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.12	ICD-10-CM	Chronic myeloid leukemia, BCR/ABL-positive, in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.20	ICD-10-CM	Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.22	ICD-10-CM	Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.30	ICD-10-CM	Myeloid sarcoma, not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.32	ICD-10-CM	Myeloid sarcoma, in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.40	ICD-10-CM	Acute promyelocytic leukemia, not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.42	ICD-10-CM	Acute promyelocytic leukemia, in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment

C92.50	ICD-10-CM	Acute myelomonocytic leukemia, not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.52	ICD-10-CM	Acute myelomonocytic leukemia, in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.60	ICD-10-CM	Acute myeloid leukemia with 11q23-abnormality not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.62	ICD-10-CM	Acute myeloid leukemia with 11q23-abnormality in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.90	ICD-10-CM	Myeloid leukemia, unspecified, not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.92	ICD-10-CM	Myeloid leukemia, unspecified in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.A0	ICD-10-CM	Acute myeloid leukemia with multilineage dysplasia, not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.A2	ICD-10-CM	Acute myeloid leukemia with multilineage dysplasia, in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.Z0	ICD-10-CM	Other myeloid leukemia not having achieved remission	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C92.Z2	ICD-10-CM	Other myeloid leukemia, in relapse	Yes	Myeloid leukemia - hematologic malignancy requiring intensive treatment
C93.10	ICD-10-CM	Chronic myelomonocytic leukemia not having achieved remission	Yes	Monocytic leukemia - hematologic malignancy requiring treatment
C93.12	ICD-10-CM	Chronic myelomonocytic leukemia, in relapse	Yes	Monocytic leukemia - hematologic malignancy requiring treatment
C93.30	ICD-10-CM	Juvenile myelomonocytic leukemia, not having achieved remission	yes	Monocytic leukemia - hematologic malignancy requiring treatment
C93.32	ICD-10-CM	Juvenile myelomonocytic leukemia, in relapse	Yes	Monocytic leukemia - hematologic malignancy requiring treatment
C94.00	ICD-10-CM	Acute erythroid leukemia, not having achieved remission	Yes	Specified leukemia - hematologic malignancy requiring treatment
C94.02	ICD-10-CM	Acute erythroid leukemia, in relapse	Yes	Specified leukemia - hematologic malignancy requiring treatment
C94.20	ICD-10-CM	Acute megakaryoblastic leukemia not having achieved remission	Yes	Specified leukemia - hematologic malignancy requiring treatment
C94.22	ICD-10-CM	Acute megakaryoblastic leukemia, in relapse	Yes	Specified leukemia - hematologic malignancy requiring treatment
C94.40	ICD-10-CM	Acute panmyelosis with myelofibrosis not having achieved remission	Yes	Specified leukemia - hematologic malignancy requiring treatment
C94.42	ICD-10-CM	Acute panmyelosis with myelofibrosis, in relapse	Yes	Specified leukemia - hematologic malignancy requiring treatment
C94.80	ICD-10-CM	Other specified leukemias not having achieved remission	Yes	Specified leukemia - hematologic malignancy requiring treatment
C94.82	ICD-10-CM	Other specified leukemias, in relapse	Yes	Specified leukemia - hematologic malignancy requiring treatment

C95.00	ICD-10-CM	Acute leukemia of unspecified cell type not having achieved remission	Yes	Leukemia - hematologic malignancy requiring intensive treatment
C95.02	ICD-10-CM	Acute leukemia of unspecified cell type, in relapse	Yes	Leukemia - hematologic malignancy requiring intensive treatment
C95.10	ICD-10-CM	Chronic leukemia of unspecified cell type not having achieved remission	Yes	Leukemia - hematologic malignancy requiring intensive treatment
C95.12	ICD-10-CM	Chronic leukemia of unspecified cell type, in relapse	Yes	Leukemia - hematologic malignancy requiring intensive treatment
C95.90	ICD-10-CM	Leukemia, unspecified not having achieved remission	Yes	Leukemia - hematologic malignancy requiring intensive treatment
C95.92	ICD-10-CM	Leukemia, unspecified, in relapse	Yes	Leukemia - hematologic malignancy requiring intensive treatment
C96.0	ICD-10-CM	Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis	Yes	Histiocytic/dendritic cell neoplasm - rare hematologic malignancy
C96.21	ICD-10-CM	Aggressive systemic mastocytosis	Yes	Histiocytic/dendritic cell neoplasm - rare hematologic malignancy
C96.22	ICD-10-CM	Mast cell sarcoma	Yes	Histiocytic/dendritic cell neoplasm - rare hematologic malignancy
C96.4	ICD-10-CM	Sarcoma of dendritic cells (accessory cells)	Yes	Histiocytic/dendritic cell neoplasm - rare hematologic malignancy
C96.5	ICD-10-CM	Multifocal and unisystemic Langerhans-cell histiocytosis	Yes	Histiocytic/dendritic cell neoplasm - rare hematologic malignancy
C96.6	ICD-10-CM	Unifocal Langerhans-cell histiocytosis	Yes	Histiocytic/dendritic cell neoplasm - rare hematologic malignancy
C96.A	ICD-10-CM	Histiocytic sarcoma	Yes	Histiocytic/dendritic cell neoplasm - rare hematologic malignancy

Code	Code Type	Description	Yes/ No	Rationale
D56.1	ICD-10-CM	Beta thalassemia	Yes	Thalassemia - severity varies by type, context-dependent
D56.2	ICD-10-CM	Delta-beta thalassemia	yes	Thalassemia - severity varies by type, context-dependent
D56.5	ICD-10-CM	Hemoglobin E-beta thalassemia	Yes	Thalassemia - severity varies by type, context-dependent
D57.00	ICD-10-CM	Hb-SS disease with crisis, unspecified	Yes	Sickle cell crisis - severe acute episode requiring treatment
D57.01	ICD-10-CM	Hb-SS disease with acute chest syndrome	Yes	Sickle cell crisis/complication - severe acute episode
D57.02	ICD-10-CM	Hb-SS disease with splenic sequestration	Yes	Splenic sequestration - acute sickle cell complication requiring urgent treatment
D57.03	ICD-10-CM	Stroke related to sickle cell disease	Yes	Stroke in sickle cell disease - severe vascular complication
D57.03	ICD-10-CM	Hb-SS disease with cerebral vascular involvement	Yes	Cerebral vascular involvement - stroke complication of sickle cell
D57.04	ICD-10-CM	Hb-SS disease with dactylitis	Yes	Dactylitis - painful sickle cell bone crisis
D57.09	ICD-10-CM	Hb-SS disease with crisis with other specified complication	Yes	Sickle cell crisis with complications - severe acute episode
D57.1	ICD-10-CM	Sickle-cell disease without crisis	Yes	Sickle-cell disease without crisis - chronic hemoglobinopathy with baseline anemia and organ damage risk
D57.20	ICD-10-CM	Sickle-cell/Hb-C disease without crisis	Yes	Sickle-cell/Hb-C disease without crisis - chronic hemoglobinopathy with baseline complications
D57.211	ICD-10-CM	Sickle-cell/Hb-C disease with acute chest syndrome	Yes	Sickle cell crisis/complication - severe acute episode
D57.211	ICD-10-CM	Sickle-cell/Hb-C disease with acute chest syndrome	Yes	Sickle cell crisis - severe acute episode
D57.212	ICD-10-CM	Sickle-cell/Hb-C disease with splenic sequestration	Yes	Splenic sequestration - acute sickle cell crisis
D57.212	ICD-10-CM	Sickle-cell/Hb-C disease with splenic sequestration	Yes	Sickle cell crisis - acute splenic complication
D57.213	ICD-10-CM	Sickle-cell/Hb-C disease with cerebral vascular involvement	Yes	Sickle cell crisis/complication - severe acute episode
D57.214	ICD-10-CM	Sickle-cell/Hb-C disease with dactylitis	Yes	Dactylitis - painful sickle cell bone crisis
D57.218	ICD-10-CM	Sickle-cell/Hb-C disease with crisis with other specified complication	Yes	Sickle cell crisis/complication - severe acute episode
D57.219	ICD-10-CM	Sickle-cell/Hb-C disease with crisis, unspecified	Yes	Sickle cell crisis/complication - severe acute episode
D57.219	ICD-10-CM	Sickle-cell/Hb-C disease with crisis, unspecified	Yes	Sickle cell crisis - severe acute episode
D57.40	ICD-10-CM	Sickle-cell thalassemia without crisis	Yes	Sickle-cell thalassemia without crisis - chronic hemoglobinopathy with baseline complications
D57.411	ICD-10-CM	Sickle-cell thalassemia, unspecified, with acute chest syndrome	Yes	Sickle cell crisis/complication - severe acute episode
D57.411	ICD-10-CM	Sickle-cell thalassemia with acute chest syndrome	Yes	Sickle cell crisis - severe acute episode

D57.412	ICD-10-CM	Sickle-cell thalassemia, unspecified, with splenic sequestration	Yes	Thalassemia - severity varies by type, context-dependent
D57.412	ICD-10-CM	Sickle-cell thalassemia with splenic sequestration	Yes	Sickle cell crisis - acute splenic complication
D57.413	ICD-10-CM	Sickle-cell thalassemia, unspecified, with cerebral vascular involvement	Yes	Sickle cell crisis/complication - severe acute episode
D57.414	ICD-10-CM	Sickle-cell thalassemia, unspecified, with dactylitis	yes	Thalassemia - severity varies by type, context-dependent
D57.418	ICD-10-CM	Sickle-cell thalassemia, unspecified, with crisis with other specified complication	Yes	Sickle cell crisis/complication - severe acute episode
D57.419	ICD-10-CM	Sickle-cell thalassemia, unspecified, with crisis	Yes	Sickle cell crisis/complication - severe acute episode
D57.419	ICD-10-CM	Sickle-cell thalassemia with crisis	Yes	Sickle cell crisis - severe acute episode
D57.42	ICD-10-CM	Sickle-cell thalassemia beta zero without crisis	Yes	Sickle-cell thalassemia beta zero without crisis - chronic hemoglobinopathy with baseline complications
D57.431	ICD-10-CM	Sickle-cell thalassemia beta zero with acute chest syndrome	Yes	Sickle cell crisis/complication - severe acute episode
D57.432	ICD-10-CM	Sickle-cell thalassemia beta zero with splenic sequestration	Yes	Thalassemia - severity varies by type, context-dependent
D57.433	ICD-10-CM	Sickle-cell thalassemia beta zero with cerebral vascular involvement	Yes	Sickle cell crisis/complication - severe acute episode
D57.434	ICD-10-CM	Sickle-cell thalassemia beta zero with dactylitis	Yes	Thalassemia - severity varies by type, context-dependent
D57.438	ICD-10-CM	Sickle-cell thalassemia beta zero with crisis with other specified complication	Yes	Sickle cell crisis/complication - severe acute episode
D57.439	ICD-10-CM	Sickle-cell thalassemia beta zero with crisis, unspecified	Yes	Sickle cell crisis/complication - severe acute episode
D57.44	ICD-10-CM	Sickle-cell thalassemia beta plus without crisis	Yes	Sickle cell crisis/complication - severe acute episode
D57.451	ICD-10-CM	Sickle-cell thalassemia beta plus with acute chest syndrome	Yes	Sickle cell crisis/complication - severe acute episode
D57.452	ICD-10-CM	Sickle-cell thalassemia beta plus with splenic sequestration	Yes	Thalassemia - severity varies by type, context-dependent
D57.453	ICD-10-CM	Sickle-cell thalassemia beta plus with cerebral vascular involvement	Yes	Sickle cell crisis/complication - severe acute episode
D57.454	ICD-10-CM	Sickle-cell thalassemia beta plus with dactylitis	Yes	Sickle cell crisis/complication - dactylitis indicates acute vaso-occlusive episode
D57.458	ICD-10-CM	Sickle-cell thalassemia beta plus with crisis with other specified complication	Yes	Sickle cell crisis/complication - severe acute episode

D57.459	ICD-10-CM	Sickle-cell thalassemia beta plus with crisis, unspecified	Yes	Sickle cell crisis/complication - severe acute episode
D57.80	ICD-10-CM	Other sickle-cell disorders without crisis	Yes	Sickle cell crisis/complication - severe acute episode
D57.811	ICD-10-CM	Other sickle-cell disorders with acute chest syndrome	Yes	Sickle cell crisis/complication - severe acute episode
D57.811	ICD-10-CM	Other sickle-cell disorders with acute chest syndrome	Yes	Sickle cell crisis - severe acute episode
D57.812	ICD-10-CM	Other sickle-cell disorders with splenic sequestration	Yes	Splenic sequestration - acute sickle cell crisis
D57.812	ICD-10-CM	Other sickle-cell disorders with splenic sequestration	Yes	Sickle cell crisis - acute splenic complication
D57.813	ICD-10-CM	Other sickle-cell disorders with cerebral vascular involvement	Yes	Sickle cell crisis/complication - severe acute episode
D57.814	ICD-10-CM	Other sickle-cell disorders with dactylitis	Yes	Dactylitis - painful sickle cell bone crisis
D57.818	ICD-10-CM	Other sickle-cell disorders with crisis with other specified complication	Yes	Sickle cell crisis/complication - severe acute episode
D57.819	ICD-10-CM	Other sickle-cell disorders with crisis, unspecified	Yes	Sickle cell crisis/complication - severe acute episode
D57.819	ICD-10-CM	Other sickle-cell disorders with crisis, unspecified	Yes	Sickle cell crisis - severe acute episode
D58	ICD-10-CM	Other hereditary hemolytic anemias	Yes	Hereditary hemolytic anemia - chronic anemia with complications
D59	ICD-10-CM	Acquired hemolytic anemia	yes	Acquired hemolytic anemia - immune-mediated red cell destruction
D59.10	ICD-10-CM	Autoimmune hemolytic anemia, unspecified	Yes	Autoimmune hemolytic anemia - immune-mediated anemia
D59.11	ICD-10-CM	Warm autoimmune hemolytic anemia	Yes	Warm autoimmune hemolytic anemia - chronic immune-mediated anemia
D59.12	ICD-10-CM	Cold autoimmune hemolytic anemia	Yes	Cold autoimmune hemolytic anemia - immune-mediated anemia
D59.13	ICD-10-CM	Mixed type autoimmune hemolytic anemia	Yes	Mixed autoimmune hemolytic anemia - complex immune-mediated anemia
D61.810	ICD-10-CM	Antineoplastic chemotherapy induced pancytopenia	Yes	Pancytopenia - severe reduction in all blood cells
D61.810	ICD-10-CM	Antineoplastic chemotherapy induced pancytopenia	Yes	Pancytopenia - severe bone marrow suppression
D61.811	ICD-10-CM	Other drug-induced pancytopenia	Yes	Pancytopenia - severe bone marrow suppression
D63.0	ICD-10-CM	Anemia in neoplastic disease	Yes	Anemia in neoplastic disease - indicates cancer burden
D68.03	ICD-10-CM	Von Willebrand disease, type 3	Yes	Von Willebrand disease type 3 - severe bleeding disorder
D68.2	ICD-10-CM	Hereditary deficiency of other clotting factors	Yes	Hereditary clotting factor deficiency - bleeding disorder
D68.318	ICD-10-CM	Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors	Yes	Hemorrhagic disorder with circulating anticoagulants - severe bleeding risk
D69.3	ICD-10-CM	Immune thrombocytopenic purpura	Yes	Immune thrombocytopenia - low platelets with bleeding risk
D70.0	ICD-10-CM	Congenital agranulocytosis	Yes	Agranulocytosis - severe immunocompromise
D70.1	ICD-10-CM	Agranulocytosis secondary to cancer chemotherapy	Yes	Agranulocytosis - severe neutropenia, infection risk
D70.1	ICD-10-CM	Agranulocytosis secondary to cancer chemotherapy	Yes	Agranulocytosis - severe immunocompromise
D70.2	ICD-10-CM	Other drug-induced agranulocytosis	Yes	Agranulocytosis - severe immunocompromise

D70.3	ICD-10-CM	Neutropenia due to infection	Yes	Neutropenia - immunocompromise with infection risk
D70.4	ICD-10-CM	Cyclic neutropenia	Yes	Cyclic neutropenia - recurrent severe immunocompromise
D80.0	ICD-10-CM	Hereditary hypogammaglobulinemia	Yes	Immunodeficiency - increased infection susceptibility
D80.1	ICD-10-CM	Nonfamilial hypogammaglobulinemia	Yes	Immunodeficiency - increased infection susceptibility
D80.2	ICD-10-CM	Selective deficiency of immunoglobulin A [IgA]	Yes	IgA deficiency - increased infection susceptibility
D80.3	ICD-10-CM	Selective deficiency of immunoglobulin G [IgG] subclasses	Yes	IgG subclass deficiency - increased infection susceptibility
D80.4	ICD-10-CM	Selective deficiency of immunoglobulin M [IgM]	Yes	IgM deficiency - increased infection susceptibility
D80.5	ICD-10-CM	Immunodeficiency with increased immunoglobulin M [IgM]	Yes	Immunodeficiency - increased infection susceptibility
D80.9	ICD-10-CM	Immunodeficiency with predominantly antibody defects, unspecified	Yes	Immunodeficiency - increased infection susceptibility
D81.1	ICD-10-CM	Severe combined immunodeficiency [SCID] with low T- and B-cell numbers	Yes	SCID with low T and B cells - severe immune deficiency
D81.2	ICD-10-CM	Severe combined immunodeficiency [SCID] with low or normal B-cell numbers	Yes	SCID with low or normal B cells - severe immune deficiency
D81.3	ICD-10-CM	Adenosine deaminase deficiency	Yes	Adenosine deaminase deficiency - severe metabolic immunodeficiency
D81.30	ICD-10-CM	Adenosine deaminase deficiency, unspecified	Yes	ADA deficiency unspecified - metabolic immunodeficiency
D81.32	ICD-10-CM	Adenosine deaminase 2 deficiency	Yes	ADA2 deficiency - autoimmune inflammatory immunodeficiency
D81.39	ICD-10-CM	Other adenosine deaminase deficiency	Yes	Other ADA deficiency - metabolic immunodeficiency
D81.4	ICD-10-CM	Nezelof's syndrome	Yes	Nezelof syndrome - T-cell immunodeficiency
D81.5	ICD-10-CM	Purine nucleoside phosphorylase [PNP] deficiency	Yes	PNP deficiency - severe combined immunodeficiency
D81.6	ICD-10-CM	Major histocompatibility complex class I deficiency	Yes	MHC class I deficiency - immunodeficiency syndrome
D81.7	ICD-10-CM	Major histocompatibility complex class II deficiency	Yes	MHC class II deficiency - severe immunodeficiency
D81.810	ICD-10-CM	Biotinidase deficiency	Yes	Biotinidase deficiency - metabolic disorder with neurological impact
D81.818	ICD-10-CM	Other biotin-dependent carboxylase deficiency	Yes	Biotin-dependent carboxylase deficiency - metabolic disorder
D81.819	ICD-10-CM	Biotin-dependent carboxylase deficiency uns	Yes	Biotin-dependent carboxylase deficiency unspecified - metabolic disorder
D81.82	ICD-10-CM	Activated Phosphoinositide 3-kinase Delta Syndrome [APDS]	Yes	APDS - primary immunodeficiency with autoimmunity
D81.89	ICD-10-CM	Other combined immunodeficiencies	Yes	Other combined immunodeficiencies - significant immune impairment
D81.9	ICD-10-CM	Combined immunodeficiency, unspecified	Yes	Immunodeficiency - increased infection susceptibility
D82.0	ICD-10-CM	Wiskott-Aldrich syndrome	Yes	Wiskott-Aldrich syndrome - immunodeficiency with bleeding and eczema

D82.1	ICD-10-CM	Di George's syndrome	Yes	DiGeorge syndrome - T-cell immunodeficiency with congenital anomalies
D82.2	ICD-10-CM	Immunodeficiency with short-limbed stature	Yes	Immunodeficiency - increased infection susceptibility
D82.3	ICD-10-CM	Immunodeficiency following hereditary defective response to Epstein-Barr virus	Yes	Immunodeficiency - increased infection susceptibility
D82.4	ICD-10-CM	Hyperimmunoglobulin E [IgE] syndrome	Yes	Hyper-IgE syndrome - primary immunodeficiency with skin and lung infections
D82.8	ICD-10-CM	Immunodeficiency associated with other specified major defects	Yes	Immunodeficiency - increased infection susceptibility
D82.9	ICD-10-CM	Immunodeficiency associated with major defect, unspecified	Yes	Immunodeficiency - increased infection susceptibility
D83.0	ICD-10-CM	Common variable immunodeficiency with predominant abnormalities of B-cell numbers and function	Yes	Immunodeficiency - increased infection susceptibility
D83.1	ICD-10-CM	Common variable immunodeficiency with predominant immunoregulatory T-cell disorders	Yes	Immunodeficiency - increased infection susceptibility
D83.2	ICD-10-CM	Common variable immunodeficiency with autoantibodies to B- or T-cells	Yes	Immunodeficiency - increased infection susceptibility
D83.8	ICD-10-CM	Other common variable immunodeficiencies	Yes	Immunodeficiency - increased infection susceptibility
D83.9	ICD-10-CM	Common variable immunodeficiency, unspecified	Yes	Immunodeficiency - increased infection susceptibility
D84.821	ICD-10-CM	Immunodeficiency due to drugs (e.g., immunosuppressants)	Yes	Immunodeficiency - increased infection susceptibility
D84.822	ICD-10-CM	Immunodeficiency due to external causes	Yes	Immunodeficiency - increased infection susceptibility
D84.9	ICD-10-CM	Immunodeficiency, unspecified	Yes	Immunodeficiency - increased infection susceptibility
D86.86	ICD-10-CM	Sarcoid arthropathy	Yes	Sarcoid arthropathy - systemic inflammatory disease with joint involvement
D86.87	ICD-10-CM	Sarcoid myositis	Yes	Sarcoid myositis - systemic inflammatory disease with muscle involvement

Code	Code Type	Description	Yes/ No	Rationale
E00.0	ICD-10-CM	Congenital iodine-deficiency syndrome, neurological type	Yes	Congenital iodine deficiency - developmental condition, severity varies
E00.1	ICD-10-CM	Congenital iodine-deficiency syndrome, myxedematous type	Yes	Congenital iodine deficiency - developmental condition, severity varies
E00.2	ICD-10-CM	Congenital iodine-deficiency syndrome, mixed type	Yes	Congenital iodine deficiency - developmental condition, severity varies
E00.9	ICD-10-CM	Congenital iodine-deficiency syndrome, unspecified	Yes	Congenital iodine deficiency - developmental condition, severity varies
E08.311	ICD-10-CM	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema	Yes	Diabetic macular edema - sight-threatening complication
E08.319	ICD-10-CM	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema	Yes	Diabetic retinopathy without macular edema - retinal disease requiring monitoring for progression
E08.3311	ICD-10-CM	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3312	ICD-10-CM	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3313	ICD-10-CM	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3319	ICD-10-CM	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3391	ICD-10-CM	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3392	ICD-10-CM	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3393	ICD-10-CM	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3399	ICD-10-CM	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3411	ICD-10-CM	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease

E08.3412	ICD-10-CM	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E08.3413	ICD-10-CM	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E08.3419	ICD-10-CM	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E08.3491	ICD-10-CM	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease
E08.3492	ICD-10-CM	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E08.3493	ICD-10-CM	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E08.3499	ICD-10-CM	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E08.3511	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3512	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3513	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3519	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3521	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3522	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.3523	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease

E08.3529	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3531	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3532	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3533	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3539	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3541	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3542	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3543	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3549	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3591	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3592	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye	Yes		Proliferative diabetic retinopathy - advanced eye disease
E08.3593	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral	Yes		Proliferative diabetic retinopathy - advanced eye disease

E08.3599	ICD-10-CM	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E08.51	ICD-10-CM	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene	Yes	Diabetic gangrene - indicates severe vascular disease
E08.52	ICD-10-CM	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene	Yes	Diabetic gangrene - indicates severe vascular disease
E08.610	ICD-10-CM	Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy	Yes	Neuropathic arthropathy - severe diabetic neuropathy complication
E09.311	ICD-10-CM	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema	Yes	Diabetic macular edema - sight-threatening complication
E09.319	ICD-10-CM	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema	Yes	Diabetic macular edema - sight-threatening complication
E09.3311	ICD-10-CM	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3312	ICD-10-CM	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3313	ICD-10-CM	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3319	ICD-10-CM	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3391	ICD-10-CM	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3392	ICD-10-CM	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3393	ICD-10-CM	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3399	ICD-10-CM	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3411	ICD-10-CM	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease

E09.3412	ICD-10-CM	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E09.3413	ICD-10-CM	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E09.3419	ICD-10-CM	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E09.3491	ICD-10-CM	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease
E09.3492	ICD-10-CM	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E09.3493	ICD-10-CM	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E09.3499	ICD-10-CM	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E09.3511	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3512	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3513	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3519	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3521	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3522	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3523	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease

E09.3529	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3531	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3532	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3533	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3539	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3541	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3542	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3543	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3549	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3591	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3592	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.3593	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease

E09.3599	ICD-10-CM	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E09.52	ICD-10-CM	Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene	Yes	Diabetic gangrene - indicates severe vascular disease
E09.610	ICD-10-CM	Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy	Yes	Neuropathic arthropathy - severe diabetic neuropathy complication
E10.311	ICD-10-CM	Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema	Yes	Diabetic macular edema - sight-threatening complication
E10.319	ICD-10-CM	Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema	Yes	Diabetic macular edema - sight-threatening complication
E10.3311	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3312	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3313	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3319	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3391	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3392	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3393	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3399	ICD-10-CM	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3411	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease
E10.3412	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E10.3413	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease

E10.3419	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E10.3491	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease
E10.3492	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E10.3493	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E10.3499	ICD-10-CM	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E10.3511	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3512	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3513	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3519	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3521	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3522	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3523	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3529	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3531	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3532	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3533	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease

E10.3539	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3541	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3542	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3543	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3549	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3591	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3592	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3593	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.3599	ICD-10-CM	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E10.52	ICD-10-CM	Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene	Yes	Diabetic gangrene - indicates severe vascular disease
E10.610	ICD-10-CM	Type 1 diabetes mellitus with diabetic neuropathic arthropathy	Yes	Neuropathic arthropathy - severe diabetic neuropathy complication
E11.311	ICD-10-CM	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema	Yes	Diabetic macular edema - sight-threatening complication
E11.319	ICD-10-CM	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema	Yes	Diabetic macular edema - sight-threatening complication
E11.3311	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3312	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease

E11.3313	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3319	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3391	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3392	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3393	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3399	ICD-10-CM	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3411	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease
E11.3412	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E11.3413	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E11.3419	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E11.3491	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease
E11.3492	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E11.3493	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E11.3499	ICD-10-CM	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E11.3511	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3512	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease

E11.3513	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3519	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3521	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3522	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3523	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3529	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3531	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3532	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3533	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3539	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3541	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3542	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3543	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3549	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease

E11.3591	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3592	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3593	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.3599	ICD-10-CM	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E11.52	ICD-10-CM	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene	Yes	Diabetic gangrene - indicates severe vascular disease
E11.610	ICD-10-CM	Type 2 diabetes mellitus with diabetic neuropathic arthropathy	Yes	Neuropathic arthropathy - severe diabetic neuropathy complication
E13.311	ICD-10-CM	Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema	Yes	Diabetic macular edema - sight-threatening complication
E13.319	ICD-10-CM	Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema	Yes	Diabetic macular edema - sight-threatening complication
E13.3311	ICD-10-CM	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3312	ICD-10-CM	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3313	ICD-10-CM	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3319	ICD-10-CM	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3391	ICD-10-CM	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3392	ICD-10-CM	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3393	ICD-10-CM	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3399	ICD-10-CM	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3411	ICD-10-CM	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease

E13.3412	ICD-10-CM	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E13.3413	ICD-10-CM	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E13.3419	ICD-10-CM	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E13.3491	ICD-10-CM	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Yes	Severe diabetic complication - indicates advanced disease
E13.3492	ICD-10-CM	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Yes	Severe diabetic complication - indicates advanced disease
E13.3493	ICD-10-CM	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Yes	Severe diabetic complication - indicates advanced disease
E13.3499	ICD-10-CM	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Severe diabetic complication - indicates advanced disease
E13.3511	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3512	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3513	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3519	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3521	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3522	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3523	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3529	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3531	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease

E13.3532	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3533	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3539	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3541	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3542	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3543	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3549	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3591	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3592	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3593	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.3599	ICD-10-CM	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Yes	Proliferative diabetic retinopathy - advanced eye disease
E13.52	ICD-10-CM	Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene	Yes	Diabetic gangrene - indicates severe vascular disease
E13.610	ICD-10-CM	Other specified diabetes mellitus with diabetic neuropathic arthropathy	Yes	Neuropathic arthropathy - severe diabetic neuropathy complication
E20	ICD-10-CM	Hypoparathyroidism	Yes	Hypoparathyroidism - calcium regulation disorder
E22	ICD-10-CM	Hyperfunction of pituitary gland	Yes	Pituitary hyperfunction - hormonal dysregulation

E23	ICD-10-CM	Hypofunction and other disorders of the pituitary gland	Yes	Pituitary hypofunction - hormonal deficiency requiring replacement
E24	ICD-10-CM	Cushing's syndrome	Yes	Cushing's syndrome - severe hormonal disorder with multi-system effects
E24.1	ICD-10-CM	Nelson's syndrome	Yes	Nelson's syndrome - pituitary tumor after adrenalectomy
E25	ICD-10-CM	Adrenogenital disorders	Yes	Adrenogenital disorders - hormonal dysregulation
E26	ICD-10-CM	Hyperaldosteronism	Yes	Hyperaldosteronism - adrenal hormone excess
E27	ICD-10-CM	Other disorders of adrenal gland	Yes	Adrenal gland disorders - hormonal dysregulation
E31.22	ICD-10-CM	Multiple endocrine neoplasia [MEN] type IIA	Yes	MEN type IIA - multiple endocrine tumors syndrome
E31.23	ICD-10-CM	Multiple endocrine neoplasia [MEN] type IIB	Yes	MEN type IIB - multiple endocrine tumors with aggressive features
E32	ICD-10-CM	Diseases of thymus	Yes	Thymus diseases - immune organ disorder
E34.00	ICD-10-CM	Carcinoid syndrome, unspecified	Yes	Carcinoid syndrome - neuroendocrine tumor with systemic symptoms
E34.01	ICD-10-CM	Carcinoid heart syndrome	Yes	Carcinoid heart syndrome - cardiac damage from carcinoid tumor
E43	ICD-10-CM	Unspecified severe protein-calorie malnutrition	Yes	Severe diabetic complication - indicates advanced disease
E43	ICD-10-CM	Unspecified severe protein-calorie malnutrition	Yes	Severe malnutrition - cachexia indicates frailty
E44.0	ICD-10-CM	Moderate protein-calorie malnutrition	Yes	Moderate malnutrition - nutritional compromise
E66.2	ICD-10-CM	Morbid (severe) obesity with alveolar hypoventilation	Yes	Severe diabetic complication - indicates advanced disease
E70.1	ICD-10-CM	Other hyperphenylalaninemia	Yes	Hyperphenylalaninemia - metabolic disorder requiring dietary management
E70.5	ICD-10-CM	Disorders of tryptophan metabolism	Yes	Tryptophan metabolism disorder - metabolic disease
E70.81	ICD-10-CM	Aromatic L-amino acid decarboxylase deficiency	Yes	Aromatic L-amino acid decarboxylase deficiency - severe neurometabolic disorder
E71.111	ICD-10-CM	3-methylglutaconic aciduria	Yes	3-methylglutaconic aciduria - metabolic disorder
E71.32	ICD-10-CM	Disorders of ketone metabolism	Yes	Ketone metabolism disorder - metabolic disease
E71.510	ICD-10-CM	Zellweger syndrome	Yes	Zellweger syndrome - severe peroxisomal disorder
E71.518	ICD-10-CM	Other disorders of peroxisome biogenesis	Yes	Peroxisome biogenesis disorders - severe metabolic disease
E71.53	ICD-10-CM	Other group 2 peroxisomal disorders	Yes	Peroxisomal disorders - metabolic disease with neurological impact
E71.540	ICD-10-CM	Rhizomelic chondrodysplasia punctata	Yes	Rhizomelic chondrodysplasia punctata - severe developmental disorder
E71.541	ICD-10-CM	Zellweger-like syndrome	Yes	Zellweger-like syndrome - peroxisomal disorder

E72.03	ICD-10-CM	Lowe's syndrome		Yes	Low's syndrome - X-linked metabolic disorder with multi-system involvement
E72.10	ICD-10-CM	Disorders of sulfur-bearing amino-acid metabolism, unspecified		Yes	Sulfur amino acid metabolism disorder - metabolic disease
E72.11	ICD-10-CM	Homocystinuria		Yes	Homocystinuria - metabolic disorder with vascular and neurological complications
E72.12	ICD-10-CM	Methylenetetrahydrofolate reductase deficiency		Yes	MTHFR deficiency - folate metabolism disorder
E72.21	ICD-10-CM	Argininemia		Yes	Argininemia - urea cycle disorder
E72.23	ICD-10-CM	Citrullinemia		Yes	Citrullinemia - urea cycle disorder with hyperammonemia risk
E72.29	ICD-10-CM	Other disorders of urea cycle metabolism		Yes	Urea cycle disorder - risk of metabolic crisis
E72.3	ICD-10-CM	Disorders of lysine and hydroxylysine metabolism		Yes	Lysine/hydroxylysine metabolism disorder - metabolic disease
E72.4	ICD-10-CM	Disorders of ornithine metabolism		Yes	Ornithine metabolism disorder - urea cycle defect
E72.50	ICD-10-CM	Disorder of glycine metabolism, unspecified		Yes	Glycine metabolism disorder - metabolic disease
E72.59	ICD-10-CM	Other disorders of glycine metabolism		Yes	Other glycine disorders - metabolic disease
E72.81	ICD-10-CM	Disorders of gamma aminobutyric acid metabolism		Yes	GABA metabolism disorder - neurometabolic disease
E74.02	ICD-10-CM	Pompe disease		Yes	Pompe disease - lysosomal storage disease with cardiac and muscle involvement
E74.05	ICD-10-CM	Lysosome-associated membrane protein 2 [LAMP2] deficiency		Yes	LAMP2 deficiency - lysosomal disorder with cardiomyopathy
E74.21	ICD-10-CM	Galactosemia		Yes	Galactosemia - metabolic disorder requiring dietary restriction
E74.810	ICD-10-CM	Glucose transporter protein type 1 deficiency		Yes	GLUT1 deficiency - glucose transport disorder with neurological effects
E74.818	ICD-10-CM	Other disorders of glucose transport		Yes	Other glucose transport disorders - metabolic disease
E74.819	ICD-10-CM	Disorders of glucose transport, unspecified		Yes	Glucose transport disorder unspecified - metabolic disease
E74.820	ICD-10-CM	SLC13A5 Citrate Transporter Disorder		Yes	SLC13A5 citrate transporter disorder - developmental epileptic encephalopathy
E74.829	ICD-10-CM	Other disorders of citrate metabolism		Yes	Citrate metabolism disorders - metabolic disease
E74.89	ICD-10-CM	Other specified disorders of carbohydrate metabolism		Yes	Other carbohydrate metabolism disorders - metabolic disease
E74.9	ICD-10-CM	Disorder of carbohydrate metabolism, unspecified		Yes	Carbohydrate metabolism disorder - metabolic disease
E75.00	ICD-10-CM	GM2 gangliosidosis, unspecified		Yes	GM2 gangliosidosis - lysosomal storage disease with neurodegeneration
E75.09	ICD-10-CM	Other GM2 gangliosidosis		Yes	Other GM2 gangliosidosis - lysosomal storage disease
E75.10	ICD-10-CM	Unspecified gangliosidosis		Yes	Gangliosidosis unspecified - lysosomal storage disease
E75.11	ICD-10-CM	Mucopolipidosis IV		Yes	Mucopolipidosis IV - lysosomal storage disease with neurological involvement

E75.19	ICD-10-CM	Other gangliosidosis	Yes	Other gangliosidosis - lysosomal storage disease
E75.21	ICD-10-CM	Fabry (-Anderson) disease	Yes	Fabry disease - lysosomal storage disease with multi-organ involvement
E75.22	ICD-10-CM	Gaucher disease	Yes	Gaucher disease - lysosomal storage disease with organ involvement
E75.240	ICD-10-CM	Niemann-Pick disease type A	Yes	Niemann-Pick type A - severe lysosomal storage disease
E75.241	ICD-10-CM	Niemann-Pick disease type B	Yes	Niemann-Pick type B - lysosomal storage disease with lung involvement
E75.243	ICD-10-CM	Niemann-Pick disease type D	Yes	Niemann-Pick type D - lysosomal storage disease
E75.244	ICD-10-CM	Niemann-Pick disease type A/B	Yes	Niemann-Pick type A/B - lysosomal storage disease
E75.248	ICD-10-CM	Other Niemann-Pick disease	Yes	Other Niemann-Pick disease - lysosomal storage disease
E75.249	ICD-10-CM	Niemann-Pick disease, unspecified	Yes	Niemann-Pick disease unspecified - lysosomal storage disease
E75.26	ICD-10-CM	Sulfatase deficiency	Yes	Sulfatase deficiency - lysosomal storage disease
E75.29	ICD-10-CM	Other sphingolipidosis	Yes	Other sphingolipidosis - lipid storage disease
E75.3	ICD-10-CM	Sphingolipidosis, unspecified	Yes	Sphingolipidosis - lipid storage disease
E75.5	ICD-10-CM	Other lipid storage disorders	Yes	Other lipid storage disorders - metabolic disease with organ involvement
E75.6	ICD-10-CM	Lipid storage disorder, unspecified	Yes	Lipid storage disorder unspecified - metabolic disease
E76.01	ICD-10-CM	Hurler's syndrome	Yes	Hurler syndrome - severe mucopolysaccharidosis with multi-organ involvement
E76.02	ICD-10-CM	Hurler-Scheie syndrome	Yes	Hurler-Scheie syndrome - intermediate mucopolysaccharidosis
E76.03	ICD-10-CM	Scheie's syndrome	Yes	Scheie syndrome - attenuated mucopolysaccharidosis
E76.22	ICD-10-CM	Sanfilippo mucopolysaccharidoses	Yes	Sanfilippo syndrome - mucopolysaccharidosis with neurodegeneration
E76.8	ICD-10-CM	Other disorders of glucosaminoglycan metabolism	Yes	Other glucosaminoglycan metabolism disorders - metabolic disease
E76.9	ICD-10-CM	Glucosaminoglycan metabolism disorder, unspecified	Yes	Glucosaminoglycan disorder unspecified - metabolic disease
E79	ICD-10-CM	Disorders of purine and pyrimidine metabolism	Yes	Purine/pyrimidine metabolism disorders - metabolic disease
E79.1	ICD-10-CM	Lesch-Nyhan syndrome	Yes	Lesch-Nyhan syndrome - severe metabolic disorder with neurological manifestations
E79.81	ICD-10-CM	Aicardi-Goutieres syndrome	Yes	Aicardi-Goutieres syndrome - genetic encephalopathy
E79.89	ICD-10-CM	Other specified disorders of purine and pyrimidine metabolism	Yes	Other purine/pyrimidine disorders - metabolic disease

E80	ICD-10-CM	Disorders of porphyrin and bilirubin metabolism	Yes	Porphyrria/bilirubin disorders - metabolic disease with multi-system effects
E83.01	ICD-10-CM	Wilson's disease	Yes	Wilson's disease - copper metabolism disorder with liver and neurological damage
E84.19	ICD-10-CM	Cystic fibrosis with other intestinal manifestations	Yes	Cystic fibrosis with intestinal manifestations - GI complications
E84.8	ICD-10-CM	Cystic fibrosis with other manifestations	Yes	Cystic fibrosis with other manifestations - multi-system disease
E85.81	ICD-10-CM	Light chain (AL) amyloidosis	Yes	AL amyloidosis - systemic amyloid deposition with organ damage
E88.01	ICD-10-CM	Alpha-1-antitrypsin deficiency	Yes	Alpha-1-antitrypsin deficiency - lung and liver disease
E88.40	ICD-10-CM	Mitochondrial metabolism disorder, unspecified	Yes	Mitochondrial disorder unspecified - energy metabolism disease
E88.41	ICD-10-CM	MELAS syndrome	Yes	MELAS syndrome - mitochondrial disease with stroke-like episodes
E88.42	ICD-10-CM	MERRF syndrome	Yes	MERRF syndrome - mitochondrial disease with myoclonus and seizures

Code	Code Type	Description	Yes/ No	Rationale
G04.82	ICD-10-CM	Acute flaccid myelitis	Yes	CNS inflammation - outcome varies, may have residual deficits
G11.5	ICD-10-CM	Hypomyelination - hypogonadotropic hypogonadism - hypodontia	Yes	Hypomyelination syndrome - developmental neurological disorder
G13.0	ICD-10-CM	Paraneoplastic neuromyopathy and neuropathy	Yes	Paraneoplastic syndrome - indicates underlying malignancy
G13.1	ICD-10-CM	Other systemic atrophy primarily affecting central nervous system in neoplastic disease	Yes	Systemic atrophy affecting CNS in neoplasm - paraneoplastic degeneration
G13.2	ICD-10-CM	Systemic atrophy primarily affecting the central nervous system in myxedema	Yes	CNS atrophy in myxedema - thyroid-related neurodegeneration
G13.8	ICD-10-CM	Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere	Yes	CNS atrophy in other diseases - secondary neurodegeneration
G21.11	ICD-10-CM	Neuroleptic induced parkinsonism	Yes	Neuroleptic-induced parkinsonism - medication-related movement disorder
G21.19	ICD-10-CM	Other drug induced secondary parkinsonism	Yes	Other drug-induced parkinsonism - medication-related movement disorder
G21.2	ICD-10-CM	Secondary parkinsonism due to other external agents	Yes	Secondary parkinsonism from external agents - toxic/drug-induced
G21.3	ICD-10-CM	Postencephalitic parkinsonism	Yes	Postencephalitic parkinsonism - infection-related movement disorder
G21.4	ICD-10-CM	Vascular parkinsonism	Yes	Vascular parkinsonism - stroke-related movement disorder
G21.8	ICD-10-CM	Other secondary parkinsonism	Yes	Other secondary parkinsonism - acquired movement disorder
G21.9	ICD-10-CM	Secondary parkinsonism, unspecified	Yes	Secondary parkinsonism unspecified - acquired movement disorder
G23.2	ICD-10-CM	Striatonigral degeneration	Yes	Striatonigral degeneration - parkinsonian syndrome
G23.3	ICD-10-CM	Hypomyelination with atrophy of the basal ganglia and cerebellum	Yes	Hypomyelination with basal ganglia atrophy - developmental neurological disorder
G31.1	ICD-10-CM	Senile degeneration of brain, not elsewhere classified	Yes	Senile degeneration of brain - age-related neurodegeneration
G31.2	ICD-10-CM	Degeneration of nervous system due to alcohol	Yes	Nervous system degeneration from alcohol - permanent brain damage
G32.0	ICD-10-CM	Subacute combined degeneration of spinal cord in diseases classified elsewhere	Yes	Subacute combined degeneration - B12 deficiency myelopathy
G32.81	ICD-10-CM	Cerebellar ataxia in diseases classified elsewhere	Yes	Cerebellar ataxia in other diseases - secondary neurodegeneration
G36.0	ICD-10-CM	Neuromyelitis optica [Devic]	Yes	CNS inflammation - outcome varies, may have residual deficits
G36.1	ICD-10-CM	Acute and subacute hemorrhagic leukoencephalitis [Hurst]	Yes	CNS inflammation - outcome varies, may have residual deficits
G36.8	ICD-10-CM	Other specified acute disseminated demyelination	Yes	Other acute disseminated demyelination - CNS inflammatory disease
G36.9	ICD-10-CM	Acute disseminated demyelination, unspecified	Yes	Acute disseminated demyelination unspecified - CNS inflammatory disease
G37.1	ICD-10-CM	Central demyelination of corpus callosum	Yes	Central demyelination of corpus callosum - brain demyelination
G37.2	ICD-10-CM	Central pontine myelinolysis	Yes	Central pontine myelinolysis - brainstem demyelination

G37.3	ICD-10-CM	Acute transverse myelitis in demyelinating disease of central nervous system	Yes	CNS inflammation - outcome varies, may have residual deficits
G37.4	ICD-10-CM	Subacute necrotizing myelitis of central nervous system	Yes	CNS inflammation - outcome varies, may have residual deficits
G37.5	ICD-10-CM	Concentric sclerosis [Balo] of central nervous system	Yes	Concentric sclerosis (Balo) - rare demyelinating disease
G37.81	ICD-10-CM	Myelin oligodendrocyte glycoprotein antibody disease	Yes	MOG antibody disease - autoimmune demyelinating disease
G37.89	ICD-10-CM	Other specified demyelinating diseases of central nervous system	Yes	Other CNS demyelinating diseases - white matter disease
G37.9	ICD-10-CM	Demyelinating disease of central nervous system, unspecified	Yes	Demyelinating disease unspecified - CNS white matter disease
G43.411	ICD-10-CM	Hemiplegic migraine, intractable, with status migrainosus	Yes	Hemiplegic migraine with status migrainosus - severe prolonged migraine
G43.601	ICD-10-CM	Persistent migraine aura with cerebral infarction, not intractable, with status migrainosus	Yes	Migraine with aura and cerebral infarction - stroke complication
G43.609	ICD-10-CM	Persistent migraine aura with cerebral infarction, not intractable, without status migrainosus	Yes	Migraine with aura and cerebral infarction - stroke complication
G43.611	ICD-10-CM	Persistent migraine aura with cerebral infarction, intractable, with status migrainosus	Yes	Intractable migraine with aura and infarction - stroke complication
G43.619	ICD-10-CM	Persistent migraine aura with cerebral infarction, intractable, without status migrainosus	Yes	Intractable migraine with aura and infarction - stroke complication
G43.711	ICD-10-CM	Chronic migraine without aura, intractable, with status migrainosus	Yes	Chronic migraine intractable with status - severe chronic headache disorder
G45.0	ICD-10-CM	Vertebro-basilar artery syndrome	Yes	Vertebro-basilar artery syndrome - posterior circulation disease
G45.1	ICD-10-CM	Carotid artery syndrome hemispheric	Yes	Carotid artery syndrome - anterior circulation disease
G45.2	ICD-10-CM	Multiple & bilateral precerebral artery synd	Yes	Multiple precerebral artery syndrome - multi-vessel cerebrovascular disease
G46	ICD-10-CM	Vascular syndromes of brain in cerebrovascular diseases	Yes	Vascular brain syndromes - cerebrovascular disease
G46.0	ICD-10-CM	Middle cerebral artery syndrome	Yes	Middle cerebral artery syndrome - stroke syndrome
G46.1	ICD-10-CM	Anterior cerebral artery syndrome	Yes	Anterior cerebral artery syndrome - stroke syndrome
G46.2	ICD-10-CM	Posterior cerebral artery syndrome	Yes	Posterior cerebral artery syndrome - stroke syndrome
G60.1	ICD-10-CM	Refsum's disease	Yes	Refsum disease - metabolic neuropathy with multi-system involvement
G60.8	ICD-10-CM	Other hereditary and idiopathic neuropathies	Yes	Other hereditary neuropathies - genetic nerve disorders
G60.9	ICD-10-CM	Hereditary and idiopathic neuropathy, unspecified	Yes	Hereditary neuropathy unspecified - genetic nerve disorder
G61.0	ICD-10-CM	Guillain-Barre syndrome	Yes	Guillain-Barré - often recoverable, but may have residual deficits
G61.1	ICD-10-CM	Serum neuropathy	Yes	Serum neuropathy - immune-mediated nerve damage

G61.81	ICD-10-CM	Chronic inflammatory demyelinating polyneuritis	Yes	CIDP - chronic autoimmune neuropathy
G61.82	ICD-10-CM	Multifocal motor neuropathy	Yes	Multifocal motor neuropathy - autoimmune motor nerve disorder
G65.0	ICD-10-CM	Sequelae of Guillain-Barre syndrome	Yes	Guillain-Barré - often recoverable, but may have residual deficits
G65.2	ICD-10-CM	Sequelae of toxic polyneuropathy	Yes	Sequelae of toxic polyneuropathy - permanent nerve damage
G70.00	ICD-10-CM	Myasthenia gravis without exacerbation	Yes	Myasthenia gravis - chronic neuromuscular disease
G70.1	ICD-10-CM	Toxic myoneural disorders	Yes	Toxic myoneural disorders - medication/toxin-related weakness
G70.80	ICD-10-CM	Lambert-Eaton syndrome, unspecified	Yes	Lambert-Eaton syndrome unspecified - autoimmune neuromuscular disorder
G70.81	ICD-10-CM	Lambert-Eaton syndrome in disease classified elsewhere	Yes	Lambert-Eaton syndrome in other diseases - paraneoplastic weakness
G71.12	ICD-10-CM	Myotonia congenita	Yes	Myotonia congenita - genetic muscle disorder
G71.13	ICD-10-CM	Myotonic chondrodystrophy	Yes	Myotonic chondrodystrophy - developmental muscle/bone disorder
G71.2	ICD-10-CM	Congenital myopathies	Yes	Congenital myopathy - chronic muscle weakness
G71.20	ICD-10-CM	Congenital myopathy, unspecified	Yes	Congenital myopathy unspecified - developmental muscle disorder
G71.21	ICD-10-CM	Nemaline myopathy	Yes	Nemaline myopathy - congenital muscle weakness
G71.220	ICD-10-CM	X-linked myotubular myopathy	Yes	X-linked myotubular myopathy - severe congenital myopathy
G71.228	ICD-10-CM	Other centronuclear myopathy	Yes	Other centronuclear myopathy - congenital muscle disorder
G71.29	ICD-10-CM	Other congenital myopathy	Yes	Other congenital myopathy - developmental muscle disorder
G73.1	ICD-10-CM	Lambert-Eaton syndrome in neoplastic disease	Yes	Lambert-Eaton in neoplasm - paraneoplastic syndrome
G73.1	ICD-10-CM	Lambert-Eaton syndrome in neoplastic disease	Yes	Lambert-Eaton syndrome - paraneoplastic disorder
G89.3	ICD-10-CM	Neoplasm related pain	Yes	Neoplasm-related pain - indicates advanced malignancy
G92.03	ICD-10-CM	Immune effector cell-associated neurotoxicity syndrome, grade 3	Yes	ICANS grade 3 - severe neurotoxicity from immunotherapy
G93.1	ICD-10-CM	Anoxic brain damage, not elsewhere classified	Yes	Anoxic brain damage - permanent brain injury from oxygen deprivation
G93.45	ICD-10-CM	Developmental and epileptic encephalopathy	Yes	Developmental epileptic encephalopathy - severe seizure disorder with developmental impact
G93.6	ICD-10-CM	Cerebral edema	Yes	Cerebral edema - brain swelling indicating serious pathology
G95.0	ICD-10-CM	Syringomyelia and syringobulbia	Yes	Syringomyelia/syringobulbia - spinal cord cavity causing weakness
G95.11	ICD-10-CM	Acute infarction of spinal cord (embolic) (nonembolic)	Yes	Acute spinal cord infarction - vascular injury to spinal cord

Code	Code Type	Description	Yes/ No	Rationale
H32	ICD-10-CM	Chorioretinal disorders in diseases classified elsewhere	Yes	Chorioretinal disorders in systemic disease - indicates underlying condition affecting vision
H36.811	ICD-10-CM	Nonproliferative sickle-cell retinopathy, right eye	Yes	Nonproliferative sickle-cell retinopathy - early-stage retinal disease requiring monitoring
H36.812	ICD-10-CM	Nonproliferative sickle-cell retinopathy, left eye	Yes	Nonproliferative sickle-cell retinopathy - early-stage retinal disease requiring monitoring
H36.813	ICD-10-CM	Nonproliferative sickle-cell retinopathy, bilateral	Yes	Nonproliferative sickle-cell retinopathy - early-stage retinal disease requiring monitoring
H36.819	ICD-10-CM	Nonproliferative sickle-cell retinopathy, unspecified eye	Yes	Proliferative retinopathy - advanced retinal disease
H36.821	ICD-10-CM	Proliferative sickle-cell retinopathy, right eye	Yes	Proliferative retinopathy - advanced retinal disease
H36.822	ICD-10-CM	Proliferative sickle-cell retinopathy, left eye	Yes	Proliferative retinopathy - advanced retinal disease
H36.823	ICD-10-CM	Proliferative sickle-cell retinopathy, bilateral	Yes	Proliferative retinopathy - advanced retinal disease
H36.829	ICD-10-CM	Proliferative sickle-cell retinopathy, unspecified eye	Yes	Proliferative retinopathy - advanced retinal disease
H40.1112	ICD-10-CM	Primary open-angle glaucoma, right eye, moderate stage	yes	requires on going care
H40.1113	ICD-10-CM	Primary open-angle glaucoma, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1114	ICD-10-CM	Primary open-angle glaucoma, right eye, indeterminate stage	yes	requires on going care
H40.1122	ICD-10-CM	Primary open-angle glaucoma, left eye, moderate stage	yes	requires on going care
H40.1123	ICD-10-CM	Primary open-angle glaucoma, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1124	ICD-10-CM	Primary open-angle glaucoma, left eye, indeterminate stage	yes	requires on going care
H40.1132	ICD-10-CM	Primary open-angle glaucoma, bilateral, moderate stage	yes	requires on going care
H40.1133	ICD-10-CM	Primary open-angle glaucoma, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1134	ICD-10-CM	Primary open-angle glaucoma, bilateral, indeterminate stage	yes	requires on going care
H40.1192	ICD-10-CM	Primary open-angle glaucoma, unspecified eye, moderate stage	yes	requires on going care
H40.1193	ICD-10-CM	Primary open-angle glaucoma, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1194	ICD-10-CM	Primary open-angle glaucoma, unspecified eye, indeterminate stage	yes	requires on going care

H40.1212	ICD-10-CM	Low-tension glaucoma, right eye, moderate stage	yes	requires on going care
H40.1213	ICD-10-CM	Low-tension glaucoma, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1214	ICD-10-CM	Low-tension glaucoma, right eye, indeterminate stage	yes	Indeterminate stage - insufficient information to classify
H40.1223	ICD-10-CM	Low-tension glaucoma, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1224	ICD-10-CM	Low-tension glaucoma, left eye, indeterminate stage	yes	requires on going care
H40.1232	ICD-10-CM	Low-tension glaucoma, bilateral, moderate stage	yes	requires on going care
H40.1233	ICD-10-CM	Low-tension glaucoma, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1234	ICD-10-CM	Low-tension glaucoma, bilateral, indeterminate stage	yes	requires on going care
H40.1292	ICD-10-CM	Low-tension glaucoma, unspecified eye, moderate stage	yes	requires on going care
H40.1293	ICD-10-CM	Low-tension glaucoma, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1294	ICD-10-CM	Low-tension glaucoma, unspecified eye, indeterminate stage	yes	requires on going care
H40.1313	ICD-10-CM	Pigmentary glaucoma, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1314	ICD-10-CM	Pigmentary glaucoma, right eye, indeterminate stage	yes	requires on going care
H40.1323	ICD-10-CM	Pigmentary glaucoma, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1324	ICD-10-CM	Pigmentary glaucoma, left eye, indeterminate stage	yes	requires on going care
H40.1333	ICD-10-CM	Pigmentary glaucoma, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1334	ICD-10-CM	Pigmentary glaucoma, bilateral, indeterminate stage	yes	requires on going care
H40.1392	ICD-10-CM	Pigmentary glaucoma, unspecified eye, moderate stage	yes	requires on going care
H40.1393	ICD-10-CM	Pigmentary glaucoma, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1394	ICD-10-CM	Pigmentary glaucoma, unspecified eye, indeterminate stage	yes	requires on going care
H40.1412	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, right eye, moderate stage	yes	requires on going care
H40.1413	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.1414	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, right eye, indeterminate stage	yes	requires on going care
H40.1422	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, left eye, moderate stage	yes	requires on going care
H40.1423	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk

H40.1424	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, left eye, indeterminate stage	yes	requires on going care	
H40.1430	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, bilateral, stage unspecified	yes	requires on going care	
H40.1432	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, bilateral, moderate stage	yes	requires on going care	
H40.1433	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.1434	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, bilateral, indeterminate stage	yes	requires on going care	
H40.1492	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, moderate stage	yes	requires on going care	
H40.1493	ICD-10-CM	Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.151	ICD-10-CM	Residual stage of open-angle glaucoma, right eye	yes	requires on going care	
H40.152	ICD-10-CM	Residual stage of open-angle glaucoma, left eye	yes	requires on going care	
H40.153	ICD-10-CM	Residual stage of open-angle glaucoma, bilateral	yes	requires on going care	
H40.20X2	ICD-10-CM	Unspecified primary angle-closure glaucoma, moderate stage	yes	requires on going care	
H40.20X3	ICD-10-CM	Unspecified primary angle-closure glaucoma, severe stage	Yes	requires congoing care	
H40.20X4	ICD-10-CM	Unspecified primary angle-closure glaucoma, indeterminate stage	Yes	requires congoing care	
H40.2212	ICD-10-CM	Chronic angle-closure glaucoma, right eye, moderate stage	yes	requires on going care	
H40.2213	ICD-10-CM	Chronic angle-closure glaucoma, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.2214	ICD-10-CM	Chronic angle-closure glaucoma, right eye, indeterminate stage	yes	requires on going care	
H40.2222	ICD-10-CM	Chronic angle-closure glaucoma, left eye, moderate stage	yes	requires on going care	
H40.2223	ICD-10-CM	Chronic angle-closure glaucoma, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.2224	ICD-10-CM	Chronic angle-closure glaucoma, left eye, indeterminate stage	yes	requires on going care	
H40.2232	ICD-10-CM	Chronic angle-closure glaucoma, bilateral, moderate stage	yes	requires on going care	
H40.2233	ICD-10-CM	Chronic angle-closure glaucoma, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	

H40.2234	ICD-10-CM	Chronic angle-closure glaucoma, bilateral, indeterminate stage	yes	requires on going care	
H40.2292	ICD-10-CM	Chronic angle-closure glaucoma, unspecified eye, moderate stage	yes	requires on going care	
H40.2293	ICD-10-CM	Chronic angle-closure glaucoma, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.2294	ICD-10-CM	Chronic angle-closure glaucoma, unspecified eye, indeterminate stage	yes	requires on going care	
H40.30X2	ICD-10-CM	Glaucoma secondary to eye trauma, unspecified eye, moderate stage	Yes	requires on going care	
H40.30X3	ICD-10-CM	Glaucoma secondary to eye trauma, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.30X4	ICD-10-CM	Glaucoma secondary to eye trauma, unspecified eye, indeterminate stage	Yes	requires on going care	
H40.31X2	ICD-10-CM	Glaucoma secondary to eye trauma, right eye, moderate stage	Yes	requires on going care	
H40.31X3	ICD-10-CM	Glaucoma secondary to eye trauma, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.31X4	ICD-10-CM	Glaucoma secondary to eye trauma, right eye, indeterminate stage	Yes	requires on going care	
H40.32X2	ICD-10-CM	Glaucoma secondary to eye trauma, left eye, moderate stage	yes	requires on going care	
H40.32X3	ICD-10-CM	Glaucoma secondary to eye trauma, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.32X4	ICD-10-CM	Glaucoma secondary to eye trauma, left eye, indeterminate stage	Yes	requires on going care	
H40.33X0	ICD-10-CM	Glaucoma secondary to eye trauma, bilateral, stage unspecified	yes	requires on going care	
H40.33X2	ICD-10-CM	Glaucoma secondary to eye trauma, bilateral, moderate stage	yes	requires on going care	
H40.33X3	ICD-10-CM	Glaucoma secondary to eye trauma, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.33X4	ICD-10-CM	Glaucoma secondary to eye trauma, bilateral, indeterminate stage	yes	requires on going care	
H40.40X2	ICD-10-CM	Glaucoma secondary to eye inflammation, unspecified eye, moderate stage	yes	requires on going care	

H40.40X3	ICD-10-CM	Glaucoma secondary to eye inflammation, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.40X4	ICD-10-CM	Glaucoma secondary to eye inflammation, unspecified eye, indeterminate stage	yes	requires on going care
H40.41X2	ICD-10-CM	Glaucoma secondary to eye inflammation, right eye, moderate stage	yes	requires on going care
H40.41X3	ICD-10-CM	Glaucoma secondary to eye inflammation, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.41X4	ICD-10-CM	Glaucoma secondary to eye inflammation, right eye, indeterminate stage	Yes	requires on going care
H40.42X2	ICD-10-CM	Glaucoma secondary to eye inflammation, left eye, moderate stage	Yes	requires on going care
H40.42X3	ICD-10-CM	Glaucoma secondary to eye inflammation, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.42X4	ICD-10-CM	Glaucoma secondary to eye inflammation, left eye, indeterminate stage	Yes	requires on going care
H40.43X0	ICD-10-CM	Glaucoma secondary to eye inflammation, bilateral, stage unspecified	Yes	requires on going care
H40.43X2	ICD-10-CM	Glaucoma secondary to eye inflammation, bilateral, moderate stage	Yes	requires on going care
H40.43X3	ICD-10-CM	Glaucoma secondary to eye inflammation, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.43X4	ICD-10-CM	Glaucoma secondary to eye inflammation, bilateral, indeterminate stage	Yes	requires on going care
H40.50X2	ICD-10-CM	Glaucoma secondary to other eye disorders, unspecified eye, moderate stage	Yes	requires on going care
H40.50X3	ICD-10-CM	Glaucoma secondary to other eye disorders, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.50X4	ICD-10-CM	Glaucoma secondary to other eye disorders, unspecified eye, indeterminate stage	Yes	requires on going care
H40.51X2	ICD-10-CM	Glaucoma secondary to other eye disorders, right eye, moderate stage	Yes	requires on going care

H40.51X3	ICD-10-CM	Glaucoma secondary to other eye disorders, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.51X4	ICD-10-CM	Glaucoma secondary to other eye disorders, right eye, indeterminate stage	Yes	requires on going care
H40.52X2	ICD-10-CM	Glaucoma secondary to other eye disorders, left eye, moderate stage	Yes	requires on going care
H40.52X3	ICD-10-CM	Glaucoma secondary to other eye disorders, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.52X4	ICD-10-CM	Glaucoma secondary to other eye disorders, left eye, indeterminate stage	yes	requires on going care
H40.53X0	ICD-10-CM	Glaucoma secondary to other eye disorders, bilateral, stage unspecified	yes	requires on going care
H40.53X2	ICD-10-CM	Glaucoma secondary to other eye disorders, bilateral, moderate stage	yes	requires on going care
H40.53X3	ICD-10-CM	Glaucoma secondary to other eye disorders, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.53X4	ICD-10-CM	Glaucoma secondary to other eye disorders, bilateral, indeterminate stage	yes	requires on going care
H40.60X2	ICD-10-CM	Glaucoma secondary to drugs, unspecified eye, moderate stage	Yes	requires on going care
H40.60X3	ICD-10-CM	Glaucoma secondary to drugs, unspecified eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.60X4	ICD-10-CM	Glaucoma secondary to drugs, unspecified eye, indeterminate stage	yes	requires on going care
H40.61X2	ICD-10-CM	Glaucoma secondary to drugs, right eye, moderate stage	Yes	requires on going care
H40.61X3	ICD-10-CM	Glaucoma secondary to drugs, right eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.61X4	ICD-10-CM	Glaucoma secondary to drugs, right eye, indeterminate stage	yes	requires on going care
H40.62X2	ICD-10-CM	Glaucoma secondary to drugs, left eye, moderate stage	yes	requires on going care
H40.62X3	ICD-10-CM	Glaucoma secondary to drugs, left eye, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk
H40.62X4	ICD-10-CM	Glaucoma secondary to drugs, left eye, indeterminate stage	yes	requires on going care
H40.63X0	ICD-10-CM	Glaucoma secondary to drugs, bilateral, stage unspecified	yes	requires on going care

H40.63X2	ICD-10-CM	Glaucoma secondary to drugs, bilateral, moderate stage	yes	requires on going care	
H40.63X3	ICD-10-CM	Glaucoma secondary to drugs, bilateral, severe stage	Yes	Severe glaucoma - advanced eye disease with vision loss risk	
H40.63X4	ICD-10-CM	Glaucoma secondary to drugs, bilateral, indeterminate stage	yes	requires on going care	
H40.813	ICD-10-CM	Glaucoma with increased episcleral venous pressure, bilateral	yes	requires on going care	
H40.819	ICD-10-CM	Glaucoma with increased episcleral venous pressure, unspecified eye	yes	requires on going care	
H40.823	ICD-10-CM	Hypersecretion glaucoma, bilateral	yes	requires on going care	
H40.829	ICD-10-CM	Hypersecretion glaucoma, unspecified eye	yes	requires on going care	
H40.89	ICD-10-CM	Other specified glaucoma	yes	requires on going care	
H42	ICD-10-CM	Glaucoma in diseases classified elsewhere	yes	requires on going care	
H43.13	ICD-10-CM	Vitreous hemorrhage, bilateral	yes	requires on going care	
H49.30	ICD-10-CM	Total external ophthalmoplegia unspecified eye	yes	requires on going care	
H49.31	ICD-10-CM	Total external ophthalmoplegia right eye	yes	requires on going care	
H49.32	ICD-10-CM	Total external ophthalmoplegia left eye	yes	requires on going care	
H49.33	ICD-10-CM	Total external ophthalmoplegia bilateral	yes	requires on going care	
H49.40	ICD-10-CM	Progressive external ophthalmoplegia uns eye	yes	requires on going care	
H49.41	ICD-10-CM	Progressive external ophthalmoplegia right eye	yes	requires on going care	
H49.42	ICD-10-CM	Progressive external ophthalmoplegia left eye	yes	requires on going care	
H49.43	ICD-10-CM	Progressive external ophthalmoplegia bilateral	yes	requires on going care	
H49.811	ICD-10-CM	Kearns-Sayre syndrome, right eye	yes	requires on going care	
H49.812	ICD-10-CM	Kearns-Sayre syndrome, left eye	yes	requires on going care	
H49.813	ICD-10-CM	Kearns-Sayre syndrome, bilateral	yes	requires on going care	
H49.819	ICD-10-CM	Kearns-Sayre syndrome, unspecified eye	yes	requires on going care	
H51.20	ICD-10-CM	Internuclear ophthalmoplegia unspecified eye	yes	requires on going care	
H51.21	ICD-10-CM	Internuclear ophthalmoplegia right eye	yes	requires on going care	
H51.22	ICD-10-CM	Internuclear ophthalmoplegia left eye	yes	requires on going care	
H51.23	ICD-10-CM	Internuclear ophthalmoplegia bilateral	yes	requires on going care	
H52.511	ICD-10-CM	Internal ophthalmoplegia complete total rt eye	yes	requires on going care	
H52.512	ICD-10-CM	Internal ophthalmoplegia complete total lt eye	yes	requires on going care	
H52.513	ICD-10-CM	Internal ophthalmoplegia complete total bilat	yes	requires on going care	
H52.519	ICD-10-CM	Internal ophthalmoplegia complete total uns eye	yes	requires on going care	

Code	Code Type	Description	Yes/ No	Rationale
I11.9	ICD-10-CM	Hypertensive heart disease without heart failure	Yes	Hypertensive heart disease without heart failure - cardiac remodeling from chronic hypertension
I13.10	ICD-10-CM	Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease	Yes	Hypertensive heart and CKD without heart failure - combined cardiovascular and renal disease burden
I1A	ICD-10-CM	Resistant hypertension	Yes	Resistant hypertension - difficult to control, increased risk
I1A.0	ICD-10-CM	Resistant hypertension	Yes	Resistant hypertension - difficult to control, increased risk
I20.0	ICD-10-CM	Unstable angina	Yes	Unstable angina - acute coronary syndrome, high risk
I20.2	ICD-10-CM	Refractory angina pectoris	Yes	Would allow as refractory
I22	ICD-10-CM	Subsequent myocardial infarction	Yes	Subsequent MI - recurrent cardiac event, high risk
I22.0	ICD-10-CM	Subsequent ST elevation (STEMI) myocardial infarction of anterior wall	Yes	Subsequent MI - recurrent cardiac event, high risk
I22.1	ICD-10-CM	Subsequent ST elevation (STEMI) myocardial infarction of inferior wall	Yes	Subsequent MI - recurrent cardiac event, high risk
I22.2	ICD-10-CM	Subsequent non-ST elevation (NSTEMI) myocardial infarction	Yes	Subsequent MI - recurrent cardiac event, high risk
I22.8	ICD-10-CM	Subsequent ST elevation (STEMI) myocardial infarction of other sites	Yes	Subsequent MI - recurrent cardiac event, high risk
I22.9	ICD-10-CM	Subsequent ST elevation (STEMI) myocardial infarction of unspecified site	Yes	Subsequent MI - recurrent cardiac event, high risk
I23	ICD-10-CM	Complications following acute myocardial infarction	Yes	MI complications - serious structural damage
I23.0	ICD-10-CM	Hemopericardium as current complication following acute myocardial infarction	Yes	MI complications - serious structural damage
I23.1	ICD-10-CM	Atrial septal defect as current complication following acute myocardial infarction	Yes	MI complications - serious structural damage
I23.3	ICD-10-CM	Rupture of cardiac wall without hemopericardium as current complication following acute myocardial infarction	Yes	MI complications - serious structural damage
I23.4	ICD-10-CM	Rupture of chordae tendineae as current complication following acute myocardial infarction	Yes	MI complications - serious structural damage
I23.5	ICD-10-CM	Rupture of papillary muscle as current complication following acute myocardial infarction	Yes	MI complications - serious structural damage

I23.6	ICD-10-CM	Thrombosis of atrium, auricular appendage, and ventricle as current complications following acute myocardial infarction	Yes	MI complications - serious structural damage	
I23.7	ICD-10-CM	Postinfarction angina	Yes	MI complications - serious structural damage	
I23.8	ICD-10-CM	Other current complications following acute myocardial infarction	Yes	MI complications - serious structural damage	
I25.112	ICD-10-CM	Atherosclerotic heart disease of native coronary artery with refractory angina pectoris	Yes	Would allow as refractory	
I25.5	ICD-10-CM	Ischemic cardiomyopathy	Yes	Cardiomyopathy - structural heart disease	
I25.700	ICD-10-CM	Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris	Yes	Would allow as unstable	
I25.702	ICD-10-CM	Atherosclerosis of coronary artery bypass graft(s), unspecified, with refractory angina pectoris	Yes	Would allow as refractory	
I25.710	ICD-10-CM	Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris	Yes	Would allow as unstable	
I25.712	ICD-10-CM	Atherosclerosis of autologous vein coronary artery bypass graft(s) with refractory angina pectoris	Yes	Would allow as refractory	
I25.720	ICD-10-CM	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris	Yes	Would allow as unstable	
I25.722	ICD-10-CM	Atherosclerosis of autologous artery coronary artery bypass graft(s) with refractory angina pectoris	Yes	Would allow as refractory	
I25.730	ICD-10-CM	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris	Yes	Would allow as unstable	
I25.732	ICD-10-CM	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with refractory angina pectoris	Yes	Would allow as refractory	
I25.750	ICD-10-CM	Atherosclerosis of native coronary artery of transplanted heart with unstable angina	Yes	Would allow as unstable	
I25.752	ICD-10-CM	Atherosclerosis of native coronary artery of transplanted heart with refractory angina pectoris	Yes	Would allow as refractory	
I25.760	ICD-10-CM	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina	Yes	Would allow as unstable	
I25.762	ICD-10-CM	Atherosclerosis of bypass graft of coronary artery of transplanted heart with refractory angina pectoris	Yes	Would allow as refractory	

I25.790	ICD-10-CM	Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris	Yes	Would allow as unstable
I25.792	ICD-10-CM	Atherosclerosis of other coronary artery bypass graft(s) with refractory angina pectoris	Yes	Would allow as refractory
I27.1	ICD-10-CM	Kyphoscoliotic heart disease	Yes	Structural heart disease - chronic impairment
I27.82	ICD-10-CM	Chronic pulmonary embolism	Yes	Chronic pulmonary embolism - persistent clot burden with right heart strain
I27.83	ICD-10-CM	Eisenmenger's syndrome	Yes	Eisenmenger's - irreversible, life-limiting
I27.89	ICD-10-CM	Other specified pulmonary heart diseases	Yes	Other pulmonary heart diseases - cardiopulmonary complications
I28.8	ICD-10-CM	Other diseases of pulmonary vessels	Yes	Other pulmonary vessel diseases - pulmonary vascular pathology
I42.1	ICD-10-CM	Obstructive hypertrophic cardiomyopathy	Yes	Hypertrophic cardiomyopathy - risk of sudden death
I51.1	ICD-10-CM	Rupture of chordae tendineae, not elsewhere classified	Yes	Structural heart rupture - severe
I51.2	ICD-10-CM	Rupture of papillary muscle, not elsewhere classified	Yes	Structural heart rupture - severe
I60	ICD-10-CM	Nontraumatic subarachnoid hemorrhage	Yes	Intracranial hemorrhage - severe neurological event
I60.00	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation	Yes	Intracranial hemorrhage - severe neurological event
I60.01	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation	Yes	Intracranial hemorrhage - severe neurological event
I60.02	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation	Yes	Intracranial hemorrhage - severe neurological event
I60.10	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery	Yes	Intracranial hemorrhage - severe neurological event
I60.11	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right middle cerebral artery	Yes	Intracranial hemorrhage - severe neurological event
I60.12	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left middle cerebral artery	Yes	Intracranial hemorrhage - severe neurological event
I60.2	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from anterior communicating artery	Yes	Intracranial hemorrhage - severe neurological event
I60.30	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery	Yes	Intracranial hemorrhage - severe neurological event
I60.31	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right posterior communicating artery	Yes	Intracranial hemorrhage - severe neurological event
I60.32	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left posterior communicating artery	Yes	Intracranial hemorrhage - severe neurological event

I60.4	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from basilar artery	Yes	Intracranial hemorrhage - severe neurological event
I60.50	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery	Yes	Intracranial hemorrhage - severe neurological event
I60.51	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from right vertebral artery	Yes	Intracranial hemorrhage - severe neurological event
I60.52	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from left vertebral artery	Yes	Intracranial hemorrhage - severe neurological event
I60.6	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from other intracranial arteries	Yes	Intracranial hemorrhage - severe neurological event
I60.7	ICD-10-CM	Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery	Yes	Intracranial hemorrhage - severe neurological event
I60.8	ICD-10-CM	Other nontraumatic subarachnoid hemorrhage	Yes	Intracranial hemorrhage - severe neurological event
I60.9	ICD-10-CM	Nontraumatic subarachnoid hemorrhage, unspecified	Yes	Intracranial hemorrhage - severe neurological event
I61	ICD-10-CM	Nontraumatic intracerebral hemorrhage	Yes	Intracranial hemorrhage - severe neurological event
I61.0	ICD-10-CM	Nontraumatic intracerebral hemorrhage in hemisphere, subcortical	Yes	Intracranial hemorrhage - severe neurological event
I61.1	ICD-10-CM	Nontraumatic intracerebral hemorrhage in hemisphere, cortical	Yes	Intracranial hemorrhage - severe neurological event
I61.2	ICD-10-CM	Nontraumatic intracerebral hemorrhage in hemisphere, unspecified	Yes	Intracranial hemorrhage - severe neurological event
I61.3	ICD-10-CM	Nontraumatic intracerebral hemorrhage in brain stem	Yes	Intracranial hemorrhage - severe neurological event
I61.4	ICD-10-CM	Nontraumatic intracerebral hemorrhage in cerebellum	Yes	Intracranial hemorrhage - severe neurological event
I61.5	ICD-10-CM	Nontraumatic intracerebral hemorrhage, intraventricular	Yes	Intracranial hemorrhage - severe neurological event
I61.6	ICD-10-CM	Nontraumatic intracerebral hemorrhage, multiple localized	Yes	Intracranial hemorrhage - severe neurological event
I61.8	ICD-10-CM	Other nontraumatic intracerebral hemorrhage	Yes	Intracranial hemorrhage - severe neurological event
I61.9	ICD-10-CM	Nontraumatic intracerebral hemorrhage, unspecified	Yes	Intracranial hemorrhage - severe neurological event
I62	ICD-10-CM	Other and unspecified nontraumatic intracranial hemorrhage	Yes	Intracranial hemorrhage - severe
I62.00	ICD-10-CM	Nontraumatic subdural hemorrhage, unspecified	Yes	Subdural hemorrhage - serious neurological event
I62.01	ICD-10-CM	Nontraumatic acute subdural hemorrhage	Yes	Subdural hemorrhage - serious neurological event
I62.02	ICD-10-CM	Nontraumatic subacute subdural hemorrhage	Yes	Subdural hemorrhage - serious neurological event

I62.03	ICD-10-CM	Nontraumatic chronic subdural hemorrhage	Yes	Subdural hemorrhage - serious neurological event
I62.1	ICD-10-CM	Nontraumatic extradural hemorrhage	Yes	Extradural hemorrhage - serious neurological event
I62.9	ICD-10-CM	Nontraumatic intracranial hemorrhage, unspecified	Yes	Intracranial hemorrhage - serious
I63	ICD-10-CM	Cerebral infarction	Yes	Stroke/cerebral infarction - major neurological event
I63.00	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified precerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.011	ICD-10-CM	Cerebral infarction due to thrombosis of right vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.012	ICD-10-CM	Cerebral infarction due to thrombosis of left vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.013	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral vertebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.019	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.02	ICD-10-CM	Cerebral infarction due to thrombosis of basilar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.031	ICD-10-CM	Cerebral infarction due to thrombosis of right carotid artery	Yes	Stroke/cerebral infarction - major neurological event
I63.032	ICD-10-CM	Cerebral infarction due to thrombosis of left carotid artery	Yes	Stroke/cerebral infarction - major neurological event
I63.033	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral carotid arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.039	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified carotid artery	Yes	Stroke/cerebral infarction - major neurological event
I63.09	ICD-10-CM	Cerebral infarction due to thrombosis of other precerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.10	ICD-10-CM	Cerebral infarction due to embolism of unspecified precerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.111	ICD-10-CM	Cerebral infarction due to embolism of right vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.112	ICD-10-CM	Cerebral infarction due to embolism of left vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.113	ICD-10-CM	Cerebral infarction due to embolism of bilateral vertebral arteries	Yes	Stroke/cerebral infarction - major neurological event

I63.119	ICD-10-CM	Cerebral infarction due to embolism of unspecified vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.12	ICD-10-CM	Cerebral infarction due to embolism of basilar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.131	ICD-10-CM	Cerebral infarction due to embolism of right carotid artery	Yes	Stroke/cerebral infarction - major neurological event
I63.132	ICD-10-CM	Cerebral infarction due to embolism of left carotid artery	Yes	Stroke/cerebral infarction - major neurological event
I63.133	ICD-10-CM	Cerebral infarction due to embolism of bilateral carotid arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.139	ICD-10-CM	Cerebral infarction due to embolism of unspecified carotid artery	Yes	Stroke/cerebral infarction - major neurological event
I63.19	ICD-10-CM	Cerebral infarction due to embolism of other precerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.20	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.211	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.212	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.213	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.219	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.22	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of basilar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.231	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.232	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.233	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.239	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid artery	Yes	Stroke/cerebral infarction - major neurological event

I63.29	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.30	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.311	ICD-10-CM	Cerebral infarction due to thrombosis of right middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.312	ICD-10-CM	Cerebral infarction due to thrombosis of left middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.313	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral middle cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.319	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.321	ICD-10-CM	Cerebral infarction due to thrombosis of right anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.322	ICD-10-CM	Cerebral infarction due to thrombosis of left anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.323	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.329	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.331	ICD-10-CM	Cerebral infarction due to thrombosis of right posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.332	ICD-10-CM	Cerebral infarction due to thrombosis of left posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.333	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.339	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.341	ICD-10-CM	Cerebral infarction due to thrombosis of right cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.342	ICD-10-CM	Cerebral infarction due to thrombosis of left cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event

I63.343	ICD-10-CM	Cerebral infarction due to thrombosis of bilateral cerebellar arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.349	ICD-10-CM	Cerebral infarction due to thrombosis of unspecified cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.39	ICD-10-CM	Cerebral infarction due to thrombosis of other cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.40	ICD-10-CM	Cerebral infarction due to embolism of unspecified cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.411	ICD-10-CM	Cerebral infarction due to embolism of right middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.412	ICD-10-CM	Cerebral infarction due to embolism of left middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.413	ICD-10-CM	Cerebral infarction due to embolism of bilateral middle cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.419	ICD-10-CM	Cerebral infarction due to embolism of unspecified middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.421	ICD-10-CM	Cerebral infarction due to embolism of right anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.422	ICD-10-CM	Cerebral infarction due to embolism of left anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.423	ICD-10-CM	Cerebral infarction due to embolism of bilateral anterior cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.429	ICD-10-CM	Cerebral infarction due to embolism of unspecified anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.431	ICD-10-CM	Cerebral infarction due to embolism of right posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.432	ICD-10-CM	Cerebral infarction due to embolism of left posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.433	ICD-10-CM	Cerebral infarction due to embolism of bilateral posterior cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.439	ICD-10-CM	Cerebral infarction due to embolism of unspecified posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event

I63.441	ICD-10-CM	Cerebral infarction due to embolism of right cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.442	ICD-10-CM	Cerebral infarction due to embolism of left cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.443	ICD-10-CM	Cerebral infarction due to embolism of bilateral cerebellar arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.449	ICD-10-CM	Cerebral infarction due to embolism of unspecified cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.49	ICD-10-CM	Cerebral infarction due to embolism of other cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.50	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.511	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.512	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.513	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.519	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.521	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.522	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.523	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.529	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.531	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.532	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event

I63.533	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior cerebral arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.539	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.541	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.542	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.543	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries	Yes	Stroke/cerebral infarction - major neurological event
I63.549	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery	Yes	Stroke/cerebral infarction - major neurological event
I63.59	ICD-10-CM	Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery	Yes	Stroke/cerebral infarction - major neurological event
I63.6	ICD-10-CM	Cerebral infarction due to cerebral venous thrombosis, nonpyogenic	Yes	Stroke/cerebral infarction - major neurological event
I63.81	ICD-10-CM	Other cerebral infarction due to occlusion or stenosis of small artery	Yes	Stroke/cerebral infarction - major neurological event
I63.89	ICD-10-CM	Other cerebral infarction	Yes	Stroke/cerebral infarction - major neurological event
I63.9	ICD-10-CM	Cerebral infarction, unspecified	Yes	Stroke/cerebral infarction - major neurological event
I67.0	ICD-10-CM	Dissection of cerebral arteries, nonruptured	Yes	Cerebral artery dissection - stroke risk
I69	ICD-10-CM	Sequelae of cerebrovascular disease	Yes	Stroke sequelae - residual neurological deficits
I69.031	ICD-10-CM	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right dominant side	Yes	Intracranial hemorrhage - severe neurological event
I69.032	ICD-10-CM	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left dominant side	Yes	Intracranial hemorrhage - severe neurological event
I69.033	ICD-10-CM	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side	Yes	Intracranial hemorrhage - severe neurological event
I69.034	ICD-10-CM	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side	Yes	Intracranial hemorrhage - severe neurological event

I69.039	ICD-10-CM	Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting unspecified side	Yes	Intracranial hemorrhage – severe neurological event
I69.041	ICD-10-CM	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.042	ICD-10-CM	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.043	ICD-10-CM	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.044	ICD-10-CM	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.049	ICD-10-CM	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side	Yes	Intracranial hemorrhage – severe neurological event
I69.051	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.052	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.053	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.054	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.059	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side	Yes	Intracranial hemorrhage – severe neurological event
I69.061	ICD-10-CM	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.062	ICD-10-CM	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.063	ICD-10-CM	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right non-dominant side	Yes	Intracranial hemorrhage – severe neurological event

I69.064	ICD-10-CM	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.065	ICD-10-CM	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral	Yes	Intracranial hemorrhage – severe neurological event
I69.069	ICD-10-CM	Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting unspecified side	Yes	Intracranial hemorrhage – severe neurological event
I69.131	ICD-10-CM	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.132	ICD-10-CM	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.133	ICD-10-CM	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.134	ICD-10-CM	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.139	ICD-10-CM	Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting unspecified side	Yes	Intracranial hemorrhage – severe neurological event
I69.141	ICD-10-CM	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.142	ICD-10-CM	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.143	ICD-10-CM	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.144	ICD-10-CM	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.149	ICD-10-CM	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side	Yes	Intracranial hemorrhage – severe neurological event
I69.151	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side	Yes	Intracranial hemorrhage – severe neurological event

I69.152	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.153	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.154	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.159	ICD-10-CM	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side	Yes	Intracranial hemorrhage – severe neurological event
I69.161	ICD-10-CM	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.162	ICD-10-CM	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.163	ICD-10-CM	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.164	ICD-10-CM	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left non-dominant side	Yes	Intracranial hemorrhage – severe neurological event
I69.165	ICD-10-CM	Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral	Yes	Intracranial hemorrhage – severe neurological event
I69.169	ICD-10-CM	Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting unspecified side	Yes	Intracranial hemorrhage – severe neurological event
I69.231	ICD-10-CM	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.232	ICD-10-CM	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.233	ICD-10-CM	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.234	ICD-10-CM	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)

I69.239	ICD-10-CM	Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.241	ICD-10-CM	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.242	ICD-10-CM	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.243	ICD-10-CM	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.244	ICD-10-CM	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.249	ICD-10-CM	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.251	ICD-10-CM	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.252	ICD-10-CM	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.253	ICD-10-CM	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.254	ICD-10-CM	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.259	ICD-10-CM	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.261	ICD-10-CM	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.262	ICD-10-CM	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)

I69.263	ICD-10-CM	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.264	ICD-10-CM	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.265	ICD-10-CM	Other paralytic syndrome following other nontraumatic intracranial hemorrhage, bilateral	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.269	ICD-10-CM	Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.331	ICD-10-CM	Monoplegia of upper limb following cerebral infarction affecting right dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.332	ICD-10-CM	Monoplegia of upper limb following cerebral infarction affecting left dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.333	ICD-10-CM	Monoplegia of upper limb following cerebral infarction affecting right non-dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.334	ICD-10-CM	Monoplegia of upper limb following cerebral infarction affecting left non-dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.339	ICD-10-CM	Monoplegia of upper limb following cerebral infarction affecting unspecified side	Yes	Stroke/cerebral infarction - major neurological event
I69.341	ICD-10-CM	Monoplegia of lower limb following cerebral infarction affecting right dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.342	ICD-10-CM	Monoplegia of lower limb following cerebral infarction affecting left dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.343	ICD-10-CM	Monoplegia of lower limb following cerebral infarction affecting right non-dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.344	ICD-10-CM	Monoplegia of lower limb following cerebral infarction affecting left non-dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.349	ICD-10-CM	Monoplegia of lower limb following cerebral infarction affecting unspecified side	Yes	Stroke/cerebral infarction - major neurological event
I69.351	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.352	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side	Yes	Stroke/cerebral infarction - major neurological event

I69.353	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.354	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.359	ICD-10-CM	Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side	Yes	Stroke/cerebral infarction - major neurological event
I69.361	ICD-10-CM	Other paralytic syndrome following cerebral infarction affecting right dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.362	ICD-10-CM	Other paralytic syndrome following cerebral infarction affecting left dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.363	ICD-10-CM	Other paralytic syndrome following cerebral infarction affecting right non-dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.364	ICD-10-CM	Other paralytic syndrome following cerebral infarction affecting left non-dominant side	Yes	Stroke/cerebral infarction - major neurological event
I69.365	ICD-10-CM	Other paralytic syndrome following cerebral infarction, bilateral	Yes	Stroke/cerebral infarction - major neurological event
I69.369	ICD-10-CM	Other paralytic syndrome following cerebral infarction affecting unspecified side	Yes	Stroke/cerebral infarction - major neurological event
I69.831	ICD-10-CM	Monoplegia of upper limb following other cerebrovascular disease affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.832	ICD-10-CM	Monoplegia of upper limb following other cerebrovascular disease affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.833	ICD-10-CM	Monoplegia of upper limb following other cerebrovascular disease affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.834	ICD-10-CM	Monoplegia of upper limb following other cerebrovascular disease affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.839	ICD-10-CM	Monoplegia of upper limb following other cerebrovascular disease affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.841	ICD-10-CM	Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.842	ICD-10-CM	Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)

I69.843	ICD-10-CM	Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.844	ICD-10-CM	Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.849	ICD-10-CM	Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.851	ICD-10-CM	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.852	ICD-10-CM	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.853	ICD-10-CM	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.854	ICD-10-CM	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.859	ICD-10-CM	Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.861	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.862	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.863	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.864	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.865	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease, bilateral	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.869	ICD-10-CM	Other paralytic syndrome following other cerebrovascular disease affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.931	ICD-10-CM	Monoplegia of upper limb following unspecified cerebrovascular disease affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)

I69.932	ICD-10-CM	Monoplegia of upper limb following unspecified cerebrovascular disease affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.933	ICD-10-CM	Monoplegia of upper limb following unspecified cerebrovascular disease affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.934	ICD-10-CM	Monoplegia of upper limb following unspecified cerebrovascular disease affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.939	ICD-10-CM	Monoplegia of upper limb following unspecified cerebrovascular disease affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.941	ICD-10-CM	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.942	ICD-10-CM	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.943	ICD-10-CM	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.944	ICD-10-CM	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.949	ICD-10-CM	Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.951	ICD-10-CM	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.952	ICD-10-CM	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.953	ICD-10-CM	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.954	ICD-10-CM	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.959	ICD-10-CM	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.961	ICD-10-CM	Other paralytic syndrome following unspecified cerebrovascular disease affecting right dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)

I69.962	ICD-10-CM	Other paralytic syndrome following unspecified cerebrovascular disease affecting left dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.963	ICD-10-CM	Other paralytic syndrome following unspecified cerebrovascular disease affecting right non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.964	ICD-10-CM	Other paralytic syndrome following unspecified cerebrovascular disease affecting left non-dominant side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.965	ICD-10-CM	Other paralytic syndrome following unspecified cerebrovascular disease, bilateral	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I69.969	ICD-10-CM	Other paralytic syndrome following unspecified cerebrovascular disease affecting unspecified side	Yes	Cerebrovascular hemorrhage/infarction or sequelae (major neurologic event/disability)
I70.261	ICD-10-CM	Atherosclerosis of native arteries of extremities with gangrene, right leg	Yes	Gangrene - severe vascular compromise
I70.262	ICD-10-CM	Atherosclerosis of native arteries of extremities with gangrene, left leg	Yes	Gangrene - severe vascular compromise
I70.263	ICD-10-CM	Atherosclerosis of native arteries of extremities with gangrene, bilateral legs	Yes	Gangrene - severe vascular compromise
I70.268	ICD-10-CM	Atherosclerosis of native arteries of extremities with gangrene, other extremity	Yes	Gangrene - severe vascular compromise
I70.269	ICD-10-CM	Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity	Yes	Gangrene - severe vascular compromise
I70.361	ICD-10-CM	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg	Yes	Gangrene - severe vascular compromise
I70.362	ICD-10-CM	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg	Yes	Gangrene - severe vascular compromise
I70.363	ICD-10-CM	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs	Yes	Gangrene - severe vascular compromise
I70.368	ICD-10-CM	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity	Yes	Gangrene - severe vascular compromise
I70.369	ICD-10-CM	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity	Yes	Gangrene - severe vascular compromise
I70.461	ICD-10-CM	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg	Yes	Gangrene - severe vascular compromise

170.462	ICD-10-CM	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg	Yes	Gangrene - severe vascular compromise
170.463	ICD-10-CM	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs	Yes	Gangrene - severe vascular compromise
170.468	ICD-10-CM	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity	Yes	Gangrene - severe vascular compromise
170.469	ICD-10-CM	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity	Yes	Gangrene - severe vascular compromise
170.561	ICD-10-CM	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg	Yes	Gangrene - severe vascular compromise
170.562	ICD-10-CM	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg	Yes	Gangrene - severe vascular compromise
170.563	ICD-10-CM	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs	Yes	Gangrene - severe vascular compromise
170.568	ICD-10-CM	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity	Yes	Gangrene - severe vascular compromise
170.569	ICD-10-CM	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity	Yes	Gangrene - severe vascular compromise
170.661	ICD-10-CM	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg	Yes	Gangrene - severe vascular compromise
170.662	ICD-10-CM	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg	Yes	Gangrene - severe vascular compromise
170.663	ICD-10-CM	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs	Yes	Gangrene - severe vascular compromise
170.668	ICD-10-CM	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity	Yes	Gangrene - severe vascular compromise
170.669	ICD-10-CM	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity	Yes	Gangrene - severe vascular compromise
170.761	ICD-10-CM	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg	Yes	Gangrene - severe vascular compromise
170.762	ICD-10-CM	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg	Yes	Gangrene - severe vascular compromise

I70.763	ICD-10-CM	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs	Yes	Gangrene - severe vascular compromise
I70.768	ICD-10-CM	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity	Yes	Gangrene - severe vascular compromise
I70.769	ICD-10-CM	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity	Yes	Gangrene - severe vascular compromise
I73.01	ICD-10-CM	Raynaud's syndrome with gangrene	Yes	Gangrene - severe vascular compromise
I75.013	ICD-10-CM	Atheroembolism of bilateral upper extremities	Yes	Would allow if bilat
I75.023	ICD-10-CM	Atheroembolism of bilateral lower extremities	Yes	Would allow if bilat
I82.0	ICD-10-CM	Budd-Chiari syndrome	Yes	Budd-Chiari syndrome - hepatic vein thrombosis with liver damage
I82.403	ICD-10-CM	Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral	Yes	Would allow if bilat
I82.413	ICD-10-CM	Acute embolism and thrombosis of femoral vein, bilateral	Yes	Would allow if bilat
I82.423	ICD-10-CM	Acute embolism and thrombosis of iliac vein, bilateral	Yes	Would allow if bilat
I82.443	ICD-10-CM	Acute embolism and thrombosis of tibial vein, bilateral	Yes	Would allow if bilat
I82.A13	ICD-10-CM	Acute embolism and thrombosis of axillary vein, bilateral	Yes	Would allow if bilat
I82.B13	ICD-10-CM	Acute embolism and thrombosis of subclavian vein, bilateral	Yes	Would allow if bilat
I82.B23	ICD-10-CM	Chronic embolism and thrombosis of subclavian vein, bilateral	Yes	Would allow if bilat
I82.C13	ICD-10-CM	Acute embolism and thrombosis of internal jugular vein, bilateral	Yes	Would allow if bilat
I82.C23	ICD-10-CM	Chronic embolism and thrombosis of internal jugular vein, bilateral	Yes	Would allow if bilat
I85.01	ICD-10-CM	Esophageal varices with bleeding	Yes	Varices with bleeding (high-risk acute complication)
I85.11	ICD-10-CM	Secondary esophageal varices with bleeding	Yes	Varices with bleeding (high-risk acute complication)
I87.313	ICD-10-CM	Chronic venous hypertension (idiopathic) with ulcer of bilateral lower extremity	Yes	Chronic venous hypertension with ulcer - severe venous insufficiency
I87.333	ICD-10-CM	Inflammation of bilateral lower extremity	Yes	Chronic venous hypertension with ulcer and inflammation - severe venous disease
I96	ICD-10-CM	Gangrene, not elsewhere classified	Yes	Gangrene - severe vascular compromise

I97	ICD-10-CM	Intraoperative and postprocedural complications of circulatory system	Yes	Cerebrovascular infarction complication (stroke event)
I97.810	ICD-10-CM	Intraoperative cerebrovascular infarction during cardiac surgery	Yes	Cerebrovascular infarction complication (stroke event)
I97.811	ICD-10-CM	Intraoperative cerebrovascular infarction during other surgery	Yes	Cerebrovascular infarction complication (stroke event)
I97.820	ICD-10-CM	Postprocedural cerebrovascular infarction following cardiac surgery	Yes	Cerebrovascular infarction complication (stroke event)
I97.821	ICD-10-CM	Postprocedural cerebrovascular infarction following other surgery	Yes	Cerebrovascular infarction complication (stroke event)

Code	Code Type	Description	Yes/ No	Rationale
J15.61	ICD-10-CM	Pneumonia due to Acinetobacter baumannii	Yes	MDR organism pneumonia - often hospital-acquired, indicates vulnerable host
J43	ICD-10-CM	Emphysema	Yes	Emphysema - chronic progressive lung disease with irreversible airway obstruction
J44.89	ICD-10-CM	Other specified chronic obstructive pulmonary disease	Yes	COPD - chronic progressive lung disease
J85.0	ICD-10-CM	Gangrene and necrosis of lung	Yes	Lung gangrene - severe tissue destruction
J95.3	ICD-10-CM	Chronic pulmonary insufficiency following surgery	Yes	Chronic post-surgical pulmonary insufficiency - permanent impairment

Code	Code Type	Description	Yes/ No	Rationale
K25.5	ICD-10-CM	Chronic or unspecified gastric ulcer with perforation	Yes	Perforated ulcer - surgical emergency
K26.1	ICD-10-CM	Acute duodenal ulcer with perforation	Yes	Perforated ulcer - surgical emergency
K26.5	ICD-10-CM	Chronic or unspecified duodenal ulcer with perforation	Yes	Perforated ulcer - surgical emergency
K27.1	ICD-10-CM	Acute peptic ulcer, site unspecified, with perforation	Yes	Perforated ulcer - surgical emergency
K27.5	ICD-10-CM	Chronic or unspecified peptic ulcer, site unspecified, with perforation	Yes	Perforated ulcer - surgical emergency
K28.1	ICD-10-CM	Acute gastrojejunal ulcer with perforation	Yes	Perforated ulcer - surgical emergency
K28.5	ICD-10-CM	Chronic or unspecified gastrojejunal ulcer with perforation	Yes	Perforated ulcer - surgical emergency
K31.A22	ICD-10-CM	Gastric intestinal metaplasia with high grade dysplasia	Yes	High grade dysplasia - pre-malignant condition
K50.012	ICD-10-CM	Crohn's disease of small intestine with intestinal obstruction	Yes	Crohn's with obstruction - acute surgical condition
K50.013	ICD-10-CM	Crohn's disease of small intestine with fistula	Yes	Fistulizing Crohn's - severe complicated IBD
K50.014	ICD-10-CM	Crohn's disease of small intestine with abscess	Yes	Crohn's with abscess - severe complicated IBD
K50.112	ICD-10-CM	Crohn's disease of large intestine with intestinal obstruction	Yes	Crohn's with obstruction - acute surgical condition
K50.113	ICD-10-CM	Crohn's disease of large intestine with fistula	Yes	Fistulizing Crohn's - severe complicated IBD
K50.114	ICD-10-CM	Crohn's disease of large intestine with abscess	Yes	Crohn's with abscess - severe complicated IBD
K50.812	ICD-10-CM	Crohn's disease of both small and large intestine with intestinal obstruction	Yes	Crohn's with obstruction - acute surgical condition
K50.813	ICD-10-CM	Crohn's disease of both small and large intestine with fistula	Yes	Fistulizing Crohn's - severe complicated IBD
K50.814	ICD-10-CM	Crohn's disease of both small and large intestine with abscess	Yes	Crohn's with abscess - severe complicated IBD
K50.912	ICD-10-CM	Crohn's disease, unspecified, with intestinal obstruction	Yes	Crohn's with obstruction - acute surgical condition
K50.913	ICD-10-CM	Crohn's disease, unspecified, with fistula	Yes	Fistulizing Crohn's - severe complicated IBD
K50.914	ICD-10-CM	Crohn's disease, unspecified, with abscess	Yes	Crohn's with abscess - severe complicated IBD

K51.012	ICD-10-CM	Ulcerative (chronic) pancolitis with intestinal obstruction	Yes	UC with obstruction - acute surgical condition
K51.013	ICD-10-CM	Ulcerative (chronic) pancolitis with fistula	Yes	Fistulizing UC - severe complicated IBD
K51.014	ICD-10-CM	Ulcerative (chronic) pancolitis with abscess	Yes	UC with abscess - severe complicated IBD
K51.212	ICD-10-CM	Ulcerative (chronic) proctitis with intestinal obstruction	Yes	UC with obstruction - acute surgical condition
K51.213	ICD-10-CM	Ulcerative (chronic) proctitis with fistula	Yes	Fistulizing UC - severe complicated IBD
K51.214	ICD-10-CM	Ulcerative (chronic) proctitis with abscess	Yes	UC with abscess - severe complicated IBD
K51.312	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with intestinal obstruction	Yes	UC with obstruction - acute surgical condition
K51.313	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with fistula	Yes	Fistulizing UC - severe complicated IBD
K51.314	ICD-10-CM	Ulcerative (chronic) rectosigmoiditis with abscess	Yes	UC with abscess - severe complicated IBD
K51.412	ICD-10-CM	Inflammatory polyps of colon with intestinal obstruction	Yes	UC with obstruction - acute surgical condition
K51.413	ICD-10-CM	Inflammatory polyps of colon with fistula	Yes	Fistulizing UC - severe complicated IBD
K51.414	ICD-10-CM	Inflammatory polyps of colon with abscess	Yes	UC with abscess - severe complicated IBD
K51.512	ICD-10-CM	Left sided colitis with intestinal obstruction	Yes	UC with obstruction - acute surgical condition
K51.513	ICD-10-CM	Left sided colitis with fistula	Yes	Fistulizing UC - severe complicated IBD
K51.514	ICD-10-CM	Left sided colitis with abscess	Yes	UC with abscess - severe complicated IBD
K51.812	ICD-10-CM	Other ulcerative colitis with intestinal obstruction	Yes	UC with obstruction - acute surgical condition
K51.813	ICD-10-CM	Other ulcerative colitis with fistula	Yes	Fistulizing UC - severe complicated IBD
K51.814	ICD-10-CM	Other ulcerative colitis with abscess	Yes	UC with abscess - severe complicated IBD
K51.912	ICD-10-CM	Ulcerative colitis, unspecified with intestinal obstruction	Yes	UC with obstruction - acute surgical condition
K51.913	ICD-10-CM	Ulcerative colitis, unspecified with fistula	Yes	Fistulizing UC - severe complicated IBD
K51.914	ICD-10-CM	Ulcerative colitis, unspecified with abscess	Yes	UC with abscess - severe complicated IBD
K55.32	ICD-10-CM	Stage 2 necrotizing enterocolitis	Yes	NEC Stage 2 - serious intestinal necrosis
K55.33	ICD-10-CM	Stage 3 necrotizing enterocolitis	Yes	NEC Stage 3 - severe intestinal necrosis, high mortality
K56.601	ICD-10-CM	Complete intestinal obstruction, unspecified as to cause	Yes	Complete obstruction - surgical emergency
K63.1	ICD-10-CM	Perforation of intestine (nontraumatic)	Yes	Intestinal perforation - surgical emergency
K70.11	ICD-10-CM	Alcoholic hepatitis with ascites	Yes	Alcoholic hepatitis with ascites - severe liver disease with decompensation

K70.31	ICD-10-CM	Alcoholic cirrhosis of liver with ascites	Yes	Alcoholic cirrhosis with ascites - decompensated liver disease
K71.50	ICD-10-CM	Toxic liver disease with chronic active hepatitis without ascites	Yes	Ascites - indicates decompensated liver disease
K71.51	ICD-10-CM	Toxic liver disease with chronic active hepatitis with ascites	Yes	Ascites - indicates decompensated liver disease
K74.69	ICD-10-CM	Other cirrhosis of liver	Yes	Other cirrhosis of liver - chronic liver disease with complications
K76.6	ICD-10-CM	Portal hypertension	Yes	Portal hypertension/varices - advanced liver disease
K76.7	ICD-10-CM	Hepatorenal syndrome	Yes	Hepatic coma/hepatorenal syndrome - severe liver complications
K76.81	ICD-10-CM	Hepatopulmonary syndrome	Yes	Hepatopulmonary syndrome - severe liver complication
K76.82	ICD-10-CM	Hepatic encephalopathy	Yes	Hepatic encephalopathy - decompensated liver disease
K90.821	ICD-10-CM	Short bowel syndrome with colon in continuity	Yes	Short bowel syndrome - chronic malabsorption, TPN dependent
K90.822	ICD-10-CM	Short bowel syndrome without colon in continuity	Yes	Short bowel syndrome - severe malabsorption
K90.829	ICD-10-CM	Short bowel syndrome, unspecified	Yes	Short bowel syndrome - chronic malabsorption
K90.83	ICD-10-CM	Intestinal failure	Yes	Intestinal failure - requires TPN, severe malabsorption
K94.31	ICD-10-CM	Esophagostomy hemorrhage	Yes	Esophagostomy hemorrhage - acute complication requiring intervention

Code	Code Type	Description	Yes/ No	Rationale
L12.1	ICD-10-CM	Cicatricial pemphigoid	Yes	Cicatricial pemphigoid - autoimmune blistering disease, can cause scarring, blindness, airway compromise
L12.30	ICD-10-CM	Acquired epidermolysis bullosa, unspecified	Yes	Epidermolysis bullosa - severe blistering disorder causing skin fragility
L12.31	ICD-10-CM	Epidermolysis bullosa due to drug	Yes	Drug-induced epidermolysis bullosa - severe blistering disorder
L12.35	ICD-10-CM	Other acquired epidermolysis bullosa	Yes	Epidermolysis bullosa - severe blistering disorder causing skin fragility
L40.52	ICD-10-CM	Psoriatic arthritis mutilans	Yes	Psoriatic arthritis mutilans - destructive arthritis with severe joint destruction and functional
L88	ICD-10-CM	Pyoderma gangrenosum	Yes	Pyoderma gangrenosum - severe ulcerating skin condition, often indicates systemic disease
L89.000	ICD-10-CM	Pressure ulcer of unspecified elbow, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.010	ICD-10-CM	Pressure ulcer of right elbow, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.020	ICD-10-CM	Pressure ulcer of left elbow, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.100	ICD-10-CM	Pressure ulcer of unspecified part of back, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.110	ICD-10-CM	Pressure ulcer of right upper back, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.120	ICD-10-CM	Pressure ulcer of left upper back, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.130	ICD-10-CM	Pressure ulcer of right lower back, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.140	ICD-10-CM	Pressure ulcer of left lower back, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.150	ICD-10-CM	Pressure ulcer of sacral region, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.200	ICD-10-CM	Pressure ulcer of unspecified hip, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.210	ICD-10-CM	Pressure ulcer of right hip, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.220	ICD-10-CM	Pressure ulcer of left hip, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.300	ICD-10-CM	Pressure ulcer of unspecified buttock, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.310	ICD-10-CM	Pressure ulcer of right buttock, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.320	ICD-10-CM	Pressure ulcer of left buttock, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.45	ICD-10-CM	Pressure ulcer of contiguous site of back, buttock and hip, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.500	ICD-10-CM	Pressure ulcer of unspecified ankle, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.510	ICD-10-CM	Pressure ulcer of right ankle, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.520	ICD-10-CM	Pressure ulcer of left ankle, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.600	ICD-10-CM	Pressure ulcer of unspecified heel, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage

L89.610	ICD-10-CM	Pressure ulcer of right heel, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.620	ICD-10-CM	Pressure ulcer of left heel, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.810	ICD-10-CM	Pressure ulcer of head, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.890	ICD-10-CM	Pressure ulcer of other site, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L89.95	ICD-10-CM	Pressure ulcer of unspecified site, unstageable	Yes	Unstageable pressure ulcer - obscured wound depth indicating significant tissue damage
L93	ICD-10-CM	Lupus erythematosus	Yes	Lupus erythematosus - may indicate systemic autoimmune disease
L97.103	ICD-10-CM	Non-pressure chronic ulcer of unspecified thigh with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.104	ICD-10-CM	Non-pressure chronic ulcer of unspecified thigh with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.105	ICD-10-CM	Non-pressure chronic ulcer of unspecified thigh with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.106	ICD-10-CM	Non-pressure chronic ulcer of unspecified thigh with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.113	ICD-10-CM	Non-pressure chronic ulcer of right thigh with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.114	ICD-10-CM	Non-pressure chronic ulcer of right thigh with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.115	ICD-10-CM	Non-pressure chronic ulcer of right thigh with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.116	ICD-10-CM	Non-pressure chronic ulcer of right thigh with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.123	ICD-10-CM	Non-pressure chronic ulcer of left thigh with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.124	ICD-10-CM	Non-pressure chronic ulcer of left thigh with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.125	ICD-10-CM	Non-pressure chronic ulcer of left thigh with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden

L97.126	ICD-10-CM	Non-pressure chronic ulcer of left thigh with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.203	ICD-10-CM	Non-pressure chronic ulcer of unspecified calf with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.204	ICD-10-CM	Non-pressure chronic ulcer of unspecified calf with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.205	ICD-10-CM	Non-pressure chronic ulcer of unspecified calf with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.206	ICD-10-CM	Non-pressure chronic ulcer of unspecified calf with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.213	ICD-10-CM	Non-pressure chronic ulcer of right calf with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.214	ICD-10-CM	Non-pressure chronic ulcer of right calf with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.215	ICD-10-CM	Non-pressure chronic ulcer of right calf with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.216	ICD-10-CM	Non-pressure chronic ulcer of right calf with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.223	ICD-10-CM	Non-pressure chronic ulcer of left calf with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.224	ICD-10-CM	Non-pressure chronic ulcer of left calf with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.225	ICD-10-CM	Non-pressure chronic ulcer of left calf with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.226	ICD-10-CM	Non-pressure chronic ulcer of left calf with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.303	ICD-10-CM	Non-pressure chronic ulcer of unspecified ankle with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing

L97.304	ICD-10-CM	Non-pressure chronic ulcer of unspecified ankle with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing	
L97.305	ICD-10-CM	Non-pressure chronic ulcer of unspecified ankle with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden	
L97.306	ICD-10-CM	Non-pressure chronic ulcer of unspecified ankle with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk	
L97.313	ICD-10-CM	Non-pressure chronic ulcer of right ankle with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing	
L97.314	ICD-10-CM	Non-pressure chronic ulcer of right ankle with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing	
L97.315	ICD-10-CM	Non-pressure chronic ulcer of right ankle with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden	
L97.316	ICD-10-CM	Non-pressure chronic ulcer of right ankle with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk	
L97.323	ICD-10-CM	Non-pressure chronic ulcer of left ankle with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing	
L97.324	ICD-10-CM	Non-pressure chronic ulcer of left ankle with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing	
L97.325	ICD-10-CM	Non-pressure chronic ulcer of left ankle with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden	
L97.326	ICD-10-CM	Non-pressure chronic ulcer of left ankle with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk	
L97.403	ICD-10-CM	Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing	
L97.404	ICD-10-CM	Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing	
L97.405	ICD-10-CM	Non-pressure chronic ulcer of unspecified heel and midfoot with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden	

L97.406	ICD-10-CM	Non-pressure chronic ulcer of unspecified heel and midfoot with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.413	ICD-10-CM	Non-pressure chronic ulcer of right heel and midfoot with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.414	ICD-10-CM	Non-pressure chronic ulcer of right heel and midfoot with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.415	ICD-10-CM	Non-pressure chronic ulcer of right heel and midfoot with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.416	ICD-10-CM	Non-pressure chronic ulcer of right heel and midfoot with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.423	ICD-10-CM	Non-pressure chronic ulcer of left heel and midfoot with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.424	ICD-10-CM	Non-pressure chronic ulcer of left heel and midfoot with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.425	ICD-10-CM	Non-pressure chronic ulcer of left heel and midfoot with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.426	ICD-10-CM	Non-pressure chronic ulcer of left heel and midfoot with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.503	ICD-10-CM	Non-pressure chronic ulcer of other part of unspecified foot with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.504	ICD-10-CM	Non-pressure chronic ulcer of other part of unspecified foot with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.505	ICD-10-CM	Non-pressure chronic ulcer of other part of unspecified foot with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.506	ICD-10-CM	Non-pressure chronic ulcer of other part of unspecified foot with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk

L97.513	ICD-10-CM	Non-pressure chronic ulcer of other part of right foot with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.514	ICD-10-CM	Non-pressure chronic ulcer of other part of right foot with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.515	ICD-10-CM	Non-pressure chronic ulcer of other part of right foot with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.516	ICD-10-CM	Non-pressure chronic ulcer of other part of right foot with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.523	ICD-10-CM	Non-pressure chronic ulcer of other part of left foot with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.524	ICD-10-CM	Non-pressure chronic ulcer of other part of left foot with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.526	ICD-10-CM	Non-pressure chronic ulcer of other part of left foot with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.803	ICD-10-CM	Non-pressure chronic ulcer of other part of unspecified lower leg with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.804	ICD-10-CM	Non-pressure chronic ulcer of other part of unspecified lower leg with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.805	ICD-10-CM	Non-pressure chronic ulcer of other part of unspecified lower leg with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.806	ICD-10-CM	Non-pressure chronic ulcer of other part of unspecified lower leg with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.813	ICD-10-CM	Non-pressure chronic ulcer of other part of right lower leg with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.814	ICD-10-CM	Non-pressure chronic ulcer of other part of right lower leg with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing

L97.815	ICD-10-CM	Non-pressure chronic ulcer of other part of right lower leg with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.816	ICD-10-CM	Non-pressure chronic ulcer of other part of right lower leg with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.823	ICD-10-CM	Non-pressure chronic ulcer of other part of left lower leg with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.824	ICD-10-CM	Non-pressure chronic ulcer of other part of left lower leg with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.825	ICD-10-CM	Non-pressure chronic ulcer of other part of left lower leg with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.826	ICD-10-CM	Non-pressure chronic ulcer of other part of left lower leg with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.903	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of unspecified lower leg with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.904	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of unspecified lower leg with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.905	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of unspecified lower leg with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.906	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of unspecified lower leg with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.913	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of right lower leg with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.914	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of right lower leg with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.915	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of right lower leg with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden

L97.916	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of right lower leg with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L97.923	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of left lower leg with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.924	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of left lower leg with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L97.925	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of left lower leg with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L97.926	ICD-10-CM	Non-pressure chronic ulcer of unspecified part of left lower leg with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L98.413	ICD-10-CM	Non-pressure chronic ulcer of buttock with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L98.414	ICD-10-CM	Non-pressure chronic ulcer of buttock with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L98.415	ICD-10-CM	Non-pressure chronic ulcer of buttock with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L98.416	ICD-10-CM	Non-pressure chronic ulcer of buttock with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L98.423	ICD-10-CM	Non-pressure chronic ulcer of back with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L98.424	ICD-10-CM	Non-pressure chronic ulcer of back with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L98.425	ICD-10-CM	Non-pressure chronic ulcer of back with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L98.426	ICD-10-CM	Non-pressure chronic ulcer of back with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk
L98.493	ICD-10-CM	Non-pressure chronic ulcer of skin of other sites with necrosis of muscle	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing

L98.494	ICD-10-CM	Non-pressure chronic ulcer of skin of other sites with necrosis of bone	Yes	Chronic ulcer with deep necrosis - severe wound indicating poor healing
L98.495	ICD-10-CM	Non-pressure chronic ulcer of skin of other sites with muscle involvement without evidence of necrosis	Yes	Deep chronic ulcer with muscle involvement - indicates poor healing, significant wound care burden
L98.496	ICD-10-CM	Non-pressure chronic ulcer of skin of other sites with bone involvement without evidence of necrosis	Yes	Deep chronic ulcer with bone involvement - severe wound, osteomyelitis risk

Code	Code Type	Description	Yes/ No	Rationale
M05.00	ICD-10-CM	Felty's syndrome, unspecified site	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.011	ICD-10-CM	Felty's syndrome, right shoulder	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.012	ICD-10-CM	Felty's syndrome, left shoulder	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.019	ICD-10-CM	Felty's syndrome, unspecified shoulder	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.021	ICD-10-CM	Felty's syndrome, right elbow	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.022	ICD-10-CM	Felty's syndrome, left elbow	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.029	ICD-10-CM	Felty's syndrome, unspecified elbow	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.031	ICD-10-CM	Felty's syndrome, right wrist	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.032	ICD-10-CM	Felty's syndrome, left wrist	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.039	ICD-10-CM	Felty's syndrome, unspecified wrist	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.041	ICD-10-CM	Felty's syndrome, right hand	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.042	ICD-10-CM	Felty's syndrome, left hand	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.049	ICD-10-CM	Felty's syndrome, unspecified hand	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.051	ICD-10-CM	Felty's syndrome, right hip	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.052	ICD-10-CM	Felty's syndrome, left hip	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.059	ICD-10-CM	Felty's syndrome, unspecified hip	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.061	ICD-10-CM	Felty's syndrome, right knee	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.062	ICD-10-CM	Felty's syndrome, left knee	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.069	ICD-10-CM	Felty's syndrome, unspecified knee	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.071	ICD-10-CM	Felty's syndrome, right ankle and foot	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.072	ICD-10-CM	Felty's syndrome, left ankle and foot	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.079	ICD-10-CM	Felty's syndrome, unspecified ankle and foot	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.09	ICD-10-CM	Felty's syndrome, multiple sites	Yes	Severe RA with neutropenia/splenomegaly - immunocompromised
M05.10	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified site	Yes	Rheumatoid lung disease - systemic organ involvement
M05.111	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right shoulder	Yes	Rheumatoid lung disease - systemic organ involvement
M05.112	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left shoulder	Yes	Rheumatoid lung disease - systemic organ involvement
M05.119	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder	Yes	Rheumatoid lung disease - systemic organ involvement

M05.121	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right elbow	Yes	Rheumatoid lung disease - systemic organ involvement
M05.122	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left elbow	Yes	Rheumatoid lung disease - systemic organ involvement
M05.129	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow	Yes	Rheumatoid lung disease - systemic organ involvement
M05.131	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right wrist	Yes	Rheumatoid lung disease - systemic organ involvement
M05.132	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left wrist	Yes	Rheumatoid lung disease - systemic organ involvement
M05.139	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist	Yes	Rheumatoid lung disease - systemic organ involvement
M05.141	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right hand	Yes	Rheumatoid lung disease - systemic organ involvement
M05.142	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left hand	Yes	Rheumatoid lung disease - systemic organ involvement
M05.149	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified hand	Yes	Rheumatoid lung disease - systemic organ involvement
M05.151	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right hip	Yes	Rheumatoid lung disease - systemic organ involvement
M05.152	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left hip	Yes	Rheumatoid lung disease - systemic organ involvement
M05.159	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified hip	Yes	Rheumatoid lung disease - systemic organ involvement
M05.161	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right knee	Yes	Rheumatoid lung disease - systemic organ involvement
M05.162	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left knee	Yes	Rheumatoid lung disease - systemic organ involvement
M05.169	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified knee	Yes	Rheumatoid lung disease - systemic organ involvement
M05.171	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot	Yes	Rheumatoid lung disease - systemic organ involvement

M05.172	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot	Yes	Rheumatoid lung disease - systemic organ involvement
M05.179	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot	Yes	Rheumatoid lung disease - systemic organ involvement
M05.19	ICD-10-CM	Rheumatoid lung disease with rheumatoid arthritis of multiple sites	Yes	Rheumatoid lung disease - systemic organ involvement
M05.20	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified site	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.211	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right shoulder	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.212	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left shoulder	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.219	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.221	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right elbow	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.222	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left elbow	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.229	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.231	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right wrist	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.232	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left wrist	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.239	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.241	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right hand	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.242	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left hand	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.249	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand	Yes	Rheumatoid vasculitis - severe systemic involvement

M05.251	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right hip	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.252	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left hip	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.259	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.261	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right knee	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.262	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left knee	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.269	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.271	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.272	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.279	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.29	ICD-10-CM	Rheumatoid vasculitis with rheumatoid arthritis of multiple sites	Yes	Rheumatoid vasculitis - severe systemic involvement
M05.30	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified site	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.311	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right shoulder	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.312	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left shoulder	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.319	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.321	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right elbow	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.322	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left elbow	Yes	Rheumatoid heart disease - cardiac involvement indicates severity

M05.329	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.331	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right wrist	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.332	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left wrist	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.339	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.341	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right hand	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.342	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left hand	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.349	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified hand	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.351	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right hip	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.352	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left hip	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.359	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified hip	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.361	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right knee	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.362	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left knee	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.369	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified knee	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.371	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.372	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.379	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot	Yes	Rheumatoid heart disease - cardiac involvement indicates severity

M05.39	ICD-10-CM	Rheumatoid heart disease with rheumatoid arthritis of multiple sites	Yes	Rheumatoid heart disease - cardiac involvement indicates severity
M05.40	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified site	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.411	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right shoulder	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.412	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left shoulder	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.419	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.421	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right elbow	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.422	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left elbow	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.429	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.431	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right wrist	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.432	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left wrist	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.439	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.441	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right hand	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.442	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left hand	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.449	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified hand	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.451	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right hip	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.452	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left hip	Yes	Rheumatoid myopathy - muscle weakness/dysfunction

M05.459	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified hip	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.461	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right knee	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.462	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left knee	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.469	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified knee	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.471	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.472	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.479	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.49	ICD-10-CM	Rheumatoid myopathy with rheumatoid arthritis of multiple sites	Yes	Rheumatoid myopathy - muscle weakness/dysfunction
M05.50	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.511	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.512	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.519	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.521	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.522	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.529	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.531	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function

M05.532	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.539	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.541	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right hand	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.542	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left hand	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.549	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.551	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right hip	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.552	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left hip	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.559	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.561	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right knee	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.562	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left knee	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.569	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.571	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.572	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.579	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.59	ICD-10-CM	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites	Yes	Rheumatoid polyneuropathy - nerve involvement affecting function
M05.60	ICD-10-CM	Rheumatoid arthritis of unspecified site with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease

M05.611	ICD-10-CM	Rheumatoid arthritis of right shoulder with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.612	ICD-10-CM	Rheumatoid arthritis of left shoulder with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.619	ICD-10-CM	Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.621	ICD-10-CM	Rheumatoid arthritis of right elbow with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.622	ICD-10-CM	Rheumatoid arthritis of left elbow with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.629	ICD-10-CM	Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.631	ICD-10-CM	Rheumatoid arthritis of right wrist with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.632	ICD-10-CM	Rheumatoid arthritis of left wrist with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.639	ICD-10-CM	Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.641	ICD-10-CM	Rheumatoid arthritis of right hand with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.642	ICD-10-CM	Rheumatoid arthritis of left hand with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.649	ICD-10-CM	Rheumatoid arthritis of unspecified hand with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.651	ICD-10-CM	Rheumatoid arthritis of right hip with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.652	ICD-10-CM	Rheumatoid arthritis of left hip with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.659	ICD-10-CM	Rheumatoid arthritis of unspecified hip with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.661	ICD-10-CM	Rheumatoid arthritis of right knee with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease

M05.662	ICD-10-CM	Rheumatoid arthritis of left knee with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.669	ICD-10-CM	Rheumatoid arthritis of unspecified knee with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.671	ICD-10-CM	Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.672	ICD-10-CM	Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.679	ICD-10-CM	Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M05.69	ICD-10-CM	Rheumatoid arthritis of multiple sites with involvement of other organs and systems	Yes	RA with other organ involvement - multi-system disease
M30.0	ICD-10-CM	Polyarteritis nodosa	Yes	Polyarteritis nodosa/Kawasaki - severe systemic vasculitis
M30.1	ICD-10-CM	Polyarteritis with lung involvement [Churg-Strauss]	Yes	Polyarteritis nodosa/Kawasaki - severe systemic vasculitis
M30.8	ICD-10-CM	Other conditions related to polyarteritis nodosa	Yes	Polyarteritis nodosa-related conditions - systemic vasculitis with multi-organ involvement
M31	ICD-10-CM	Other necrotizing vasculopathies	Yes	Necrotizing vasculopathies - severe inflammatory vessel disease
M31.10	ICD-10-CM	Thrombotic microangiopathy, unspecified	Yes	Thrombotic microangiopathy - blood vessel damage with organ dysfunction
M31.2	ICD-10-CM	Lethal midline granuloma	Yes	Necrotizing vasculopathy - severe systemic disease
M31.30	ICD-10-CM	Wegener's granulomatosis without renal involvement	Yes	Necrotizing vasculopathy - severe systemic disease
M31.31	ICD-10-CM	Wegener's granulomatosis with renal involvement	Yes	Necrotizing vasculopathy - severe systemic disease
M31.4	ICD-10-CM	Aortic arch syndrome [Takayasu]	Yes	Necrotizing vasculopathy - severe systemic disease
M31.5	ICD-10-CM	Giant cell arteritis with polymyalgia rheumatica	Yes	Necrotizing vasculopathy - severe systemic disease
M31.6	ICD-10-CM	Other giant cell arteritis	Yes	Necrotizing vasculopathy - severe systemic disease
M31.7	ICD-10-CM	Microscopic polyangiitis	Yes	Necrotizing vasculopathy - severe systemic disease
M31.8	ICD-10-CM	Other specified necrotizing vasculopathies	Yes	Other necrotizing vasculopathies - systemic inflammatory vessel disease
M31.9	ICD-10-CM	Necrotizing vasculopathy, unspecified	Yes	Necrotizing vasculopathy unspecified - severe vessel inflammation

M32.10	ICD-10-CM	Systemic lupus erythematosus, organ or system involvement unspecified	Yes	SLE with organ involvement - severe systemic disease
M32.11	ICD-10-CM	Endocarditis in systemic lupus erythematosus	Yes	SLE with organ involvement - severe systemic disease
M32.12	ICD-10-CM	Pericarditis in systemic lupus erythematosus	Yes	SLE with organ involvement - severe systemic disease
M32.13	ICD-10-CM	Lung involvement in systemic lupus erythematosus	Yes	SLE with organ involvement - severe systemic disease
M32.14	ICD-10-CM	Glomerular disease in systemic lupus erythematosus	Yes	SLE with organ involvement - severe systemic disease
M32.15	ICD-10-CM	Tubulo-interstitial nephropathy in systemic lupus erythematosus	Yes	SLE with organ involvement - severe systemic disease
M32.19	ICD-10-CM	Other organ or system involvement in systemic lupus erythematosus	Yes	SLE with organ involvement - severe systemic disease
M33.01	ICD-10-CM	Juvenile dermatomyositis with respiratory involvement	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.02	ICD-10-CM	Juvenile dermatomyositis with myopathy	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.09	ICD-10-CM	Juvenile dermatomyositis with other organ involvement	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.11	ICD-10-CM	Other dermatomyositis with respiratory involvement	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.12	ICD-10-CM	Other dermatomyositis with myopathy	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.19	ICD-10-CM	Other dermatomyositis with other organ involvement	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.21	ICD-10-CM	Polymyositis with respiratory involvement	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.22	ICD-10-CM	Polymyositis with myopathy	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.29	ICD-10-CM	Polymyositis with other organ involvement	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.91	ICD-10-CM	Dermatopolymyositis, unspecified with respiratory involvement	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness

M33.92	ICD-10-CM	Dermatopolymyositis, unspecified with myopathy	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M33.99	ICD-10-CM	Dermatopolymyositis, unspecified with other organ involvement	Yes	Dermatomyositis/Polymyositis with organ involvement - muscle/organ weakness
M35.02	ICD-10-CM	Sjogren syndrome with lung involvement	Yes	Sjogren syndrome with organ involvement - systemic autoimmune disease
M35.06	ICD-10-CM	Sjogren syndrome with peripheral nervous system involvement	Yes	Sjogren syndrome with organ involvement - systemic autoimmune disease
M35.07	ICD-10-CM	Sjogren syndrome with central nervous system involvement	Yes	Sjogren syndrome with organ involvement - systemic autoimmune disease
M35.08	ICD-10-CM	Sjogren syndrome with gastrointestinal involvement	Yes	Sjogren syndrome with GI involvement - autoimmune disease with organ manifestations
M35.09	ICD-10-CM	Sjogren syndrome with other organ involvement	Yes	Sjogren syndrome with other organ involvement - systemic autoimmune disease
M35.0A	ICD-10-CM	Sjogren syndrome with glomerular disease	Yes	Sjogren syndrome with kidney involvement - autoimmune disease with organ damage
M36.0	ICD-10-CM	Dermato(poly)myositis in neoplastic disease	Yes	Dermatomyositis in neoplastic disease - cancer-related
M48.50XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, site unspecified, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture
M48.51XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture
M48.52XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, cervical region, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture
M48.53XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, cervicothoracic region, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture
M48.54XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, thoracic region, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture
M48.55XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, thoracolumbar region, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture

M48.58XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, lumbar region, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture
M48.57XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, lumbosacral region, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture
M48.58XA	ICD-10-CM	Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, initial encounter for fracture	Yes	Collapsed vertebra - bone fragility/fracture
M80.051A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.052A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.059A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.061A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.062A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.069A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.071A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.072A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility

M80.079A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.08XA	ICD-10-CM	Age-related osteoporosis with current pathological fracture, vertebral(e), initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.0AXA	ICD-10-CM	Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.0B1A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, right pelvis, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.0B2A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, left pelvis, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.0B9A	ICD-10-CM	Age-related osteoporosis with current pathological fracture, unspecified pelvis, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.851A	ICD-10-CM	Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.852A	ICD-10-CM	Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.859A	ICD-10-CM	Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.861A	ICD-10-CM	Other osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.862A	ICD-10-CM	Other osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility

M80.869A	ICD-10-CM	Other osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.871A	ICD-10-CM	Other osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.872A	ICD-10-CM	Other osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.879A	ICD-10-CM	Other osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.88XA	ICD-10-CM	Other osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.8AXA	ICD-10-CM	Other osteoporosis with current pathological fracture, other site, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.8B1A	ICD-10-CM	Other osteoporosis with current pathological fracture, right pelvis, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.8B2A	ICD-10-CM	Other osteoporosis with current pathological fracture, left pelvis, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M80.8B9A	ICD-10-CM	Other osteoporosis with current pathological fracture, unspecified pelvis, initial encounter for fracture	Yes	Osteoporosis with pathological fracture - bone fragility
M83.1	ICD-10-CM	Senile osteomalacia	Yes	Senile/malabsorption/malnutrition osteomalacia - age-related bone weakness
M83.2	ICD-10-CM	Adult osteomalacia due to malabsorption	Yes	Senile/malabsorption/malnutrition osteomalacia - age-related bone weakness
M83.3	ICD-10-CM	Adult osteomalacia due to malnutrition	Yes	Senile/malabsorption/malnutrition osteomalacia - age-related bone weakness

M84.451A	ICD-10-CM	Pathological fracture, right femur, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.452A	ICD-10-CM	Pathological fracture, left femur, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.453A	ICD-10-CM	Pathological fracture, unspecified femur, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.454A	ICD-10-CM	Pathological fracture, pelvis, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.459A	ICD-10-CM	Pathological fracture, hip, unspecified, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.461A	ICD-10-CM	Pathological fracture, right tibia, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.462A	ICD-10-CM	Pathological fracture, left tibia, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.463A	ICD-10-CM	Pathological fracture, right fibula, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.464A	ICD-10-CM	Pathological fracture, left fibula, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.469A	ICD-10-CM	Pathological fracture, unspecified tibia and fibula, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.471A	ICD-10-CM	Pathological fracture, right ankle, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.472A	ICD-10-CM	Pathological fracture, left ankle, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.473A	ICD-10-CM	Pathological fracture, unspecified ankle, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.474A	ICD-10-CM	Pathological fracture, right foot, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.475A	ICD-10-CM	Pathological fracture, left foot, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility
M84.476A	ICD-10-CM	Pathological fracture, unspecified foot, initial encounter for fracture	Yes	Pathological fracture - bone weakness/fragility

M84.50XA	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified site, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.511A	ICD-10-CM	Pathological fracture in neoplastic disease, right shoulder, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.512A	ICD-10-CM	Pathological fracture in neoplastic disease, left shoulder, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.519A	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified shoulder, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.521A	ICD-10-CM	Pathological fracture in neoplastic disease, right humerus, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.522A	ICD-10-CM	Pathological fracture in neoplastic disease, left humerus, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.529A	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified humerus, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.531A	ICD-10-CM	Pathological fracture in neoplastic disease, right ulna, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.532A	ICD-10-CM	Pathological fracture in neoplastic disease, left ulna, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.533A	ICD-10-CM	Pathological fracture in neoplastic disease, right radius, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.534A	ICD-10-CM	Pathological fracture in neoplastic disease, left radius, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.539A	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified ulna and radius, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.541A	ICD-10-CM	Pathological fracture in neoplastic disease, right hand, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.542A	ICD-10-CM	Pathological fracture in neoplastic disease, left hand, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.549A	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified hand, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness

M84.550A	ICD-10-CM	Pathological fracture in neoplastic disease, pelvis, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.551A	ICD-10-CM	Pathological fracture in neoplastic disease, right femur, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.552A	ICD-10-CM	Pathological fracture in neoplastic disease, left femur, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.553A	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified femur, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.559A	ICD-10-CM	Pathological fracture in neoplastic disease, hip, unspecified, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.561A	ICD-10-CM	Pathological fracture in neoplastic disease, right tibia, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.562A	ICD-10-CM	Pathological fracture in neoplastic disease, left tibia, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.563A	ICD-10-CM	Pathological fracture in neoplastic disease, right fibula, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.564A	ICD-10-CM	Pathological fracture in neoplastic disease, left fibula, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.569A	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified tibia and fibula, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.571A	ICD-10-CM	Pathological fracture in neoplastic disease, right ankle, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.572A	ICD-10-CM	Pathological fracture in neoplastic disease, left ankle, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.573A	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified ankle, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.574A	ICD-10-CM	Pathological fracture in neoplastic disease, right foot, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.575A	ICD-10-CM	Pathological fracture in neoplastic disease, left foot, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.576A	ICD-10-CM	Pathological fracture in neoplastic disease, unspecified foot, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness

M84.58XA	ICD-10-CM	Pathological fracture in neoplastic disease, other specified site, initial encounter for fracture	Yes	Pathological fracture in neoplastic disease - cancer-related bone weakness
M84.650A	ICD-10-CM	Pathological fracture in other disease, pelvis, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.651A	ICD-10-CM	Pathological fracture in other disease, right femur, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.652A	ICD-10-CM	Pathological fracture in other disease, left femur, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.653A	ICD-10-CM	Pathological fracture in other disease, unspecified femur, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.659A	ICD-10-CM	Pathological fracture in other disease, hip, unspecified, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.661A	ICD-10-CM	Pathological fracture in other disease, right tibia, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.662A	ICD-10-CM	Pathological fracture in other disease, left tibia, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.663A	ICD-10-CM	Pathological fracture in other disease, right fibula, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.664A	ICD-10-CM	Pathological fracture in other disease, left fibula, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.669A	ICD-10-CM	Pathological fracture in other disease, unspecified tibia and fibula, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.671A	ICD-10-CM	Pathological fracture in other disease, right ankle, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.672A	ICD-10-CM	Pathological fracture in other disease, left ankle, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.673A	ICD-10-CM	Pathological fracture in other disease, unspecified ankle, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.674A	ICD-10-CM	Pathological fracture in other disease, right foot, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility

M84.675A	ICD-10-CM	Pathological fracture in other disease, left foot, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.676A	ICD-10-CM	Pathological fracture in other disease, unspecified foot, initial encounter for fracture	Yes	Pathological fracture in other disease - bone fragility
M84.754A	ICD-10-CM	Complete transverse atypical femoral fracture, right leg, initial encounter for fracture	Yes	Atypical femoral fracture - bone fragility
M84.755A	ICD-10-CM	Complete transverse atypical femoral fracture, left leg, initial encounter for fracture	Yes	Atypical femoral fracture - bone fragility
M84.756A	ICD-10-CM	Complete transverse atypical femoral fracture, unspecified leg, initial encounter for fracture	Yes	Atypical femoral fracture - bone fragility
M84.757A	ICD-10-CM	Complete oblique atypical femoral fracture, right leg, initial encounter for fracture	Yes	Atypical femoral fracture - bone fragility
M84.758A	ICD-10-CM	Complete oblique atypical femoral fracture, left leg, initial encounter for fracture	Yes	Atypical femoral fracture - bone fragility
M84.759A	ICD-10-CM	Complete oblique atypical femoral fracture, unspecified leg, initial encounter for fracture	Yes	Atypical femoral fracture - bone fragility
M87.00	ICD-10-CM	Idiopathic aseptic necrosis of unspecified bone	Yes	Osteonecrosis - bone death causing pain and disability
M87.011	ICD-10-CM	Idiopathic aseptic necrosis of right shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.012	ICD-10-CM	Idiopathic aseptic necrosis of left shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.019	ICD-10-CM	Idiopathic aseptic necrosis of unspecified shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.021	ICD-10-CM	Idiopathic aseptic necrosis of right humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.022	ICD-10-CM	Idiopathic aseptic necrosis of left humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.029	ICD-10-CM	Idiopathic aseptic necrosis of unspecified humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.031	ICD-10-CM	Idiopathic aseptic necrosis of right radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.032	ICD-10-CM	Idiopathic aseptic necrosis of left radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.033	ICD-10-CM	Idiopathic aseptic necrosis of unspecified radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.034	ICD-10-CM	Idiopathic aseptic necrosis of right ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.035	ICD-10-CM	Idiopathic aseptic necrosis of left ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.036	ICD-10-CM	Idiopathic aseptic necrosis of unspecified ulna	Yes	Osteonecrosis - bone death causing pain and disability

M87.037	ICD-10-CM	Idiopathic aseptic necrosis of right carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.038	ICD-10-CM	Idiopathic aseptic necrosis of left carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.039	ICD-10-CM	Idiopathic aseptic necrosis of unspecified carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.041	ICD-10-CM	Idiopathic aseptic necrosis of right hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.042	ICD-10-CM	Idiopathic aseptic necrosis of left hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.043	ICD-10-CM	Idiopathic aseptic necrosis of unspecified hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.044	ICD-10-CM	Idiopathic aseptic necrosis of right finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.045	ICD-10-CM	Idiopathic aseptic necrosis of left finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.046	ICD-10-CM	Idiopathic aseptic necrosis of unspecified finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.050	ICD-10-CM	Idiopathic aseptic necrosis of pelvis	Yes	Osteonecrosis - bone death causing pain and disability
M87.051	ICD-10-CM	Idiopathic aseptic necrosis of right femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.052	ICD-10-CM	Idiopathic aseptic necrosis of left femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.059	ICD-10-CM	Idiopathic aseptic necrosis of unspecified femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.061	ICD-10-CM	Idiopathic aseptic necrosis of right tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.062	ICD-10-CM	Idiopathic aseptic necrosis of left tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.063	ICD-10-CM	Idiopathic aseptic necrosis of unspecified tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.064	ICD-10-CM	Idiopathic aseptic necrosis of right fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.065	ICD-10-CM	Idiopathic aseptic necrosis of left fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.066	ICD-10-CM	Idiopathic aseptic necrosis of unspecified fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.071	ICD-10-CM	Idiopathic aseptic necrosis of right ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.072	ICD-10-CM	Idiopathic aseptic necrosis of left ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.073	ICD-10-CM	Idiopathic aseptic necrosis of unspecified ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.074	ICD-10-CM	Idiopathic aseptic necrosis of right foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.075	ICD-10-CM	Idiopathic aseptic necrosis of left foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.076	ICD-10-CM	Idiopathic aseptic necrosis of unspecified foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.077	ICD-10-CM	Idiopathic aseptic necrosis of right toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.078	ICD-10-CM	Idiopathic aseptic necrosis of left toe(s)	Yes	Osteonecrosis - bone death causing pain and disability

M87.079	ICD-10-CM	Idiopathic aseptic necrosis of unspecified toe(s)		Yes	Osteonecrosis - bone death causing pain and disability
M87.08	ICD-10-CM	Idiopathic aseptic necrosis of bone, other site		Yes	Osteonecrosis - bone death causing pain and disability
M87.09	ICD-10-CM	Idiopathic aseptic necrosis of bone, multiple sites		Yes	Osteonecrosis - bone death causing pain and disability
M87.10	ICD-10-CM	Osteonecrosis due to drugs, unspecified bone		Yes	Osteonecrosis - bone death causing pain and disability
M87.111	ICD-10-CM	Osteonecrosis due to drugs, right shoulder		Yes	Osteonecrosis - bone death causing pain and disability
M87.112	ICD-10-CM	Osteonecrosis due to drugs, left shoulder		Yes	Osteonecrosis - bone death causing pain and disability
M87.119	ICD-10-CM	Osteonecrosis due to drugs, unspecified shoulder		Yes	Osteonecrosis - bone death causing pain and disability
M87.121	ICD-10-CM	Osteonecrosis due to drugs, right humerus		Yes	Osteonecrosis - bone death causing pain and disability
M87.122	ICD-10-CM	Osteonecrosis due to drugs, left humerus		Yes	Osteonecrosis - bone death causing pain and disability
M87.129	ICD-10-CM	Osteonecrosis due to drugs, unspecified humerus		Yes	Osteonecrosis - bone death causing pain and disability
M87.131	ICD-10-CM	Osteonecrosis due to drugs of right radius		Yes	Osteonecrosis - bone death causing pain and disability
M87.132	ICD-10-CM	Osteonecrosis due to drugs of left radius		Yes	Osteonecrosis - bone death causing pain and disability
M87.133	ICD-10-CM	Osteonecrosis due to drugs of unspecified radius		Yes	Osteonecrosis - bone death causing pain and disability
M87.134	ICD-10-CM	Osteonecrosis due to drugs of right ulna		Yes	Osteonecrosis - bone death causing pain and disability
M87.135	ICD-10-CM	Osteonecrosis due to drugs of left ulna		Yes	Osteonecrosis - bone death causing pain and disability
M87.136	ICD-10-CM	Osteonecrosis due to drugs of unspecified ulna		Yes	Osteonecrosis - bone death causing pain and disability
M87.137	ICD-10-CM	Osteonecrosis due to drugs of right carpus		Yes	Osteonecrosis - bone death causing pain and disability
M87.138	ICD-10-CM	Osteonecrosis due to drugs of left carpus		Yes	Osteonecrosis - bone death causing pain and disability
M87.139	ICD-10-CM	Osteonecrosis due to drugs of unspecified carpus		Yes	Osteonecrosis - bone death causing pain and disability
M87.141	ICD-10-CM	Osteonecrosis due to drugs, right hand		Yes	Osteonecrosis - bone death causing pain and disability
M87.142	ICD-10-CM	Osteonecrosis due to drugs, left hand		Yes	Osteonecrosis - bone death causing pain and disability
M87.143	ICD-10-CM	Osteonecrosis due to drugs, unspecified hand		Yes	Osteonecrosis - bone death causing pain and disability
M87.144	ICD-10-CM	Osteonecrosis due to drugs, right finger(s)		Yes	Osteonecrosis - bone death causing pain and disability
M87.145	ICD-10-CM	Osteonecrosis due to drugs, left finger(s)		Yes	Osteonecrosis - bone death causing pain and disability
M87.146	ICD-10-CM	Osteonecrosis due to drugs, unspecified finger(s)		Yes	Osteonecrosis - bone death causing pain and disability
M87.150	ICD-10-CM	Osteonecrosis due to drugs, pelvis		Yes	Osteonecrosis - bone death causing pain and disability

M87.151	ICD-10-CM	Osteonecrosis due to drugs, right femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.152	ICD-10-CM	Osteonecrosis due to drugs, left femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.159	ICD-10-CM	Osteonecrosis due to drugs, unspecified femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.161	ICD-10-CM	Osteonecrosis due to drugs, right tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.162	ICD-10-CM	Osteonecrosis due to drugs, left tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.163	ICD-10-CM	Osteonecrosis due to drugs, unspecified tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.164	ICD-10-CM	Osteonecrosis due to drugs, right fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.165	ICD-10-CM	Osteonecrosis due to drugs, left fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.166	ICD-10-CM	Osteonecrosis due to drugs, unspecified fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.171	ICD-10-CM	Osteonecrosis due to drugs, right ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.172	ICD-10-CM	Osteonecrosis due to drugs, left ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.173	ICD-10-CM	Osteonecrosis due to drugs, unspecified ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.174	ICD-10-CM	Osteonecrosis due to drugs, right foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.175	ICD-10-CM	Osteonecrosis due to drugs, left foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.176	ICD-10-CM	Osteonecrosis due to drugs, unspecified foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.177	ICD-10-CM	Osteonecrosis due to drugs, right toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.178	ICD-10-CM	Osteonecrosis due to drugs, left toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.179	ICD-10-CM	Osteonecrosis due to drugs, unspecified toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.180	ICD-10-CM	Osteonecrosis due to drugs, jaw	Yes	Osteonecrosis - bone death causing pain and disability
M87.188	ICD-10-CM	Osteonecrosis due to drugs, other site	Yes	Osteonecrosis - bone death causing pain and disability
M87.19	ICD-10-CM	Osteonecrosis due to drugs, multiple sites	Yes	Osteonecrosis - bone death causing pain and disability
M87.20	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified bone	Yes	Osteonecrosis - bone death causing pain and disability
M87.211	ICD-10-CM	Osteonecrosis due to previous trauma, right shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.212	ICD-10-CM	Osteonecrosis due to previous trauma, left shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.219	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.221	ICD-10-CM	Osteonecrosis due to previous trauma, right humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.222	ICD-10-CM	Osteonecrosis due to previous trauma, left humerus	Yes	Osteonecrosis - bone death causing pain and disability

M87.229	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.231	ICD-10-CM	Osteonecrosis due to previous trauma of right radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.232	ICD-10-CM	Osteonecrosis due to previous trauma of left radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.233	ICD-10-CM	Osteonecrosis due to previous trauma of unspecified radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.234	ICD-10-CM	Osteonecrosis due to previous trauma of right ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.235	ICD-10-CM	Osteonecrosis due to previous trauma of left ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.236	ICD-10-CM	Osteonecrosis due to previous trauma of unspecified ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.237	ICD-10-CM	Osteonecrosis due to previous trauma of right carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.238	ICD-10-CM	Osteonecrosis due to previous trauma of left carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.239	ICD-10-CM	Osteonecrosis due to previous trauma of unspecified carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.241	ICD-10-CM	Osteonecrosis due to previous trauma, right hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.242	ICD-10-CM	Osteonecrosis due to previous trauma, left hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.243	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.244	ICD-10-CM	Osteonecrosis due to previous trauma, right finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.245	ICD-10-CM	Osteonecrosis due to previous trauma, left finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.246	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.250	ICD-10-CM	Osteonecrosis due to previous trauma, pelvis	Yes	Osteonecrosis - bone death causing pain and disability

M87.251	ICD-10-CM	Osteonecrosis due to previous trauma, right femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.252	ICD-10-CM	Osteonecrosis due to previous trauma, left femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.256	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.261	ICD-10-CM	Osteonecrosis due to previous trauma, right tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.262	ICD-10-CM	Osteonecrosis due to previous trauma, left tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.263	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.264	ICD-10-CM	Osteonecrosis due to previous trauma, right fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.265	ICD-10-CM	Osteonecrosis due to previous trauma, left fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.266	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.271	ICD-10-CM	Osteonecrosis due to previous trauma, right ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.272	ICD-10-CM	Osteonecrosis due to previous trauma, left ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.273	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.274	ICD-10-CM	Osteonecrosis due to previous trauma, right foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.275	ICD-10-CM	Osteonecrosis due to previous trauma, left foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.276	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.277	ICD-10-CM	Osteonecrosis due to previous trauma, right toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.278	ICD-10-CM	Osteonecrosis due to previous trauma, left toe(s)	Yes	Osteonecrosis - bone death causing pain and disability

M87.279	ICD-10-CM	Osteonecrosis due to previous trauma, unspecified toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.28	ICD-10-CM	Osteonecrosis due to previous trauma, other site	Yes	Osteonecrosis - bone death causing pain and disability
M87.29	ICD-10-CM	Osteonecrosis due to previous trauma, multiple sites	Yes	Osteonecrosis - bone death causing pain and disability
M87.30	ICD-10-CM	Other secondary osteonecrosis, unspecified bone	Yes	Osteonecrosis - bone death causing pain and disability
M87.311	ICD-10-CM	Other secondary osteonecrosis, right shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.312	ICD-10-CM	Other secondary osteonecrosis, left shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.319	ICD-10-CM	Other secondary osteonecrosis, unspecified shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.321	ICD-10-CM	Other secondary osteonecrosis, right humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.322	ICD-10-CM	Other secondary osteonecrosis, left humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.329	ICD-10-CM	Other secondary osteonecrosis, unspecified humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.331	ICD-10-CM	Other secondary osteonecrosis of right radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.332	ICD-10-CM	Other secondary osteonecrosis of left radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.333	ICD-10-CM	Other secondary osteonecrosis of unspecified radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.334	ICD-10-CM	Other secondary osteonecrosis of right ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.335	ICD-10-CM	Other secondary osteonecrosis of left ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.336	ICD-10-CM	Other secondary osteonecrosis of unspecified ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.337	ICD-10-CM	Other secondary osteonecrosis of right carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.338	ICD-10-CM	Other secondary osteonecrosis of left carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.339	ICD-10-CM	Other secondary osteonecrosis of unspecified carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.341	ICD-10-CM	Other secondary osteonecrosis, right hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.342	ICD-10-CM	Other secondary osteonecrosis, left hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.343	ICD-10-CM	Other secondary osteonecrosis, unspecified hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.344	ICD-10-CM	Other secondary osteonecrosis, right finger(s)	Yes	Osteonecrosis - bone death causing pain and disability

M87.345	ICD-10-CM	Other secondary osteonecrosis, left finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.346	ICD-10-CM	Other secondary osteonecrosis, unspecified finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.350	ICD-10-CM	Other secondary osteonecrosis, pelvis	Yes	Osteonecrosis - bone death causing pain and disability
M87.351	ICD-10-CM	Other secondary osteonecrosis, right femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.352	ICD-10-CM	Other secondary osteonecrosis, left femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.353	ICD-10-CM	Other secondary osteonecrosis, unspecified femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.361	ICD-10-CM	Other secondary osteonecrosis, right tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.362	ICD-10-CM	Other secondary osteonecrosis, left tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.363	ICD-10-CM	Other secondary osteonecrosis, unspecified tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.364	ICD-10-CM	Other secondary osteonecrosis, right fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.365	ICD-10-CM	Other secondary osteonecrosis, left fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.366	ICD-10-CM	Other secondary osteonecrosis, unspecified fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.371	ICD-10-CM	Other secondary osteonecrosis, right ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.372	ICD-10-CM	Other secondary osteonecrosis, left ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.373	ICD-10-CM	Other secondary osteonecrosis, unspecified ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.374	ICD-10-CM	Other secondary osteonecrosis, right foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.375	ICD-10-CM	Other secondary osteonecrosis, left foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.376	ICD-10-CM	Other secondary osteonecrosis, unspecified foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.377	ICD-10-CM	Other secondary osteonecrosis, right toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.378	ICD-10-CM	Other secondary osteonecrosis, left toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.379	ICD-10-CM	Other secondary osteonecrosis, unspecified toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.38	ICD-10-CM	Other secondary osteonecrosis, other site	Yes	Osteonecrosis - bone death causing pain and disability
M87.39	ICD-10-CM	Other secondary osteonecrosis, multiple sites	Yes	Osteonecrosis - bone death causing pain and disability
M87.80	ICD-10-CM	Other osteonecrosis, unspecified bone	Yes	Osteonecrosis - bone death causing pain and disability
M87.811	ICD-10-CM	Other osteonecrosis, right shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.812	ICD-10-CM	Other osteonecrosis, left shoulder	Yes	Osteonecrosis - bone death causing pain and disability

M87.819	ICD-10-CM	Other osteonecrosis, unspecified shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M87.821	ICD-10-CM	Other osteonecrosis, right humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.822	ICD-10-CM	Other osteonecrosis, left humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.829	ICD-10-CM	Other osteonecrosis, unspecified humerus	Yes	Osteonecrosis - bone death causing pain and disability
M87.831	ICD-10-CM	Other osteonecrosis of right radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.832	ICD-10-CM	Other osteonecrosis of left radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.833	ICD-10-CM	Other osteonecrosis of unspecified radius	Yes	Osteonecrosis - bone death causing pain and disability
M87.834	ICD-10-CM	Other osteonecrosis of right ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.835	ICD-10-CM	Other osteonecrosis of left ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.836	ICD-10-CM	Other osteonecrosis of unspecified ulna	Yes	Osteonecrosis - bone death causing pain and disability
M87.837	ICD-10-CM	Other osteonecrosis of right carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.838	ICD-10-CM	Other osteonecrosis of left carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.839	ICD-10-CM	Other osteonecrosis of unspecified carpus	Yes	Osteonecrosis - bone death causing pain and disability
M87.841	ICD-10-CM	Other osteonecrosis, right hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.842	ICD-10-CM	Other osteonecrosis, left hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.843	ICD-10-CM	Other osteonecrosis, unspecified hand	Yes	Osteonecrosis - bone death causing pain and disability
M87.844	ICD-10-CM	Other osteonecrosis, right finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.845	ICD-10-CM	Other osteonecrosis, left finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.849	ICD-10-CM	Other osteonecrosis, unspecified finger(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.850	ICD-10-CM	Other osteonecrosis, pelvis	Yes	Osteonecrosis - bone death causing pain and disability
M87.851	ICD-10-CM	Other osteonecrosis, right femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.852	ICD-10-CM	Other osteonecrosis, left femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.859	ICD-10-CM	Other osteonecrosis, unspecified femur	Yes	Osteonecrosis - bone death causing pain and disability
M87.861	ICD-10-CM	Other osteonecrosis, right tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.862	ICD-10-CM	Other osteonecrosis, left tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.863	ICD-10-CM	Other osteonecrosis, unspecified tibia	Yes	Osteonecrosis - bone death causing pain and disability
M87.864	ICD-10-CM	Other osteonecrosis, right fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.865	ICD-10-CM	Other osteonecrosis, left fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.869	ICD-10-CM	Other osteonecrosis, unspecified fibula	Yes	Osteonecrosis - bone death causing pain and disability
M87.871	ICD-10-CM	Other osteonecrosis, right ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.872	ICD-10-CM	Other osteonecrosis, left ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.873	ICD-10-CM	Other osteonecrosis, unspecified ankle	Yes	Osteonecrosis - bone death causing pain and disability
M87.874	ICD-10-CM	Other osteonecrosis, right foot	Yes	Osteonecrosis - bone death causing pain and disability

M87.875	ICD-10-CM	Other osteonecrosis, left foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.876	ICD-10-CM	Other osteonecrosis, unspecified foot	Yes	Osteonecrosis - bone death causing pain and disability
M87.877	ICD-10-CM	Other osteonecrosis, right toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.878	ICD-10-CM	Other osteonecrosis, left toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.879	ICD-10-CM	Other osteonecrosis, unspecified toe(s)	Yes	Osteonecrosis - bone death causing pain and disability
M87.88	ICD-10-CM	Other osteonecrosis, other site	Yes	Osteonecrosis - bone death causing pain and disability
M87.89	ICD-10-CM	Other osteonecrosis, multiple sites	Yes	Osteonecrosis - bone death causing pain and disability
M87.9	ICD-10-CM	Osteonecrosis, unspecified	Yes	Osteonecrosis - bone death causing pain and disability
M89.60	ICD-10-CM	Osteopathy after poliomyelitis, unspecified site	Yes	Osteonecrosis - bone death causing pain and disability
M89.611	ICD-10-CM	Osteopathy after poliomyelitis, right shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M89.612	ICD-10-CM	Osteopathy after poliomyelitis, left shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M89.619	ICD-10-CM	Osteopathy after poliomyelitis, unspecified shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M89.621	ICD-10-CM	Osteopathy after poliomyelitis, right upper arm	Yes	Osteonecrosis - bone death causing pain and disability
M89.622	ICD-10-CM	Osteopathy after poliomyelitis, left upper arm	Yes	Osteonecrosis - bone death causing pain and disability
M89.629	ICD-10-CM	Osteopathy after poliomyelitis, unspecified upper arm	Yes	Osteonecrosis - bone death causing pain and disability
M89.631	ICD-10-CM	Osteopathy after poliomyelitis, right forearm	Yes	Osteonecrosis - bone death causing pain and disability
M89.632	ICD-10-CM	Osteopathy after poliomyelitis, left forearm	Yes	Osteonecrosis - bone death causing pain and disability
M89.639	ICD-10-CM	Osteopathy after poliomyelitis, unspecified forearm	Yes	Osteonecrosis - bone death causing pain and disability
M89.641	ICD-10-CM	Osteopathy after poliomyelitis, right hand	Yes	Osteonecrosis - bone death causing pain and disability
M89.642	ICD-10-CM	Osteopathy after poliomyelitis, left hand	Yes	Osteonecrosis - bone death causing pain and disability
M89.649	ICD-10-CM	Osteopathy after poliomyelitis, unspecified hand	Yes	Osteonecrosis - bone death causing pain and disability
M89.651	ICD-10-CM	Osteopathy after poliomyelitis, right thigh	Yes	Osteonecrosis - bone death causing pain and disability
M89.652	ICD-10-CM	Osteopathy after poliomyelitis, left thigh	Yes	Osteonecrosis - bone death causing pain and disability
M89.659	ICD-10-CM	Osteopathy after poliomyelitis, unspecified thigh	Yes	Osteonecrosis - bone death causing pain and disability
M89.661	ICD-10-CM	Osteopathy after poliomyelitis, right lower leg	Yes	Osteonecrosis - bone death causing pain and disability
M89.662	ICD-10-CM	Osteopathy after poliomyelitis, left lower leg	Yes	Osteonecrosis - bone death causing pain and disability
M89.669	ICD-10-CM	Osteopathy after poliomyelitis, unspecified lower leg	Yes	Osteonecrosis - bone death causing pain and disability

M89.671	ICD-10-CM	Osteopathy after poliomyelitis, right ankle and foot	Yes	Osteonecrosis - bone death causing pain and disability
M89.672	ICD-10-CM	Osteopathy after poliomyelitis, left ankle and foot	Yes	Osteonecrosis - bone death causing pain and disability
M89.679	ICD-10-CM	Osteopathy after poliomyelitis, unspecified ankle and foot	Yes	Osteonecrosis - bone death causing pain and disability
M89.68	ICD-10-CM	Osteopathy after poliomyelitis, other site	Yes	Osteonecrosis - bone death causing pain and disability
M89.69	ICD-10-CM	Osteopathy after poliomyelitis, multiple sites	Yes	Osteonecrosis - bone death causing pain and disability
M90.50	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, unspecified site	Yes	Osteonecrosis - bone death causing pain and disability
M90.511	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, right shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M90.512	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, left shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M90.519	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, unspecified shoulder	Yes	Osteonecrosis - bone death causing pain and disability
M90.521	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, right upper arm	Yes	Osteonecrosis - bone death causing pain and disability
M90.522	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, left upper arm	Yes	Osteonecrosis - bone death causing pain and disability
M90.529	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, unspecified upper arm	Yes	Osteonecrosis - bone death causing pain and disability
M90.531	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, right forearm	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.532	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, left forearm	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.539	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, unspecified forearm	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.541	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, right hand	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.542	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, left hand	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition

M90.549	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, unspecified hand	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.551	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, right thigh	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.552	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, left thigh	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.559	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, unspecified thigh	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.561	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, right lower leg	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.562	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, left lower leg	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.569	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, unspecified lower leg	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.571	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, right ankle and foot	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.572	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, left ankle and foot	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.579	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, unspecified ankle and foot	Yes	Osteonecrosis in diseases classified elsewhere - bone death secondary to underlying condition
M90.58	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, other site	Yes	Osteonecrosis - bone death causing pain and disability
M90.59	ICD-10-CM	Osteonecrosis in diseases classified elsewhere, multiple sites	Yes	Osteonecrosis - bone death causing pain and disability
M96.65	ICD-10-CM	Fracture of pelvis following insertion of orthopedic implant, joint prosthesis, or bone plate	Yes	Periprosthetic fracture - often in frail elderly
M96.661	ICD-10-CM	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, right leg	Yes	Periprosthetic fracture - often in frail elderly
M96.662	ICD-10-CM	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, left leg	Yes	Periprosthetic fracture - often in frail elderly

M96.669	ICD-10-CM	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, unspecified leg	Yes	Periprosthetic fracture - often in frail elderly
M96.671	ICD-10-CM	Fracture of tibia or fibula following insertion of orthopedic implant, joint prosthesis, or bone plate, right leg	Yes	Periprosthetic fracture - often in frail elderly
M96.672	ICD-10-CM	Fracture of tibia or fibula following insertion of orthopedic implant, joint prosthesis, or bone plate, left leg	Yes	Periprosthetic fracture - often in frail elderly
M96.679	ICD-10-CM	Fracture of tibia or fibula following insertion of orthopedic implant, joint prosthesis, or bone plate, unspecified leg	Yes	Periprosthetic fracture - often in frail elderly
M97.01XA	ICD-10-CM	Periprosthetic fracture around internal prosthetic right hip joint, initial encounter	Yes	Periprosthetic fracture - often in frail elderly
M97.02XA	ICD-10-CM	Periprosthetic fracture around internal prosthetic left hip joint, initial encounter	Yes	Periprosthetic fracture - often in frail elderly

Code	Code Type	Description	Yes/ No	Rationale
N02.7	ICD-10-CM	Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis	Yes	Recurrent/persistent hematuria with crescentic GN — aggressive morphology with risk of rapid renal decline; associated with functional impairment
N04.20	ICD-10-CM	Nephrotic syndrome with diffuse membranous glomerulonephritis, unspecified	Yes	Nephrotic syndrome with diffuse membranous GN — membranous nephropathy presenting with nephrotic syndrome; significant proteinuria and functional impairment
N04.29	ICD-10-CM	Other nephrotic syndrome with diffuse membranous glomerulonephritis	Yes	Other nephrotic syndrome with diffuse membranous GN — nephrotic-range proteinuria with associated complications; qualifies as functional impairment
N04.4	ICD-10-CM	Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis	Yes	Nephrotic syndrome with diffuse endocapillary proliferative GN — full nephrotic syndrome with significant systemic complications and functional impairment
N04.5	ICD-10-CM	Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis	Yes	Nephrotic syndrome with diffuse mesangiocapillary GN — nephrotic-range proteinuria; high risk of renal progression and functional impairment
N04.8	ICD-10-CM	Nephrotic syndrome with other morphologic changes	Yes	Nephrotic syndrome with other morphologic changes — full nephrotic syndrome with significant systemic complications regardless of specific histology
N04.9	ICD-10-CM	Nephrotic syndrome with unspecified morphologic changes	Yes	Nephrotic syndrome, unspecified morphology — full nephrotic syndrome with significant systemic complications and functional impairment
N17.1	ICD-10-CM	Acute kidney failure with acute cortical necrosis	Yes	Acute kidney failure - severe renal damage
N17.2	ICD-10-CM	Acute kidney failure with medullary necrosis	Yes	Acute kidney failure - severe renal damage
N18	ICD-10-CM	Chronic kidney disease (CKD)	Yes	Advanced/severe chronic progressive disease causing functional impairment

Code	Code Type	Description	Yes/ No	Rationale
Q02	ICD-10-CM	Microcephaly	Yes	Microcephaly - congenital brain malformation with developmental impairment
Q03.0	ICD-10-CM	Malformations of aqueduct of Sylvius	Yes	Congenital hydrocephalus - causes increased intracranial pressure, developmental issues
Q03.1	ICD-10-CM	Atresia of foramina of Magendie and Luschka	Yes	Congenital hydrocephalus - causes increased intracranial pressure
Q04.3	ICD-10-CM	Other reduction deformities of brain	Yes	Brain reduction defects - significant developmental impairment
Q04.4	ICD-10-CM	Septo-optic dysplasia of brain	Yes	Septo-optic dysplasia - optic nerve hypoplasia, pituitary dysfunction, brain malformation
Q05.0	ICD-10-CM	Cervical spina bifida with hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.1	ICD-10-CM	Thoracic spina bifida with hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.2	ICD-10-CM	Lumbar spina bifida with hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.3	ICD-10-CM	Sacral spina bifida with hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.4	ICD-10-CM	Unspecified spina bifida with hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.5	ICD-10-CM	Cervical spina bifida without hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.6	ICD-10-CM	Thoracic spina bifida without hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.7	ICD-10-CM	Lumbar spina bifida without hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.8	ICD-10-CM	Sacral spina bifida without hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q05.9	ICD-10-CM	Spina bifida, unspecified	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q07.01	ICD-10-CM	Arnold-Chiari syndrome with spina bifida	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q07.02	ICD-10-CM	Arnold-Chiari syndrome with hydrocephalus	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q07.03	ICD-10-CM	Arnold-Chiari syndrome with spina bifida and hydrocephalus	Yes	Arnold-Chiari with hydrocephalus - significant neurological compromise
Q20.0	ICD-10-CM	Common arterial trunk	Yes	Spina bifida - congenital neural tube defect with functional impairment
Q44.71	ICD-10-CM	Alagille syndrome	Yes	Truncus arteriosus - severe congenital heart defect requiring surgery
Q78.0	ICD-10-CM	Osteogenesis imperfecta	Yes	Alagille syndrome - multisystem disorder affecting liver, heart, kidneys
Q85.83	ICD-10-CM	Von Hippel-Lindau syndrome	Yes	Osteogenesis imperfecta - bone fragility, fractures, may have severe forms
Q87.11	ICD-10-CM	Prader-Willi syndrome	Yes	Von Hippel-Lindau - multiple tumors including CNS hemangioblastomas, renal cell carcinoma
Q87.410	ICD-10-CM	Marfan syndrome with aortic dilation	Yes	Prader-Willi - intellectual disability, hypotonia, obesity, behavioral issues
Q87.418	ICD-10-CM	Marfan syndrome with other cardiovascular manifestations	Yes	Marfan with aortic dilation - aortic dissection/rupture risk
Q87.42	ICD-10-CM	Marfan syndrome with ocular manifestations	Yes	Marfan with CV - significant cardiovascular complications
Q87.82	ICD-10-CM	Arterial tortuosity syndrome	Yes	Marfan with ocular - lens dislocation, retinal detachment risk
			Yes	Arterial tortuosity - vascular complications, aneurysm risk

Q87.86	ICD-10-CM	Kleefstra syndrome	Yes	Kleefstra - intellectual disability, hypotonia, congenital anomalies
Q91.0	ICD-10-CM	Trisomy 18, nonmosaic (meiotic nondisjunction)	Yes	Trisomy 18/13 - severe chromosomal disorder with limited lifespan
Q91.1	ICD-10-CM	Trisomy 18, mosaic (mitotic nondisjunction)	Yes	Trisomy 18/13 - severe chromosomal disorder with limited lifespan
Q91.2	ICD-10-CM	Trisomy 18, translocation	Yes	Trisomy 18/13 - severe chromosomal disorder with limited lifespan
Q91.3	ICD-10-CM	Trisomy 18, unspecified	Yes	Trisomy 18/13 - severe chromosomal disorder with limited lifespan
Q91.4	ICD-10-CM	Trisomy 13, nonmosaic (meiotic nondisjunction)	Yes	Trisomy 18/13 - severe chromosomal disorder with limited lifespan
Q91.5	ICD-10-CM	Trisomy 13, mosaic (mitotic nondisjunction)	Yes	Trisomy 18/13 - severe chromosomal disorder with limited lifespan
Q91.6	ICD-10-CM	Trisomy 13, translocation	Yes	Trisomy 18/13 - severe chromosomal disorder with limited lifespan
Q91.7	ICD-10-CM	Trisomy 13, unspecified	Yes	Trisomy 18/13 - severe chromosomal disorder with limited lifespan
Q92.0	ICD-10-CM	Whole chromosome trisomy, nonmosaic (meiotic nondisjunction)	Yes	Other trisomy - generally severe chromosomal disorder
Q92.7	ICD-10-CM	Triploidy and polyploidy	Yes	Triploidy - typically lethal or severe
Q93.0	ICD-10-CM	Whole chromosome monosomy, nonmosaic (meiotic nondisjunction)	Yes	Monosomy - severe chromosomal disorder (except X)
Q93.52	ICD-10-CM	Phelan-McDermid syndrome	Yes	Phelan-McDermid - intellectual disability, hypotonia, absent speech
Q93.81	ICD-10-CM	Velo-cardio-facial syndrome	Yes	22q11.2 deletion - cardiac defects, immune deficiency, learning difficulties
Q93.82	ICD-10-CM	Williams syndrome	Yes	Williams - intellectual disability, cardiovascular disease, hypercalcemia
Q99.2	ICD-10-CM	Fragile X chromosome	Yes	Fragile X - intellectual disability, autism features, connective tissue issues

Code	Code Type	Description	Yes/ No	Rationale
R18	ICD-10-CM	Ascites	Yes	Abnormal clinical finding - indicates underlying pathology requiring evaluation
R18.0	ICD-10-CM	Malignant ascites	Yes	Abnormal clinical finding - indicates underlying pathology requiring evaluation
R40.20	ICD-10-CM	Unspecified coma	Yes	Coma/unconsciousness - severe neurological compromise
R40.2110	ICD-10-CM	Coma scale, eyes open, never, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise
R40.2111	ICD-10-CM	Coma scale, eyes open, never, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2112	ICD-10-CM	Coma scale, eyes open, never, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2113	ICD-10-CM	Coma scale, eyes open, never, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2114	ICD-10-CM	Coma scale, eyes open, never, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2120	ICD-10-CM	Coma scale, eyes open, to pain, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise
R40.2121	ICD-10-CM	Coma scale, eyes open, to pain, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2122	ICD-10-CM	Coma scale, eyes open, to pain, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2123	ICD-10-CM	Coma scale, eyes open, to pain, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2124	ICD-10-CM	Coma scale, eyes open, to pain, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2210	ICD-10-CM	Coma scale, best verbal response, none, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise
R40.2211	ICD-10-CM	Coma scale, best verbal response, none, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2212	ICD-10-CM	Coma scale, best verbal response, none, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2213	ICD-10-CM	Coma scale, best verbal response, none, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2214	ICD-10-CM	Coma scale, best verbal response, none, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2220	ICD-10-CM	Coma scale, best verbal response, incomprehensible words, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise

R40.2221	ICD-10-CM	Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2222	ICD-10-CM	Coma scale, best verbal response, incomprehensible words, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2223	ICD-10-CM	Coma scale, best verbal response, incomprehensible words, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2224	ICD-10-CM	Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2310	ICD-10-CM	Coma scale, best motor response, none, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise
R40.2311	ICD-10-CM	Coma scale, best motor response, none, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2312	ICD-10-CM	Coma scale, best motor response, none, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2313	ICD-10-CM	Coma scale, best motor response, none, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2314	ICD-10-CM	Coma scale, best motor response, none, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2320	ICD-10-CM	Coma scale, best motor response, extension, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise
R40.2321	ICD-10-CM	Coma scale, best motor response, extension, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2322	ICD-10-CM	Coma scale, best motor response, extension, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2323	ICD-10-CM	Coma scale, best motor response, extension, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2324	ICD-10-CM	Coma scale, best motor response, extension, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2340	ICD-10-CM	Coma scale, best motor response, flexion withdrawal, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise

R40.2341	ICD-10-CM	Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2342	ICD-10-CM	Coma scale, best motor response, flexion withdrawal, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2343	ICD-10-CM	Coma scale, best motor response, flexion withdrawal, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2344	ICD-10-CM	Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2430	ICD-10-CM	Glasgow coma scale score 3-8, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise
R40.2431	ICD-10-CM	Glasgow coma scale score 3-8, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2432	ICD-10-CM	Glasgow coma scale score 3-8, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2433	ICD-10-CM	Glasgow coma scale score 3-8, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2434	ICD-10-CM	Glasgow coma scale score 3-8, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2440	ICD-10-CM	Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time	Yes	Coma/unconsciousness - severe neurological compromise
R40.2441	ICD-10-CM	Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]	Yes	Coma/unconsciousness - severe neurological compromise
R40.2442	ICD-10-CM	Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department	Yes	Coma/unconsciousness - severe neurological compromise
R40.2443	ICD-10-CM	Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission	Yes	Coma/unconsciousness - severe neurological compromise
R40.2444	ICD-10-CM	Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission	Yes	Coma/unconsciousness - severe neurological compromise

R40.2A	ICD-10-CM	Nontraumatic coma due to underlying condition	Yes	Coma/unconsciousness - severe neurological compromise
R40.3	ICD-10-CM	Persistent vegetative state	Yes	Abnormal clinical finding - indicates underlying pathology requiring evaluation
R45.88	ICD-10-CM	Non-suicidal self-harm	Yes	Suicide attempt - indicates severe psychiatric crisis, safety risk
R53.2	ICD-10-CM	Functional quadriplegia	Yes	Abnormal clinical finding - indicates underlying pathology requiring evaluation
R56.01	ICD-10-CM	Complex febrile convulsions	Yes	Abnormal clinical finding - indicates underlying pathology requiring evaluation
R56.1	ICD-10-CM	Post traumatic seizures	Yes	Abnormal clinical finding - indicates underlying pathology requiring evaluation
R57.0	ICD-10-CM	Cardiogenic shock	Yes	Shock/hypotension - circulatory compromise requiring intervention
R57.1	ICD-10-CM	Hypovolemic shock	Yes	Shock/hypotension - circulatory compromise requiring intervention
R57.2	ICD-10-CM	Septic shock	Yes	Shock/hypotension - circulatory compromise requiring intervention
R57.9	ICD-10-CM	Shock, unspecified	Yes	Shock/hypotension - circulatory compromise requiring intervention
R65.10	ICD-10-CM	Systemic inflammatory response syndrome (SIRS) of non-infectious origin without acute organ dysfunction	Yes	Systemic inflammatory response - serious infectious/inflammatory state
R65.11	ICD-10-CM	Systemic inflammatory response syndrome (SIRS) of non-infectious origin with acute organ dysfunction	Yes	Systemic inflammatory response - serious infectious/inflammatory state
R65.20	ICD-10-CM	Severe sepsis without septic shock	Yes	Shock/hypotension - circulatory compromise requiring intervention
R65.21	ICD-10-CM	Severe sepsis with septic shock	Yes	Shock/hypotension - circulatory compromise requiring intervention

Code	Code Type	Description	Yes/ No	Rationale
S06.0X1S	ICD-10-CM	Concussion with loss of consciousness of 30 minutes or less, sequela	Yes	Sequela of concussion / post-concussive syndrome - persistent cognitive, somatic, or affective symptoms producing functional impairment
S06.1X0A	ICD-10-CM	Traumatic cerebral edema without loss of consciousness, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X0S	ICD-10-CM	Traumatic cerebral edema without loss of consciousness, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X1A	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X1S	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X2A	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X2S	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X3A	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X3S	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X4A	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X4S	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X5A	ICD-10-CM	Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X5S	ICD-10-CM	Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X6A	ICD-10-CM	Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment

S06.1X6S	ICD-10-CM	Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X9A	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1X9S	ICD-10-CM	Traumatic cerebral edema with loss of consciousness of unspecified duration, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1XAA	ICD-10-CM	Traumatic cerebral edema with loss of consciousness status unknown, initial encounter	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.1XAS	ICD-10-CM	Traumatic cerebral edema with loss of consciousness status unknown, sequela	Yes	Traumatic cerebral edema - marker of significant brain injury, associated with persistent cognitive and functional impairment
S06.302A	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.302S	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.303A	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.303S	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.304A	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.304S	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.305A	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.305S	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit

S06.306A	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.306S	ICD-10-CM	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Focal traumatic brain injury - parenchymal injury with high risk of permanent neurologic deficit
S06.310A	ICD-10-CM	Contusion and laceration of right cerebrum without loss of consciousness, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.310S	ICD-10-CM	Contusion and laceration of right cerebrum without loss of consciousness, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.311A	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.311S	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.312A	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.312S	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.313A	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.313S	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.314A	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.314S	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.315A	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit

S06.315S	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.316A	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.316S	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.319A	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.319S	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.31AA	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness status unknown, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.31AS	ICD-10-CM	Contusion and laceration of right cerebrum with loss of consciousness status unknown, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.320A	ICD-10-CM	Contusion and laceration of left cerebrum without loss of consciousness, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.320S	ICD-10-CM	Contusion and laceration of left cerebrum without loss of consciousness, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.321A	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.321S	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.322A	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.322S	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit

S06.323A	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.323S	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.324A	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.324S	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.325A	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.325S	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.326A	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.326S	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.329A	ICD-10-CM	Contusion and laceration of unspecified duration, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.329S	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.32AA	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness status unknown, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.32AS	ICD-10-CM	Contusion and laceration of left cerebrum with loss of consciousness status unknown, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.330A	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit

S06.330S	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.331A	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.331S	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.332A	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.332S	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.333A	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.333S	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.334A	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.334S	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.335A	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.335S	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit

S06.336A	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.336S	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.339A	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.339S	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.33AA	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness status unknown, initial encounter	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.33AS	ICD-10-CM	Contusion and laceration of cerebrum, unspecified, with loss of consciousness status unknown, sequela	Yes	Traumatic brain contusion/laceration - parenchymal injury with high risk of permanent neurologic deficit
S06.340A	ICD-10-CM	Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.340S	ICD-10-CM	Traumatic hemorrhage of right cerebrum without loss of consciousness, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.341A	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.341S	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.342A	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.342S	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.343A	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits

S06.343S	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.344A	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.344S	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.345A	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.345S	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.346A	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.346S	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.349A	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.349S	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.34AA	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness status unknown, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.34AS	ICD-10-CM	Traumatic hemorrhage of right cerebrum with loss of consciousness status unknown, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.350A	ICD-10-CM	Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.350S	ICD-10-CM	Traumatic hemorrhage of left cerebrum without loss of consciousness, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.351A	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits

S06.351S	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.352A	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.352S	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.353A	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.353S	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.354A	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.354S	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.355A	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.355S	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.356A	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.356S	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.359A	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.359S	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits

S06.35AA	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness status unknown, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.35AS	ICD-10-CM	Traumatic hemorrhage of left cerebrum with loss of consciousness status unknown, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.360A	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.360S	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.361A	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.361S	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.362A	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.362S	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.363A	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.363S	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.364A	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.364S	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.365A	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits

S06.365S	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.366A	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.366S	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.369A	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.369S	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.36AA	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness status unknown, initial encounter	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.36AS	ICD-10-CM	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness status unknown, sequela	Yes	Traumatic cerebral hemorrhage - parenchymal brain injury with high risk of persistent cognitive and motor deficits
S06.370A	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.370S	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.371A	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.371S	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.372A	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits

S06.372S	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.373A	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.373S	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.374A	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.374S	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.375A	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.375S	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.376A	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.376S	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.379A	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits

S06.379S	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.37AA	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness status unknown, initial encounter	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.37AS	ICD-10-CM	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness status unknown, sequela	Yes	Cerebellum injury - high risk of permanent ataxia, coordination, and balance deficits
S06.380A	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.380S	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.381A	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.381S	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.382A	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.382S	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.383A	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.383S	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.384A	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)

S06.384S	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.385A	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.385S	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.386A	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.386S	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.389A	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.389S	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.38AA	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness status unknown, initial encounter	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.38AS	ICD-10-CM	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness status unknown, sequela	Yes	Brainstem injury - high risk of permanent severe neurologic impairment (cranial nerves, motor control, autonomic function)
S06.4X0A	ICD-10-CM	Epidural hemorrhage without loss of consciousness, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X0S	ICD-10-CM	Epidural hemorrhage without loss of consciousness, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X1A	ICD-10-CM	Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X1S	ICD-10-CM	Epidural hemorrhage with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae

S06.4X2A	ICD-10-CM	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X2S	ICD-10-CM	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X3A	ICD-10-CM	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X3S	ICD-10-CM	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X4A	ICD-10-CM	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X4S	ICD-10-CM	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X5A	ICD-10-CM	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X5S	ICD-10-CM	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X6A	ICD-10-CM	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X6S	ICD-10-CM	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X9A	ICD-10-CM	Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4X9S	ICD-10-CM	Epidural hemorrhage with loss of consciousness of unspecified duration, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4XAA	ICD-10-CM	Epidural hemorrhage with loss of consciousness status unknown, initial encounter	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae
S06.4XAS	ICD-10-CM	Epidural hemorrhage with loss of consciousness status unknown, sequela	Yes	Traumatic epidural hemorrhage - intracranial bleed with significant risk of persistent neurologic sequelae

S06.5X0A	ICD-10-CM	Traumatic subdural hemorrhage without loss of consciousness, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X0S	ICD-10-CM	Traumatic subdural hemorrhage without loss of consciousness, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X1A	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X1S	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X2A	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X2S	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X3A	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X3S	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X4A	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X4S	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X5A	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X5S	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X6A	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline

S06.5X6S	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X9A	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5X9S	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5XAA	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness status unknown, initial encounter	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.5XAS	ICD-10-CM	Traumatic subdural hemorrhage with loss of consciousness status unknown, sequela	Yes	Traumatic subdural hemorrhage - high risk of persistent deficits, recurrence, chronic subdural progression, and functional decline
S06.6X0A	ICD-10-CM	Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X0S	ICD-10-CM	Traumatic subarachnoid hemorrhage without loss of consciousness, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X1A	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X1S	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X2A	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X2S	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X3A	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X3S	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X4A	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X4S	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment

S06.6X5A	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X5S	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X6A	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X6S	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X9A	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6X9S	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6XAA	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness status unknown, initial encounter	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.6XAS	ICD-10-CM	Traumatic subarachnoid hemorrhage with loss of consciousness status unknown, sequela	Yes	Traumatic subarachnoid hemorrhage - intracranial bleed associated with cognitive deficits, vasospasm, and functional impairment
S06.810A	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.810S	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.811A	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.811S	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment

S06.812A	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.812S	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.813A	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.813S	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.814A	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.814S	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.815A	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.815S	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.816A	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment

S06.816S	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.819A	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.819S	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.81AA	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness status unknown, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.81AS	ICD-10-CM	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness status unknown, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.820A	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.820S	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.821A	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.821S	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.822A	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment

S06.822S	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.823A	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.823S	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.824A	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.824S	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.825A	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.825S	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.826A	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.826S	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment

S06.829A	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.829S	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.82AA	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness status unknown, initial encounter	Yes	Traumatic brain injury - documented brain injury with risk of persistent impairment
S06.82AS	ICD-10-CM	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness status unknown, sequela	Yes	Sequela of traumatic brain injury - persistent neurologic, cognitive, or functional impairment
S06.890A	ICD-10-CM	Other specified intracranial injury without loss of consciousness, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.890S	ICD-10-CM	Other specified intracranial injury without loss of consciousness, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.891A	ICD-10-CM	Other specified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.891S	ICD-10-CM	Other specified intracranial injury with loss of consciousness of 30 minutes or less, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.892A	ICD-10-CM	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.892S	ICD-10-CM	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.893A	ICD-10-CM	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.893S	ICD-10-CM	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.894A	ICD-10-CM	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits

S06.894S	ICD-10-CM	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.895A	ICD-10-CM	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.895S	ICD-10-CM	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.896A	ICD-10-CM	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.896S	ICD-10-CM	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.899A	ICD-10-CM	Other specified intracranial injury with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.899S	ICD-10-CM	Other specified intracranial injury with loss of consciousness of unspecified duration, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.89AA	ICD-10-CM	Other specified intracranial injury with loss of consciousness status unknown, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.89AS	ICD-10-CM	Other specified intracranial injury with loss of consciousness status unknown, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.8A0A	ICD-10-CM	Primary blast injury of brain, not elsewhere classified without loss of consciousness, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A0S	ICD-10-CM	Primary blast injury of brain, not elsewhere classified without loss of consciousness, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A1A	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A1S	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment

S06.8A2A	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A2S	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A3A	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A3S	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A4A	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A4S	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A5A	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A5S	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A6A	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of existing conscious level with patient surviving, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A6S	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of existing conscious level with patient surviving, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment

S06.8A9A	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8A9S	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness of unspecified duration, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8AAA	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness status unknown, initial encounter	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.8AAS	ICD-10-CM	Primary blast injury of brain, not elsewhere classified with loss of consciousness status unknown, sequela	Yes	Primary blast injury of brain - associated with persistent post-concussive symptoms, cognitive deficits, PTSD, and chronic neurologic impairment
S06.9X2A	ICD-10-CM	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X2S	ICD-10-CM	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X3A	ICD-10-CM	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X3S	ICD-10-CM	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X4A	ICD-10-CM	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X4S	ICD-10-CM	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X5A	ICD-10-CM	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X5S	ICD-10-CM	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X6A	ICD-10-CM	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits

S06.9X6S	ICD-10-CM	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X9A	ICD-10-CM	Unspecified intracranial injury with loss of consciousness of unspecified duration, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9X9S	ICD-10-CM	Unspecified intracranial injury with loss of consciousness of unspecified duration, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9XAA	ICD-10-CM	Unspecified intracranial injury with loss of consciousness status unknown, initial encounter	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.9XAS	ICD-10-CM	Unspecified intracranial injury with loss of consciousness status unknown, sequela	Yes	Traumatic intracranial/brain injury - documented brain injury with meaningful risk of persistent cognitive and functional deficits
S06.A0XA	ICD-10-CM	Traumatic brain compression without herniation, initial encounter	Yes	Traumatic brain compression without herniation - severe brain injury with elevated intracranial pressure; high risk of persistent neurologic impairment
S06.A0XS	ICD-10-CM	Traumatic brain compression without herniation, sequela	Yes	Traumatic brain compression without herniation - severe brain injury with elevated intracranial pressure; high risk of persistent neurologic impairment
S14.0XXS	ICD-10-CM	Concussion and edema of cervical spinal cord, sequela	Yes	Sequela of spinal cord concussion/edema - residual neurologic impairment
S14.101A	ICD-10-CM	Unspecified injury at C1 level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.101D	ICD-10-CM	Unspecified injury at C1 level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.101S	ICD-10-CM	Unspecified injury at C1 level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S14.102A	ICD-10-CM	Unspecified injury at C2 level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.102D	ICD-10-CM	Unspecified injury at C2 level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.102S	ICD-10-CM	Unspecified injury at C2 level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S14.103A	ICD-10-CM	Unspecified injury at C3 level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.103D	ICD-10-CM	Unspecified injury at C3 level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit

S14.103S	ICD-10-CM	Unspecified injury at C3 level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S14.104A	ICD-10-CM	Unspecified injury at C4 level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.104D	ICD-10-CM	Unspecified injury at C4 level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.104S	ICD-10-CM	Unspecified injury at C4 level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S14.105A	ICD-10-CM	Unspecified injury at C5 level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.105D	ICD-10-CM	Unspecified injury at C5 level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.105S	ICD-10-CM	Unspecified injury at C5 level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S14.106A	ICD-10-CM	Unspecified injury at C6 level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.106D	ICD-10-CM	Unspecified injury at C6 level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.106S	ICD-10-CM	Unspecified injury at C6 level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S14.107A	ICD-10-CM	Unspecified injury at C7 level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.107D	ICD-10-CM	Unspecified injury at C7 level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.107S	ICD-10-CM	Unspecified injury at C7 level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S14.108A	ICD-10-CM	Unspecified injury at C8 level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.108D	ICD-10-CM	Unspecified injury at C8 level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.108S	ICD-10-CM	Unspecified injury at C8 level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment

S14.109A	ICD-10-CM	Unspecified injury at unspecified level of cervical spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.109D	ICD-10-CM	Unspecified injury at unspecified level of cervical spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S14.109S	ICD-10-CM	Unspecified injury at unspecified level of cervical spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S14.121A	ICD-10-CM	Central cord syndrome at C1 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.121D	ICD-10-CM	Central cord syndrome at C1 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.121S	ICD-10-CM	Central cord syndrome at C1 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.122A	ICD-10-CM	Central cord syndrome at C2 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.122D	ICD-10-CM	Central cord syndrome at C2 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.122S	ICD-10-CM	Central cord syndrome at C2 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.123A	ICD-10-CM	Central cord syndrome at C3 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.123D	ICD-10-CM	Central cord syndrome at C3 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.123S	ICD-10-CM	Central cord syndrome at C3 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.124A	ICD-10-CM	Central cord syndrome at C4 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.124D	ICD-10-CM	Central cord syndrome at C4 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.124S	ICD-10-CM	Central cord syndrome at C4 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.125A	ICD-10-CM	Central cord syndrome at C5 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S14.125D	ICD-10-CM	Central cord syndrome at C5 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.125S	ICD-10-CM	Central cord syndrome at C5 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.126A	ICD-10-CM	Central cord syndrome at C6 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.126D	ICD-10-CM	Central cord syndrome at C6 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.126S	ICD-10-CM	Central cord syndrome at C6 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.127A	ICD-10-CM	Central cord syndrome at C7 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.127D	ICD-10-CM	Central cord syndrome at C7 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.127S	ICD-10-CM	Central cord syndrome at C7 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.128A	ICD-10-CM	Central cord syndrome at C8 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.128D	ICD-10-CM	Central cord syndrome at C8 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.128S	ICD-10-CM	Central cord syndrome at C8 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.129A	ICD-10-CM	Central cord syndrome at unspecified level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.129D	ICD-10-CM	Central cord syndrome at unspecified level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.129S	ICD-10-CM	Central cord syndrome at unspecified level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.131A	ICD-10-CM	Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.131D	ICD-10-CM	Anterior cord syndrome at C1 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S14.131S	ICD-10-CM	Anterior cord syndrome at C1 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.132A	ICD-10-CM	Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.132D	ICD-10-CM	Anterior cord syndrome at C2 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.132S	ICD-10-CM	Anterior cord syndrome at C2 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.133A	ICD-10-CM	Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.133D	ICD-10-CM	Anterior cord syndrome at C3 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.133S	ICD-10-CM	Anterior cord syndrome at C3 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.134A	ICD-10-CM	Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.134D	ICD-10-CM	Anterior cord syndrome at C4 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.134S	ICD-10-CM	Anterior cord syndrome at C4 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.135A	ICD-10-CM	Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.135D	ICD-10-CM	Anterior cord syndrome at C5 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.135S	ICD-10-CM	Anterior cord syndrome at C5 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.136A	ICD-10-CM	Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.136D	ICD-10-CM	Anterior cord syndrome at C6 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.136S	ICD-10-CM	Anterior cord syndrome at C6 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S14.137A	ICD-10-CM	Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.137D	ICD-10-CM	Anterior cord syndrome at C7 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.137S	ICD-10-CM	Anterior cord syndrome at C7 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.138A	ICD-10-CM	Anterior cord syndrome at C8 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.138D	ICD-10-CM	Anterior cord syndrome at C8 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.138S	ICD-10-CM	Anterior cord syndrome at C8 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.139A	ICD-10-CM	Anterior cord syndrome at unspecified level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.139D	ICD-10-CM	Anterior cord syndrome at unspecified level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.139S	ICD-10-CM	Anterior cord syndrome at unspecified level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.141A	ICD-10-CM	Brown-Sequard syndrome at C1 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.141D	ICD-10-CM	Brown-Sequard syndrome at C1 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.141S	ICD-10-CM	Brown-Sequard syndrome at C1 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.142A	ICD-10-CM	Brown-Sequard syndrome at C2 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.142D	ICD-10-CM	Brown-Sequard syndrome at C2 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.142S	ICD-10-CM	Brown-Sequard syndrome at C2 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.143A	ICD-10-CM	Brown-Sequard syndrome at C3 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S14.143D	ICD-10-CM	Brown-Sequard syndrome at C3 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.143S	ICD-10-CM	Brown-Sequard syndrome at C3 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.144A	ICD-10-CM	Brown-Sequard syndrome at C4 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.144D	ICD-10-CM	Brown-Sequard syndrome at C4 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.144S	ICD-10-CM	Brown-Sequard syndrome at C4 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.145A	ICD-10-CM	Brown-Sequard syndrome at C5 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.145D	ICD-10-CM	Brown-Sequard syndrome at C5 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.145S	ICD-10-CM	Brown-Sequard syndrome at C5 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.146A	ICD-10-CM	Brown-Sequard syndrome at C6 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.146D	ICD-10-CM	Brown-Sequard syndrome at C6 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.146S	ICD-10-CM	Brown-Sequard syndrome at C6 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.147A	ICD-10-CM	Brown-Sequard syndrome at C7 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.147D	ICD-10-CM	Brown-Sequard syndrome at C7 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.147S	ICD-10-CM	Brown-Sequard syndrome at C7 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.148A	ICD-10-CM	Brown-Sequard syndrome at C8 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.148D	ICD-10-CM	Brown-Sequard syndrome at C8 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S14.148S	ICD-10-CM	Brown-Sequard syndrome at C8 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.149A	ICD-10-CM	Brown-Sequard syndrome at unspecified level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.149D	ICD-10-CM	Brown-Sequard syndrome at unspecified level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.149S	ICD-10-CM	Brown-Sequard syndrome at unspecified level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.151A	ICD-10-CM	Other incomplete lesion at C1 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.151D	ICD-10-CM	Other incomplete lesion at C1 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.151S	ICD-10-CM	Other incomplete lesion at C1 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.152A	ICD-10-CM	Other incomplete lesion at C2 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.152D	ICD-10-CM	Other incomplete lesion at C2 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.152S	ICD-10-CM	Other incomplete lesion at C2 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.153A	ICD-10-CM	Other incomplete lesion at C3 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.153D	ICD-10-CM	Other incomplete lesion at C3 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.153S	ICD-10-CM	Other incomplete lesion at C3 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.154A	ICD-10-CM	Other incomplete lesion at C4 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.154D	ICD-10-CM	Other incomplete lesion at C4 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.154S	ICD-10-CM	Other incomplete lesion at C4 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S14.155A	ICD-10-CM	Other incomplete lesion at C5 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.155D	ICD-10-CM	Other incomplete lesion at C5 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.155S	ICD-10-CM	Other incomplete lesion at C5 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.156A	ICD-10-CM	Other incomplete lesion at C6 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.156D	ICD-10-CM	Other incomplete lesion at C6 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.156S	ICD-10-CM	Other incomplete lesion at C6 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.157A	ICD-10-CM	Other incomplete lesion at C7 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.157D	ICD-10-CM	Other incomplete lesion at C7 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.157S	ICD-10-CM	Other incomplete lesion at C7 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.158A	ICD-10-CM	Other incomplete lesion at C8 level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.158D	ICD-10-CM	Other incomplete lesion at C8 level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.158S	ICD-10-CM	Other incomplete lesion at C8 level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.159A	ICD-10-CM	Other incomplete lesion at unspecified level of cervical spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.159D	ICD-10-CM	Other incomplete lesion at unspecified level of cervical spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S14.159S	ICD-10-CM	Other incomplete lesion at unspecified level of cervical spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.0XXS	ICD-10-CM	Concussion and edema of thoracic spinal cord, sequela	Yes	Sequela of spinal cord concussion/edema - residual neurologic impairment
S24.101A	ICD-10-CM	Unspecified injury at T1 level of thoracic spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit

S24.101D	ICD-10-CM	Unspecified injury at T1 level of thoracic spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.101S	ICD-10-CM	Unspecified injury at T1 level of thoracic spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S24.102A	ICD-10-CM	Unspecified injury at T2-T6 level of thoracic spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.102D	ICD-10-CM	Unspecified injury at T2-T6 level of thoracic spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.102S	ICD-10-CM	Unspecified injury at T2-T6 level of thoracic spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S24.103A	ICD-10-CM	Unspecified injury at T7-T10 level of thoracic spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.103D	ICD-10-CM	Unspecified injury at T7-T10 level of thoracic spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.103S	ICD-10-CM	Unspecified injury at T7-T10 level of thoracic spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S24.104A	ICD-10-CM	Unspecified injury at T11-T12 level of thoracic spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.104D	ICD-10-CM	Unspecified injury at T11-T12 level of thoracic spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.104S	ICD-10-CM	Unspecified injury at T11-T12 level of thoracic spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S24.109A	ICD-10-CM	Unspecified injury at unspecified level of thoracic spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.109D	ICD-10-CM	Unspecified injury at unspecified level of thoracic spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit
S24.109S	ICD-10-CM	Unspecified injury at unspecified level of thoracic spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment
S24.131A	ICD-10-CM	Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.131D	ICD-10-CM	Anterior cord syndrome at T1 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S24.131S	ICD-10-CM	Anterior cord syndrome at T1 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.132A	ICD-10-CM	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.132D	ICD-10-CM	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.132S	ICD-10-CM	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.133A	ICD-10-CM	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.133D	ICD-10-CM	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.133S	ICD-10-CM	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.134A	ICD-10-CM	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.134D	ICD-10-CM	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.134S	ICD-10-CM	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.139A	ICD-10-CM	Anterior cord syndrome at unspecified level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.139D	ICD-10-CM	Anterior cord syndrome at unspecified level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.139S	ICD-10-CM	Anterior cord syndrome at unspecified level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.141A	ICD-10-CM	Brown-Sequard syndrome at T1 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.141D	ICD-10-CM	Brown-Sequard syndrome at T1 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.141S	ICD-10-CM	Brown-Sequard syndrome at T1 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S24.142A	ICD-10-CM	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.142D	ICD-10-CM	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.142S	ICD-10-CM	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.143A	ICD-10-CM	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.143D	ICD-10-CM	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.143S	ICD-10-CM	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.144A	ICD-10-CM	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.144D	ICD-10-CM	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.144S	ICD-10-CM	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.149A	ICD-10-CM	Brown-Sequard syndrome at unspecified level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.149D	ICD-10-CM	Brown-Sequard syndrome at unspecified level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.149S	ICD-10-CM	Brown-Sequard syndrome at unspecified level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.151A	ICD-10-CM	Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.151D	ICD-10-CM	Other incomplete lesion at T1 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.151S	ICD-10-CM	Other incomplete lesion at T1 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.152A	ICD-10-CM	Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S24.152D	ICD-10-CM	Other incomplete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.152S	ICD-10-CM	Other incomplete lesion at T2-T6 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.153A	ICD-10-CM	Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.153D	ICD-10-CM	Other incomplete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.153S	ICD-10-CM	Other incomplete lesion at T7-T10 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.154A	ICD-10-CM	Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.154D	ICD-10-CM	Other incomplete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.154S	ICD-10-CM	Other incomplete lesion at T11-T12 level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.159A	ICD-10-CM	Other incomplete lesion at unspecified level of thoracic spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.159D	ICD-10-CM	Other incomplete lesion at unspecified level of thoracic spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S24.159S	ICD-10-CM	Other incomplete lesion at unspecified level of thoracic spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.01XS	ICD-10-CM	Concussion and edema of lumbar spinal cord, sequela	Yes	Sequela of spinal cord concussion/edema - residual neurologic impairment
S34.02XS	ICD-10-CM	Concussion and edema of sacral spinal cord, sequela	Yes	Sequela of spinal cord concussion/edema - residual neurologic impairment
S34.121A	ICD-10-CM	Incomplete lesion of L1 level of lumbar spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.121D	ICD-10-CM	Incomplete lesion of L1 level of lumbar spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.121S	ICD-10-CM	Incomplete lesion of L1 level of lumbar spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.122A	ICD-10-CM	Incomplete lesion of L2 level of lumbar spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit

S34.122D	ICD-10-CM	Incomplete lesion of L2 level of lumbar spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.122S	ICD-10-CM	Incomplete lesion of L2 level of lumbar spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.123A	ICD-10-CM	Incomplete lesion of L3 level of lumbar spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.123D	ICD-10-CM	Incomplete lesion of L3 level of lumbar spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.123S	ICD-10-CM	Incomplete lesion of L3 level of lumbar spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.124A	ICD-10-CM	Incomplete lesion of L4 level of lumbar spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.124D	ICD-10-CM	Incomplete lesion of L4 level of lumbar spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.124S	ICD-10-CM	Incomplete lesion of L4 level of lumbar spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.125A	ICD-10-CM	Incomplete lesion of L5 level of lumbar spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.125D	ICD-10-CM	Incomplete lesion of L5 level of lumbar spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.125S	ICD-10-CM	Incomplete lesion of L5 level of lumbar spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.129A	ICD-10-CM	Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.129D	ICD-10-CM	Incomplete lesion of unspecified level of lumbar spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.129S	ICD-10-CM	Incomplete lesion of unspecified level of lumbar spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.132A	ICD-10-CM	Incomplete lesion of sacral spinal cord, initial encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.132D	ICD-10-CM	Incomplete lesion of sacral spinal cord, subsequent encounter	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.132S	ICD-10-CM	Incomplete lesion of sacral spinal cord, sequela	Yes	Incomplete spinal cord lesion - permanent neurological deficit
S34.139A	ICD-10-CM	Unspecified injury to sacral spinal cord, initial encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit

S34.139D	ICD-10-CM	Unspecified injury to sacral spinal cord, subsequent encounter	Yes	Spinal cord injury - high risk of permanent neurologic deficit	
S34.139S	ICD-10-CM	Unspecified injury to sacral spinal cord, sequela	Yes	Sequela of spinal cord injury - lasting neurologic impairment	
S72.001A	ICD-10-CM	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.001B	ICD-10-CM	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.001C	ICD-10-CM	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIB, or IIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.002A	ICD-10-CM	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.002B	ICD-10-CM	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.002C	ICD-10-CM	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIB, or IIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.009A	ICD-10-CM	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.009B	ICD-10-CM	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.009C	ICD-10-CM	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.011A	ICD-10-CM	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.011B	ICD-10-CM	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.011C	ICD-10-CM	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIB, or IIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.012A	ICD-10-CM	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.012B	ICD-10-CM	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	
S72.012C	ICD-10-CM	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIB, or IIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence	

S72.019A	ICD-10-CM	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.019B	ICD-10-CM	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.019C	ICD-10-CM	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.021A	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.021B	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.021C	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.022A	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.022B	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.022C	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.023A	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.023B	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.023C	ICD-10-CM	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.024A	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.024B	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.024C	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.025A	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.025B	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.025C	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.026A	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.026B	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.026C	ICD-10-CM	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.031A	ICD-10-CM	Displaced midcervical fracture of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.031B	ICD-10-CM	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.031C	ICD-10-CM	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.032A	ICD-10-CM	Displaced midcervical fracture of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.032B	ICD-10-CM	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.032C	ICD-10-CM	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.033A	ICD-10-CM	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.033B	ICD-10-CM	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.033C	ICD-10-CM	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.034A	ICD-10-CM	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.034B	ICD-10-CM	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.034C	ICD-10-CM	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.035A	ICD-10-CM	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.035B	ICD-10-CM	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.035C	ICD-10-CM	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.036A	ICD-10-CM	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.036B	ICD-10-CM	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.036C	ICD-10-CM	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.041A	ICD-10-CM	Displaced fracture of base of neck of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.041B	ICD-10-CM	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.041C	ICD-10-CM	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.042A	ICD-10-CM	Displaced fracture of base of neck of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.042B	ICD-10-CM	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.042C	ICD-10-CM	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.043A	ICD-10-CM	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.043B	ICD-10-CM	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.043C	ICD-10-CM	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.044A	ICD-10-CM	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.044B	ICD-10-CM	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.044C	ICD-10-CM	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.045A	ICD-10-CM	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.045B	ICD-10-CM	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.045C	ICD-10-CM	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.046A	ICD-10-CM	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.046B	ICD-10-CM	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.046C	ICD-10-CM	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.051A	ICD-10-CM	Unspecified fracture of head of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.051B	ICD-10-CM	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.051C	ICD-10-CM	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.052A	ICD-10-CM	Unspecified fracture of head of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.052B	ICD-10-CM	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.052C	ICD-10-CM	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.059A	ICD-10-CM	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.059B	ICD-10-CM	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.059C	ICD-10-CM	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.061A	ICD-10-CM	Displaced articular fracture of head of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.061B	ICD-10-CM	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.061C	ICD-10-CM	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.062A	ICD-10-CM	Displaced articular fracture of head of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.062B	ICD-10-CM	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.062C	ICD-10-CM	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.063A	ICD-10-CM	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.063B	ICD-10-CM	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.063C	ICD-10-CM	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.064A	ICD-10-CM	Non-displaced articular fracture of head of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.064B	ICD-10-CM	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.064C	ICD-10-CM	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.065A	ICD-10-CM	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.065B	ICD-10-CM	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.065C	ICD-10-CM	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.066A	ICD-10-CM	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.066B	ICD-10-CM	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.066C	ICD-10-CM	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.091A	ICD-10-CM	Other fracture of head and neck of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.091B	ICD-10-CM	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.091C	ICD-10-CM	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.092A	ICD-10-CM	Other fracture of head and neck of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.092B	ICD-10-CM	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.092C	ICD-10-CM	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.099A	ICD-10-CM	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.099B	ICD-10-CM	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.099C	ICD-10-CM	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.101A	ICD-10-CM	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.101B	ICD-10-CM	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.101C	ICD-10-CM	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.102A	ICD-10-CM	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.102B	ICD-10-CM	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.102C	ICD-10-CM	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.109A	ICD-10-CM	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.109B	ICD-10-CM	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.109C	ICD-10-CM	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.111A	ICD-10-CM	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.111B	ICD-10-CM	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.111C	ICD-10-CM	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.112A	ICD-10-CM	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.112B	ICD-10-CM	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.112C	ICD-10-CM	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.113A	ICD-10-CM	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.113B	ICD-10-CM	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.113C	ICD-10-CM	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.114A	ICD-10-CM	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.114B	ICD-10-CM	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.114C	ICD-10-CM	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.115A	ICD-10-CM	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.115B	ICD-10-CM	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.115C	ICD-10-CM	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.116A	ICD-10-CM	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.116B	ICD-10-CM	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.116C	ICD-10-CM	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.121A	ICD-10-CM	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.121B	ICD-10-CM	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.121C	ICD-10-CM	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.122A	ICD-10-CM	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.122B	ICD-10-CM	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.122C	ICD-10-CM	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.123A	ICD-10-CM	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.123B	ICD-10-CM	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.123C	ICD-10-CM	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.124A	ICD-10-CM	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.124B	ICD-10-CM	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.124C	ICD-10-CM	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.125A	ICD-10-CM	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.125B	ICD-10-CM	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.125C	ICD-10-CM	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.126A	ICD-10-CM	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.126B	ICD-10-CM	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.126C	ICD-10-CM	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.141A	ICD-10-CM	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.141B	ICD-10-CM	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.141C	ICD-10-CM	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.142A	ICD-10-CM	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.142B	ICD-10-CM	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.142C	ICD-10-CM	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.143A	ICD-10-CM	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.143B	ICD-10-CM	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.143C	ICD-10-CM	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.144A	ICD-10-CM	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.144B	ICD-10-CM	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.144C	ICD-10-CM	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.145A	ICD-10-CM	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.145B	ICD-10-CM	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.145C	ICD-10-CM	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.146A	ICD-10-CM	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.146B	ICD-10-CM	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.146C	ICD-10-CM	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.21XA	ICD-10-CM	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.21XB	ICD-10-CM	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.21XC	ICD-10-CM	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.22XA	ICD-10-CM	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.22XB	ICD-10-CM	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.22XC	ICD-10-CM	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.23XA	ICD-10-CM	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.23XB	ICD-10-CM	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.23XC	ICD-10-CM	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.24XA	ICD-10-CM	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.24XB	ICD-10-CM	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.24XC	ICD-10-CM	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.25XA	ICD-10-CM	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.25XB	ICD-10-CM	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence

S72.25XC	ICD-10-CM	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.26XA	ICD-10-CM	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.26XB	ICD-10-CM	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
S72.26XC	ICD-10-CM	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Yes	Hip fracture (proximal femur) - high morbidity/mortality, frequent functional decline and loss of independence
T31.11	ICD-10-CM	Burns involving 10-19% of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (10-19% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.21	ICD-10-CM	Burns involving 20-29% of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (20-29% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.22	ICD-10-CM	Burns involving 20-29% of body surface with 20-29% third degree burns	Yes	Severe burn/corrosion (20-29% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.31	ICD-10-CM	Burns involving 30-39% of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (30-39% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.32	ICD-10-CM	Burns involving 30-39% of body surface with 20-29% third degree burns	Yes	Severe burn/corrosion (30-39% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.33	ICD-10-CM	Burns involving 30-39% of body surface with 30-39% third degree burns	Yes	Severe burn/corrosion (30-39% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.41	ICD-10-CM	Burns involving 40-49% of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (40-49% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.42	ICD-10-CM	Burns involving 40-49% of body surface with 20-29% third degree burns	Yes	Severe burn/corrosion (40-49% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.43	ICD-10-CM	Burns involving 40-49% of body surface with 30-39% third degree burns	Yes	Severe burn/corrosion (40-49% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.44	ICD-10-CM	Burns involving 40-49% of body surface with 40-49% third degree burns	Yes	Severe burn/corrosion (40-49% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.51	ICD-10-CM	Burns involving 50-59% of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (50-59% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.52	ICD-10-CM	Burns involving 50-59% of body surface with 20-29% third degree burns	Yes	Severe burn/corrosion (50-59% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment

T31.53	ICD-10-CM	Burns involving 50-59% of body surface with 30-39% third degree burns	Yes	Severe burn/corrosion (50-59% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.54	ICD-10-CM	Burns involving 50-59% of body surface with 40-49% third degree burns	Yes	Severe burn/corrosion (50-59% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.55	ICD-10-CM	Burns involving 50-59% of body surface with 50-59% third degree burns	Yes	Severe burn/corrosion (50-59% TBSA, 50-59% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.61	ICD-10-CM	Burns involving 60-69% of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (60-69% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.62	ICD-10-CM	Burns involving 60-69% of body surface with 20-29% third degree burns	Yes	Severe burn/corrosion (60-69% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.63	ICD-10-CM	Burns involving 60-69% of body surface with 30-39% third degree burns	Yes	Severe burn/corrosion (60-69% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.64	ICD-10-CM	Burns involving 60-69% of body surface with 40-49% third degree burns	Yes	Severe burn/corrosion (60-69% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.65	ICD-10-CM	Burns involving 60-69% of body surface with 50-59% third degree burns	Yes	Severe burn/corrosion (60-69% TBSA, 50-59% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.66	ICD-10-CM	Burns involving 60-69% of body surface with 60-69% third degree burns	Yes	Severe burn/corrosion (60-69% TBSA, 60-69% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.71	ICD-10-CM	Burns involving 70-79% of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (70-79% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.72	ICD-10-CM	Burns involving 70-79% of body surface with 20-29% third degree burns	Yes	Severe burn/corrosion (70-79% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.73	ICD-10-CM	Burns involving 70-79% of body surface with 30-39% third degree burns	Yes	Severe burn/corrosion (70-79% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.74	ICD-10-CM	Burns involving 70-79% of body surface with 40-49% third degree burns	Yes	Severe burn/corrosion (70-79% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.75	ICD-10-CM	Burns involving 70-79% of body surface with 50-59% third degree burns	Yes	Severe burn/corrosion (70-79% TBSA, 50-59% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.76	ICD-10-CM	Burns involving 70-79% of body surface with 60-69% third degree burns	Yes	Severe burn/corrosion (70-79% TBSA, 60-69% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.77	ICD-10-CM	Burns involving 70-79% of body surface with 70-79% third degree burns	Yes	Severe burn/corrosion (70-79% TBSA, 70-79% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment

T31.81	ICD-10-CM	Burns involving 80-89% of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (80-89% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.82	ICD-10-CM	Burns involving 80-89% of body surface with 20-29% third degree burns	Yes	Severe burn/corrosion (80-89% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.83	ICD-10-CM	Burns involving 80-89% of body surface with 30-39% third degree burns	Yes	Severe burn/corrosion (80-89% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.84	ICD-10-CM	Burns involving 80-89% of body surface with 40-49% third degree burns	Yes	Severe burn/corrosion (80-89% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.85	ICD-10-CM	Burns involving 80-89% of body surface with 50-59% third degree burns	Yes	Severe burn/corrosion (80-89% TBSA, 50-59% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.86	ICD-10-CM	Burns involving 80-89% of body surface with 60-69% third degree burns	Yes	Severe burn/corrosion (80-89% TBSA, 60-69% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.87	ICD-10-CM	Burns involving 80-89% of body surface with 70-79% third degree burns	Yes	Severe burn/corrosion (80-89% TBSA, 70-79% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.88	ICD-10-CM	Burns involving 80-89% of body surface with 80-89% third degree burns	Yes	Severe burn/corrosion (80-89% TBSA, 80-89% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.91	ICD-10-CM	Burns involving 90% or more of body surface with 10-19% third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.92	ICD-10-CM	Burns involving 90% or more of body surface with 20-29% third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.93	ICD-10-CM	Burns involving 90% or more of body surface with 30-39% third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.94	ICD-10-CM	Burns involving 90% or more of body surface with 40-49% third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.95	ICD-10-CM	Burns involving 90% or more of body surface with 50-59% third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 50-59% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.96	ICD-10-CM	Burns involving 90% or more of body surface with 60-69% third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 60-69% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.97	ICD-10-CM	Burns involving 90% or more of body surface with 70-79% third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 70-79% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T31.98	ICD-10-CM	Burns involving 90% or more of body surface with 80-89% third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 80-89% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment

T31.99	ICD-10-CM	Burns involving 90% or more of body surface with third degree burns	Yes	Severe burn/corrosion (90-99% TBSA, 90-99% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.11	ICD-10-CM	Corrosions involving 10-19% of body surface with degree corrosion	Yes	Severe burn/corrosion (10-19% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.21	ICD-10-CM	Corrosions involving 20-29% of body surface with degree corrosion	Yes	Severe burn/corrosion (20-29% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.22	ICD-10-CM	Corrosions involving 20-29% of body surface with degree corrosion	Yes	Severe burn/corrosion (20-29% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.31	ICD-10-CM	Corrosions involving 30-39% of body surface with degree corrosion	Yes	Severe burn/corrosion (30-39% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.32	ICD-10-CM	Corrosions involving 30-39% of body surface with degree corrosion	Yes	Severe burn/corrosion (30-39% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.33	ICD-10-CM	Corrosions involving 30-39% of body surface with degree corrosion	Yes	Severe burn/corrosion (30-39% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.41	ICD-10-CM	Corrosions involving 40-49% of body surface with degree corrosion	Yes	Severe burn/corrosion (40-49% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.42	ICD-10-CM	Corrosions involving 40-49% of body surface with degree corrosion	Yes	Severe burn/corrosion (40-49% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.43	ICD-10-CM	Corrosions involving 40-49% of body surface with degree corrosion	Yes	Severe burn/corrosion (40-49% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.44	ICD-10-CM	Corrosions involving 40-49% of body surface with degree corrosion	Yes	Severe burn/corrosion (40-49% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.51	ICD-10-CM	Corrosions involving 50-59% of body surface with degree corrosion	Yes	Severe burn/corrosion (50-59% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.52	ICD-10-CM	Corrosions involving 50-59% of body surface with degree corrosion	Yes	Severe burn/corrosion (50-59% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.53	ICD-10-CM	Corrosions involving 50-59% of body surface with degree corrosion	Yes	Severe burn/corrosion (50-59% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.54	ICD-10-CM	Corrosions involving 50-59% of body surface with degree corrosion	Yes	Severe burn/corrosion (50-59% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.55	ICD-10-CM	Corrosions involving 50-59% of body surface with degree corrosion	Yes	Severe burn/corrosion (50-59% TBSA, 50-59% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment

T32.84	ICD-10-CM	Corrosions involving 80-89% of body surface with 40-49% third degree corrosion	Yes	Severe burn/corrosion (80-89% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.85	ICD-10-CM	Corrosions involving 80-89% of body surface with 50-59% third degree corrosion	Yes	Severe burn/corrosion (80-89% TBSA, 50-59% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.86	ICD-10-CM	Corrosions involving 80-89% of body surface with 60-69% third degree corrosion	Yes	Severe burn/corrosion (80-89% TBSA, 60-69% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.87	ICD-10-CM	Corrosions involving 80-89% of body surface with 70-79% third degree corrosion	Yes	Severe burn/corrosion (80-89% TBSA, 70-79% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.88	ICD-10-CM	Corrosions involving 80-89% of body surface with 80-89% third degree corrosion	Yes	Severe burn/corrosion (80-89% TBSA, 80-89% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.91	ICD-10-CM	Corrosions involving 90% or more of body surface with 10-19% third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 10-19% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.92	ICD-10-CM	Corrosions involving 90% or more of body surface with 20-29% third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 20-29% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.93	ICD-10-CM	Corrosions involving 90% or more of body surface with 30-39% third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 30-39% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.94	ICD-10-CM	Corrosions involving 90% or more of body surface with 40-49% third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 40-49% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.95	ICD-10-CM	Corrosions involving 90% or more of body surface with 50-59% third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 50-59% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.96	ICD-10-CM	Corrosions involving 90% or more of body surface with 60-69% third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 60-69% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.97	ICD-10-CM	Corrosions involving 90% or more of body surface with 70-79% third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 70-79% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.98	ICD-10-CM	Corrosions involving 90% or more of body surface with 80-89% third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 80-89% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T32.99	ICD-10-CM	Corrosions involving 90% or more of body surface with 90% or more third degree corrosion	Yes	Severe burn/corrosion (90-99% TBSA, 90-99% 3rd degree) - significant disability, long recovery, often permanent functional/cosmetic impairment
T80.82XA	ICD-10-CM	Complication of immune effector cellular therapy, initial encounter	Yes	Complication of immune effector cell therapy - reflects underlying serious malignancy and complex care needs
T80.82XD	ICD-10-CM	Complication of immune effector cellular therapy, subsequent encounter	Yes	Complication of immune effector cell therapy - reflects underlying serious malignancy and complex care needs

T80.82XS	ICD-10-CM	Complication of immune effector cellular therapy, sequela	Yes	Complication of immune effector cell therapy - reflects underlying serious malignancy and complex care needs
T87.0X1	ICD-10-CM	Complications of reattached (part of) right upper extremity	Yes	Complication of reattached extremity - significant ongoing functional impairment
T87.0X2	ICD-10-CM	Complications of reattached (part of) left upper extremity	Yes	Complication of reattached extremity - significant ongoing functional impairment
T87.0X9	ICD-10-CM	Complications of reattached (part of) unspecified upper extremity	Yes	Complication of reattached extremity - significant ongoing functional impairment
T87.1X1	ICD-10-CM	Complications of reattached (part of) right lower extremity	Yes	Complication of reattached extremity - significant ongoing functional impairment
T87.1X2	ICD-10-CM	Complications of reattached (part of) left lower extremity	Yes	Complication of reattached extremity - significant ongoing functional impairment
T87.1X9	ICD-10-CM	Complications of reattached (part of) unspecified lower extremity	Yes	Complication of reattached extremity - significant ongoing functional impairment
T87.2	ICD-10-CM	Complications of other reattached body part	Yes	Complication of reattached extremity - significant ongoing functional impairment

Code	Code Type	Description	Yes/ No	Rationale
Z14.02	ICD-10-CM	Symptomatic hemophilia A carrier (most symptomatic carriers (usually women carrying the defective gene on their X chromosome) are now considered to have hemophilia)	Yes	Symptomatic hemophilia A carrier - bleeding disorder requiring treatment
Z48.21	ICD-10-CM	Heart transplant aftercare	Yes	Would need clinical support to demo disability after first year, however
Z48.22	ICD-10-CM	Kidney transplant aftercare	Yes	Would need clinical support to demo disability after first year, however
Z48.23	ICD-10-CM	Liver transplant aftercare	Yes	Would need clinical support to demo disability after first year, however
Z48.24	ICD-10-CM	Lung transplant aftercare	Yes	Would need clinical support to demo disability after first year, however
Z48.290	ICD-10-CM	Bone marrow transplant aftercare	Yes	Would need clinical support to demo disability after first year, however
Z48.298	ICD-10-CM	Other organ transplant aftercare	Yes	Would need clinical support to demo disability after first year, however
Z51.0	ICD-10-CM	Encounter for antineoplastic radiation therapy	Yes	Antineoplastic radiation therapy - indicates active cancer treatment
Z51.11	ICD-10-CM	Encounter for antineoplastic chemotherapy	Yes	Antineoplastic chemotherapy - indicates active cancer treatment
Z51.12	ICD-10-CM	Encounter for antineoplastic immunotherapy	Yes	Antineoplastic immunotherapy - indicates active cancer treatment
Z59	ICD-10-CM	Problems related to living in residential institution	Yes	Residential institution - indicates need for supervised care
Z66	ICD-10-CM	Do not resuscitate (DNR) status	Yes	DNR status - indicates serious underlying condition
Z73	ICD-10-CM	Limitation of activities due to disability	Yes	Activity limitation due to disability - documented functional impairment
Z75	ICD-10-CM	Person awaiting admission to adequate facility elsewhere	Yes	Awaiting facility admission - indicates care needs exceeding home capacity
Z76.82	ICD-10-CM	Awaiting organ transplant status	Yes	Transplant status - immunocompromised, frailty varies
Z85	ICD-10-CM	Personal history of malignant neoplasm	Yes	History of malignant neoplasm - cancer survivor with potential sequelae
Z92	ICD-10-CM	Personal history of immunosuppressive therapy	Yes	History of immunosuppression - indicates prior serious illness requiring treatment
Z93.1	ICD-10-CM	Gastrostomy status	Yes	Gastrostomy - feeding tube dependency indicating inability to eat normally
Z93.2	ICD-10-CM	Ileostomy status	Yes	Ileostomy - bowel diversion indicating significant GI disease

Z93.4	ICD-10-CM	Jejunostomy status	Yes	Jejunostomy - feeding tube for intestinal bypass
Z93.5	ICD-10-CM	Cystostomy status	Yes	Cystostomy - urinary diversion indicating bladder dysfunction
Z93.6	ICD-10-CM	Urostomy status	Yes	Urostomy - urinary diversion indicating significant urologic disease
Z99.3	ICD-10-CM	Wheelchair dependence	Yes	Wheelchair dependence - significant mobility impairment